

# Table of Contents

## **Part1: Introduction and Background**

Chapter 1: Introduction

Chapter 2: Principles of WCDMA

## **Part2: UMTS Network Architecture and Protocols**

Chapter 3: UMTS Network Architecture

Chapter 4: User Equipment

Chapter 5: Access Network

Chapter 6: Core Network

## **Part 3: Procedures in UMTS Network**

Chapter 7: Radio Resource Control Procedures

Chapter 8: UTRAN Signaling Procedures

Chapter 9: Mobility Management

Chapter 10: Call Handling

Chapter 11: Session Management

Chapter 12: Supplementary Services

Chapter 13: Value-added Services

Chapter 14: Security Management

## **Part4: IP Initiatives in UMTS Network**

Chapter 15: IP Based Signaling Transport

Chapter 16: IP Multimedia Subsystem

## **Appendices**

Appendix A: Deployment of 3G Networks

Appendix B: 4G Mobile Networks

## **PART I—INTRODUCTION AND BACKGROUND**

### **1. Introduction**

- 1.1 Introduction
- 1.2 Second Generation Mobile Networks
  - 1.2.1 Limitations of 2G Networks
- 1.3 Generation Mobile Networks
- 1.4 International Mobile Telecommunication-2000 (Imt-2000)
- 1.5 Third Generation Partnership Program (3GPP)
  - 1.5.1 Interaction of 3GPP with other bodies
  - 1.5.2 Objective of 3GPP
  - 1.5.3 3GPP Technical Specifications Group (TSG)
  - 1.5.4 Stages of 3GPP Specifications
  - 1.5.5 Series of 3GPP Specifications
  - 1.5.6 Version Numbering of 3GPP Specifications
  - 1.5.7 Releases of 3GPP Specifications
  - 1.5.8 Evolution towards 3GPP Networks

*Summary*

### **2. Principles Of WCDMA**

- 2.1 Introduction
- 2.2 Requirements for third Generation Air Interface
- 2.3 Schemes for Radio Access
- 2.4 WCDMA Overview
  - 2.4.1 Direct-Sequence CDMA
  - 2.4.2 Wideband
  - 2.4.3 Synchronization Aspects
  - 2.4.4 Modes of Operation
- 2.5 Spreading and De-spreading

- 2.5.1 Autocorrelation and Cross Correlation
- 2.5.2 Benefits of Spreading
- 2.6 Scrambling
- 2.7 Rake Receiver
  - 2.7.1 Bearer Services
  - 2.7.2 Other Bearer Service
  - 2.7.3 Teleservices
  - 2.7.4 Supplementary Services
  - 2.7.5 Other Services
  - 2.7.6 Toolkits
- 2.8 Multipath Diversity and Macrodiversity
- 2.9 Power Control Mechanisms
  - 2.9.1 Conversational Class
  - 2.9.2 Streaming Class
  - 2.9.3 Interactive Class
  - 2.9.4 Background Class
- 2.10 Soft and Softer Handover
- 2.11 SRNS Relocation

*Summary*

## **PART II—UMTS NETWORK ARCHITECTURE AND PROTOCOLS**

### **3. UMTS Network Architecture**

- 3.1 Introduction
- 3.2 Basic Structure of UMTS Network
  - 3.2.1 User Equipment (UE)
  - 3.2.2 Access Network (AN)
  - 3.2.3 Core Network (CN)
- 3.3 Access Stratum and Non-access Stratum
  - 3.3.1 Access Stratum (AS)
  - 3.3.2 Non-Access Stratum (NAS)
- 3.4 Hierarchical Network Organization
  - 3.4.1 Public Land Mobile Network (PLMN)
  - 3.4.2 Location Area (LA)
  - 3.4.3 Routing Area (RA)
  - 3.4.4 UTRAN Registration Area (URA)
  - 3.4.5 Cell Global Identity (CGI)
- 3.5 Addresses and Identifiers
  - 3.5.1 Subscriber Identity
  - 3.5.2 Service Identity
  - 3.5.3 Temporary Identities
  - 3.5.4 PDP Address
  - 3.5.5 Equipment Identity
  - 3.5.6 Location Number
  - 3.5.7 Identifying Network Entities
- 3.6 Service Aspects
- 3.7 Service Classification
- 3.8 Quality of Service (QoS) Architecture
- 3.9 UMTS QoS Classes

*Summary*

### **4. User Equipment**

- 4.1 Introduction
- 4.2 Components of User Equipment
  - 4.2.1 Universal Integrated Circuit Card (UICC)

- 4.2.2 Mobile Equipment (ME)
- 4.2.3 User Equipment Combination
- 4.3 Interfaces of User Equipment
  - 4.3.1 External Interfaces
  - 4.3.2 Internal Interfaces
- 4.4 UE Functions
  - 4.4.1 Mobile Termination Functions
  - 4.4.2 Terminal Equipment Functions
  - 4.4.3 Terminal Adaptation Functions
  - 4.4.4 USIM Functions
- 4.5 UE Protocols
- 4.6 Classification of UE

*Summary*

## **5. Access Network**

- 5.1 Introduction
  - 5.5.1 Access Stratum Protocols
  - 5.5.2 Non-Access Stratum Protocols
- 5.2 Access Network Entities
  - 5.2.1 Base Station Sub-system (BSS)
  - 5.2.2 Radio Network Subsystem (RNS)
- 5.3 Network Interfaces
  - 5.3.1 Abis Interface between BSC and BTS
  - 5.3.2 Iub Interface between RNC and Node B
  - 5.3.3 Iur Interface between RNCs
  - 5.3.4 A Interface between MSC/VLR and BSS
  - 5.3.5 Gb Interface between SGSN and BSS
  - 5.3.6 Iu Interface between CN and RNS
- 5.4 Radio Interface Protocol Architecture
- 5.5 UTRAN Protocol Architecture
  - 5.5.1 Iu\_CS Protocol Architecture
  - 5.5.2 Iu\_PS Protocol Architecture
  - 5.5.3 Iur Protocol Architecture
  - 5.5.4 Iub Protocol Architecture
  - 5.5.5 Iu\_BC Protocol Architecture
- 5.6 Functions
  - 5.6.1 Transfer of User Data
  - 5.6.2 System Access Control
  - 5.6.3 Security Functions
  - 5.6.4 Mobility Management
  - 5.6.5 Radio Resource Management
  - 5.6.6 Broadcast and Multicast services
  - 5.6.7 Other Functions
- 5.7 Radio Interface Protocols
  - 5.7.1 Physical Layer
  - 5.7.2 Medium Access Control (MAC)
  - 5.7.3 Radio Link Control (RLC)
  - 5.7.4 Packet Data Convergence Protocol (PDCP)
  - 5.7.5 Broadcast/Multicast Control (BMC)
  - 5.7.6 Radio Resource Control (RRC)
- 5.8 ATM-based Transport Network Protocols
  - 5.8.1 Asynchronous Transfer Mode (ATM)
  - 5.8.2 ATM Adaptation Layer 2 (AAL2)
  - 5.8.3 ATM Adaptation Layer 5 (AAL5)
  - 5.8.4 Service Specific Connection Oriented Protocol (SSCOP)

- 5.8.5 Service-Specific Co-ordination Function for NNI (SSCF-NNI)
- 5.8.6 Service-Specific Co-ordination Function for UNI (SSCF-UNI)
- 5.8.7 Message Transfer Part 3 for Broadband (MTP3b)
- 5.8.8 Signaling Transport Converter (STC)
- 5.8.9 AAL2 Signaling
- 5.9 Application Layer Protocols
- 5.9.1 Radio Access Network Application Part (RANAP)
- 5.9.2 Radio Network Sub-system Application Part (RNSAP)
- 5.9.3 NBAP
- 5.9.4 Service Area Broadcast Protocol (SABP)
- 5.9.5 Iu User Plane (UP) Protocol
- 5.9.6 Framing Protocols for Iub and Iur Interface

*Summary*

## **6. Core Network**

- 6.1 Introduction
- 6.2 Entities Common to CS and PS Domain
  - 6.2.1 Home Location Register (HLR)
  - 6.2.2 Authentication Center (AuC)
  - 6.2.3 Equipment Identity Register (EIR)
  - 6.2.4 Short Message Service (SMS) entities
- 6.3 Entities Specific to the CS Domain
  - 6.3.1 Visitor Location Register (VLR)
  - 6.3.2 Mobile Switching Center (MSC)
  - 6.3.3 Gateway Mobile Switching Center (GMSC)
- 6.4 Entities Specific to the PS Domain
  - 6.4.1 Serving GPRS Support Node (SGSN)
  - 6.4.2 Gateway GPRS Support Node (GGSN)
  - 6.4.3 Border Gateway (BG)
- 6.5 Service-specific Entities of the Core Network
  - 6.5.1 Gateway Mobile Location Center (GMLC)
  - 6.5.2 CAMEL Entities
    - 6.5.3 Cell Broadcast Center (CBC)
- 6.6 Network Interfaces of CS Domain
  - 6.6.1 B Interface between MSC and VLR
  - 6.6.2 C Interface between GMSC and HLR
  - 6.6.3 D Interface between VLR and HLR
  - 6.6.4 E Interface between MSC and MSC
  - 6.6.5 F Interface between MSC and EIR
  - 6.6.6 G Interface between VLR and VLR
  - 6.6.7 Nb/Nc Interface between MSC and GMSC
  - 6.6.8 Interface between VLR and SMS-MSC
- 6.7 Interfaces of PS Domain
  - 6.7.1 Gn/Gp Interface between two GSNs
  - 6.7.2 Gi Interface between GGSN and PDN
  - 6.7.3 Gr Interface between SGSN and HLR
  - 6.7.4 Gs Interface between SGSN and MSC/VLR
  - 6.7.5 Gf Interface between SGSN and EIR
  - 6.7.6 Gc Interface between GGSN and HLR
  - 6.7.7 Gd Interface between SGSN and SMS-MSC
- 6.8 CS Domain Protocol Architecture
  - 6.8.1 User Plane
  - 6.8.2 Control Plane
- 6.9 PS Domain Protocol Architecture
  - 6.9.1 User Plane

- 6.9.2 Control Plane
  - 6.10 Core Network Functions
    - 6.10.1 Mobility Management
    - 6.10.2 Call Handling
    - 6.10.3 Session Management
    - 6.10.4 Supplementary Services
    - 6.10.5 Short Message Service
    - 6.10.6 Security Functions
  - 6.11 Subscriber Data
  - 6.12 SS7 Protocols
    - 6.12.1 Message Transfer Part (MTP)
    - 6.12.2 Signaling Connection Control Part (SCCP)
    - 6.12.3 ISDN User Part (ISUP)
  - 6.13 Application Protocols
    - 6.13.1 Transaction Capabilities (TCAP)
    - 6.13.2 Mobile application part (MAP)
    - 6.13.3 NAS Signaling
    - 6.13.4 GPRS Tunneling Protocol (GTP)
    - 6.13.5 Base Station Sub-system Application Part + (BSSAP+)
- Summary*

### **PART III—PROCEDURES IN UMTS NETWORK**

#### **7. Radio Resource Control Procedures**

- 7.1 Introduction
  - 7.2 RRC Protocol States
  - 7.3 RRC Connection Management Procedures
    - 7.3.1 Broadcast of System Information
    - 7.3.2 Paging
    - 7.3.3 UE Dedicated Paging
    - 7.3.4 RRC Connection Establishment
    - 7.3.5 RRC Connection Release
    - 7.3.6 Signaling Connection Release Procedure
    - 7.3.7 Transmission of UE Capability Information
    - 7.3.8 Direct Transfer of NAS Messages
    - 7.3.9 Security Functions
  - 7.4 Radio Bearer Control Procedures
    - 7.4.1 Radio Bearer Establishment
    - 7.4.2 Radio Bearer Reconfiguration
    - 7.4.3 Radio Bearer Release
    - 7.4.4 Transport Channel Reconfiguration
    - 7.4.5 Physical Channel Reconfiguration
  - 7.5 RRC Connection Mobility Procedures
    - 7.5.1 Cell Update Procedure
    - 7.5.2 UTRAN Registration Area (URA) Update Procedure
    - 7.5.3 UTRAN Mobility Information
    - 7.5.4 Soft Handover and Active Set Update
    - 7.5.5 Hard Handover
    - 7.5.6 Inter-system Handover
  - 7.6 Measurement Procedures
    - 7.6.1 Measurement Control
    - 7.6.2 Measurement Report
- Summary*

#### **8. UTRAN Signaling Procedures**

- 8.1 Introduction
- 8.2.1 System Information Broadcasting
- 8.2.2 Service Area Broadcast
- 8.2 UTRAN Global Signaling Procedures
- 8.3 UTRAN Signaling Procedures for a Specific UE
  - 8.3.1 Paging
  - 8.3.2 NAS Signaling Connection Establishment
  - 8.3.3 RRC Connection Establishment
  - 8.3.4 RRC Connection Release
  - 8.3.5 Radio Access Bearer Establishment
  - 8.3.6 Radio Access Bearer Release
  - 8.3.7 Physical Channel Reconfiguration
  - 8.3.8 Transport Channel Reconfiguration
  - 8.3.9 Soft Handover
  - 8.3.10 SRNC Relocation
  - 8.3.11 Cell Update
  - 8.3.12 URA Update
  - 8.3.13 Direct Transfer

*Summary*

## **9. Mobility Management**

- 9.1 Introduction
- 9.2 State Model for Mobility Management
- 9.3 Hierarchical Management of Location Information
- 9.4 Paging
- 9.5 MM/GMM Procedures Overview
- 9.6 MM Procedures in the Mobile Station
  - 9.6.1 MS 'Idle Mode' Procedures
  - 9.6.2 MS 'Connected Mode' Procedures
- 9.7 MM Procedures in the Access Network
- 9.8 MM Procedures in the Core Network
  - 9.8.1 MM Procedures in CS Domain
  - 9.8.2 MM Procedures in PS Domain
  - 9.8.3 Super-Charger Functionality

*Summary*

## **10. Call Handling**

- 10.1 Introduction
- 10.2 Architecture of MO and MT Calls
  - 10.2.1 Architecture of Mobile-Originated Call
  - 10.2.2 Architecture of Mobile-Terminated Call
  - 10.2.3 Architecture of a Basic Mobile-to-Mobile Call
- 10.3 Mobile-originated Call Handling
- 10.4 Mobile-terminated Call Handling
  - 10.4.1 Retrieval of Routing Information
  - 10.4.2 MT Call Handling at VPLMN
- 10.5 Interaction of CF and CB Services With Call Handling Procedures
  - 10.5.1 Interaction of CF and CB Services with MT Calls
  - 10.5.2 Interaction of CB Service with MO Calls
- 10.6 Support for Optimal Routing
  - 10.6.1 Conditions for Optimal Routing
  - 10.6.2 Information Flows for Optimal Routing
- 10.7 Immediate Service Termination (IST)
  - 10.7.1 IST Alert Service

## 10.7.2 IST Command Service

*Summary*

## 11. Session Management

- 11.1 Introduction
- 11.2.1 Addressing
- 11.2.2 PDP Context Activation and Deactivation
- 11.2.3 Packet Routing
- 11.2.4 Encapsulation and Tunneling
- 11.2.5 Packet Filtering
- 11.2 Session Management Concepts
- 11.3 PDP Protocol States
- 11.4 PDP Context Activation Procedures
  - 11.4.1 PDP Context Activation Procedure
  - 11.4.2 Secondary PDP Context Activation Procedure
  - 11.4.3 Network-requested PDP Context Activation Procedure
- 11.5 PDP Context Modification Procedures
  - 11.5.1 MS-Initiated PDP Context Modification Procedure
  - 11.5.2 SGSN-Initiated PDP Context Modification Procedure
  - 11.5.3 Other PDP Context Modification Procedures
- 11.6 PDP Context Deactivation Procedures
  - 11.6.1 MS-Initiated PDP Context Deactivation Procedure
  - 11.6.2 SGSN-Initiated PDP Context Deactivation Procedure
  - 11.6.3 Other PDP Context Deactivation Procedure

*Summary*

## 12. Supplementary Services

- 12.1 Introduction
- 12.2 Supplementary Service Concepts
  - 12.2.1 Association with Basic Services
  - 12.2.2 SS Operations
  - 12.2.3 SS State Information
- 12.3 Call Independent SS Management
  - 12.3.1 Call Independent SS Management Procedures
  - 12.3.2 Man-Machine Interface for SS Management
- 12.4 Supplementary Services in UMTS
  - 12.4.1 Enhanced Multilevel Precedence and Pre-emption (eMLPP)
  - 12.4.2 Call Deflection (CD)
  - 12.4.3 Line Identification
  - 12.4.4 Call Forwarding (CF)
  - 12.4.5 Call Barring
  - 12.4.6 Call Waiting (CW) and Call Hold (CH)
  - 12.4.7 Multiparty
  - 12.4.8 Closed User Group (CUG)
  - 12.4.9 Advice of Charge (AoC)
  - 12.4.10 User-to-User Signaling (UUS)
  - 12.4.11 Explicit Call Transfer (ECT)
  - 12.4.12 Multi-Call (MC)
  - 12.4.13 Other Supplementary Services
- 12.5 Unstructured Supplementary Service Data
  - 12.5.1 USSD Architecture
  - 12.5.2 USSD Message Flows

*Summary*

## 13. Value-added Services

- 13.1 Introduction
- 13.2.1 SMS Network Architecture
- 13.2.2 Mobile-Originated SMS Procedures
- 13.2.3 Mobile-Terminated SMS Procedures
- 13.2 Short Message Service
- 13.3 Cell Broadcast Service
- 13.3.1 CBS Network Architecture
- 13.3.2 CBS Message Transfer Procedures
- 13.4 Multimedia Messaging Service
- 13.4.1 MMS Reference Architecture
- 13.4.2 MMS Protocol Framework
- 13.4.3 MMS Message Transfer Procedures
- 13.5 Location Services
- 13.5.1 LCS Logical Reference Model
- 13.5.2 LCS Control Procedures
- 13.5.3 LCS Network Architecture
- 13.5.4 Mechanisms for Determination of Location Information
- 13.5.5 Location-based Services
- 13.6 Service Capability Features
- 13.6.1 SCF Types
- 13.6.2 SCF Toolkits

*Summary*

#### **14. Security Management**

- 14.1 Introduction
- 14.2 User Domain Security
- 14.3 Network Access Security
- 14.3.1 Mutual Authentication
- 14.3.2 Data Confidentiality
- 14.3.3 Data Integrity
- 14.3.4 User Identity Confidentiality
- 14.3.5 Access Security Flow Diagram
- 14.4 Network Domain Security Using MAPsec
- 14.4.1 Protection Modes and Message Formats
- 14.4.2 Components of MAPsec Protocol
- 14.4.3 Operations of MAPsec
- 14.4.4 Key Distribution in MAPsec
- 14.5 Network Domain Security Using IP Security
- 14.5.1 Architecture for NDS/IP
- 14.5.2 Encapsulating Security Payload (ESP)
- 14.5.3 Internet Key Exchange (IKE)

*Summary*

### **PART IV—IP INITIATIVES IN UMTS NETWORK**

#### **15. IP-based Signaling Transport**

- 15.1 Introduction
- 15.2.1 Requirements
- 15.2.2 SIGTRAN Protocol Layering
- 15.2 IP-based Signaling Transport From Sigtran
- 15.3 Stream Control Transmission Protocol (SCTP)
- 15.3.1 Functions of SCTP
- 15.4 SS7 MTP3 User Adaptation Layer (M3UA)
- 15.4.1 Functions of M3UA
- 15.4.2 Scenarios for Deployment of M3UA in UMTS Network

- 15.5 SCCP User Adaptation Layer (SUA)
- 15.5.1 Functions of SUA
- 15.5.2 Scenarios for Deployment of SUA in UMTS Network
- 15.6 Comparison Between M3UA and SUA

*Summary*

## **16. IP Multimedia Subsystem**

- 16.1 Introduction
- 16.2 Entities of IP Multimedia Subsystem
  - 16.2.1 Home Subscriber Server (HSS)
  - 16.2.2 Call Session Control Function (CSCF)
  - 16.2.3 Server Locator Function (SLF)
  - 16.2.4 Application Server (AS)
  - 16.2.5 Entities used for Interworking
  - 16.2.6 Signaling Gateway Function (SGW)
- 16.3 Network Interfaces of IP Multimedia Subsystem
  - 16.3.1 Cx Interface between HSS – CSCF
  - 16.3.2 Dx Interface between CSCF and SLF
  - 16.3.3 Sh Interface between HSS and AS
  - 16.3.4 Si interface between HSS – CAMEL
  - 16.3.5 ISC Interface between S-CSCF and AS
  - 16.3.6 Gm Interface between UE and CSCF
  - 16.3.7 Mc Interface between MGCF and MGW
  - 16.3.8 Mg Interface between MGCF and S-CSCF
  - 16.3.9 Mw Interface between x-CSCF and y-CSCF
  - 16.3.10 Mi Interface between S-CSCF and BGCF
  - 16.3.11 Mj Interface between BGCF and MGCF
  - 16.3.12 Mk Interface between BGCF and BGCF
- 16.4 IMS Addressing
  - 16.4.1 IMS Private User Identity (IMPI)
  - 16.4.2 IMS Public User Identity (IMPU)
  - 16.4.3 Relationship of IMPI and IMPU
- 16.5 Subscriber Data
- 16.6 Session-unrelated Procedures
  - 16.6.1 Establishing IMS Transport
  - 16.6.2 Registration
  - 16.6.3 De-registration
  - 16.6.4 Profile Update
- 16.7 Session-related Procedures
  - 16.7.1 Service Control
  - 16.7.2 Session Origination
  - 16.7.3 Interworking Procedure
  - 16.7.4 Session Termination
- 16.8 IMS Protocols
  - 16.8.1 Session Initiation Protocol (SIP)
  - 16.8.2 Diameter
- 16.9 Security in IP Multimedia Subsystem
  - 16.9.1 Access Security

*Summary*

## **APPENDICES**

### **A. Deployment of 3G UMTS Network**

- A.1 Japan
- A.2 UK

A.3 Italy  
*Summary*

## **B. 4G Mobile Networks**

B.1 Why 4G?  
B.2 What Is 4G?  
B.3 How To Achieve 4G?  
B.4 When Should We Expect 4G?

## **I Specifications**

## **II Books And Papers**

## **III Web Resources**

## **Index**

