



INDEX

A

- Abomasum, relative size of, 329*f*, 329*t*
 Absorption, 327, 329*f*
 of feed nutrients, 332–333
 Acaricides, 408
 Accessory sex glands, 222
 Acclimatization, 298
 Accretionary growth, 205
 Achromotrichia, 339*t*
 Acromegaly, 210
 ACTH (adrenocorticotropin hormone), 190, 322
 Actin, 185
 Adaptation, 298
 of cattle (regional), 297–298
 to environment, 299
 natural, 298–299
 physical environmental factors affecting, 298
 Adaptive physiology, comparative, of humans and animals, 299
 Addisonian pernicious anemia, 339*t*, 352, 353
 Additive (*see* Gene action, additive)
 ADG (*see* Average daily gain)
 Adipoblast, 206
 Adipocyte, 206
 ADP (adenosine diphosphate), 186
 Adrenal glands, 198*t*, 266
 Adrenal hormones:
 and growth, 211
 effect of, on lactation, 266
 Adrenalin, 186
 effect of: on milk letdown, 272–273
 on muscles, 186
 and temperature changes, 301
 (*See also* Epinephrine)
- Adrenocorticotropin, 198*t*
Aedes, 404*t*
 Aflatoxin, 393
 African horse sickness, 394
 African sleeping sickness, 401*t*, 414
 African swine fever, 394
 African trypanosomiasis, 401*t*, 414
 Afterbirth, placental membranes, 233
 Agammaglobulinemia, 374
 Age:
 effect of: on egg laying, 289–290
 on egg production, 214*t*
 on food conversion, 335
 on lactation, 275
 on litter size, 214*t*
 on milk composition, 278
 on social dominance, 429
 on weaning weight of calves, 214*t*
 and homeothermy, 300
 of horses, 112, 113*t*
 of puberty in farm mammals, 226*t*
 Agglutination, 374
 Agglutination test, 374
 Aging, 214–217
 theories of, 216–217
 (*See also* Age)
- Agonistic (combat) behavior of animals, 422–423
 Agricultural education and research, 3–4
 Agricultural production, regional distribution of, 5*f*
 Agricultural research, 3–4
 Agricultural Research Service (*see* USDA, Agricultural Research Service)
 Agriculture and the balance of nature, 17, 18*f*
 AI (*see* Artificial insemination)
 Air conditioning, effect of, on milk production, 310*f*
 Albinos, 100, 102*t*

*Page numbers followed by *f* refer to figures; page numbers followed by *t* refer to tables; page numbers followed by *n* refer to footnotes. See also the Glossary, pp. 439–476.

- Albumen (*see* Eggs, albumen of)
- Alkali disease, 361*t*, 366
- Allantoin, 194*f*
- Alleles, 154, 164–165
- Allelomorphs, 22, 154
- Allen's rule, 301
- Alopecia, 339*t*
- Altitude, adaptation to, 298
- Altricial birds, 283*t*
- Alveoli:
- of lungs, 191, 192*f*
 - of mammary glands, 261*f*
- American bison, 421, 424–425
- Amino acids, 334
- of animals products, 51*t*
 - balance of, in milk, 51–52
 - essential, 51*t*, 52*t*, 317–318
 - nonessential, 317
 - in protein synthesis, 150*t*
 - of selected foods, 51*t*
 - sulfur-containing, 360
- Amnion, 230
- Amniotic fluid, 230
- Ampule, 252
- Ampulla, 222
- Amylase, 332*t*
- Amylopsin, 332*t*
- Anaplasmosis, 401*t*
- Anatomy:
- of avian male reproductive system, 285*f*
 - of circulatory system, 186–187
 - comparative, 179
 - of digestive systems, 327–328, 329*f*
 - of farm animals, 179–194
 - of female reproductive tract, 222–224
 - gross, 179
 - of male reproductive tract, 219–222
 - microscopic, 179
- Ancestors, relationships to, 170*t*
- Ancylostomiasis (*see* Hookworm)
- Androgens, 198*t*, 211
- Anemia, 188, 339*t*, 352, 353*f*, 361*t*, 400
- in horses, 118
 - pernicious, 339*t*, 352
 - sickle-cell, 156, 362
- Aneuploidy, 142
- Animal agriculture:
- as an employer, 15
 - and food production, 15
 - history and development of, 1–2
 - and humanity, 1–18
 - as a source of recreation, 15–16
 - and United States economy, 14–16
 - and world economy, 4
- Animal and Plant Health Inspection Service (*see* USDA, Animal and Plant Health Inspection Service)
- Animal behavior, 416–430
- agonistic (combat), 422–423
 - defined, 429
 - eliminative, 421–422
 - gregarious, 427–428
 - and heredity, 417–418
 - hypothalamus in, role of, 419
 - ingestive, 421
 - instinctive, 418–419, 429–430
 - investigative, 426–427, 427*f*
 - and malnutrition, 418
 - mother-young, 424–426, 427*f*
 - at parturition, 424–426
 - and population density, 429
 - in response to stimuli, 416–417
 - sexual, 423–424
 - shelter-seeking, 422
 - social dominance, 428–429
 - types of, 421–428
- Animal breeding, laws of probability in, 154–155
- Animal communication, methods of, 419–420
- Animal diseases:
- and economic losses to farmers, 370, 395
 - and the health of humans, 370–396
 - transmissible to humans, 375–393
- Animal fats:
- and atherosclerosis, 60–61
 - and consumption trends, 58*t*
 - and heart disease, 61
- Animal health:
- governmental safeguards of, 393–395
 - and the health of humans, 370–396
- Animal intelligence, 419
- Animal kingdom, important phyla of, 399*t*
- Animal learning, 418–419
- Animal production:
- energy and efficiency of, 12–13
 - trends in, 7–9
- Animal products, 48–77
- cholesterol in, 52*t*
 - comparative nutritional contributions of, 50–57
 - composition of, 50*t*
 - consumption trends of, 59*t*
 - dietary contributions of, 57*f*
 - economy of, 16–17, 49
 - export of, 17

- fatty acids in, 52*t*
- as a food buy, 49, 57
- fortification of, 61–62
- future of, 74–75
- and growth in humans, 48–49
- history of availability of, 48–49
- labeling of, 62
- legal aspects of fortifying, 62
- lyophilization of, 69–70
- mineral content of, 56*t*, 57*t*
- new, 75–76
- as nutrient source, 57*t*
- pesticide residues in, 77
- preservation of, 63–65, 69–70
- safety of, 65–69
- synthetic, 76–77
- vitamins of, 57, 57*t*
- Animal protein, 50–52
 - availability of, 9–10
 - nutritional merits of, 9–10
- Animal quarantine, 394–395
- Animal rights (*see* State of being)
- Animal size, effect of, on lactation, 275
- Animal wastes, utilization of, 14
- Animal welfare (*see* State of being)
- Animals:
 - behavioral responses of, 417–419
 - classification of, 399
 - in competition with humans for food, 11–12
 - composition of, 314–321
 - domestication of, 1–2, 2*t*, 3
 - ways they serve humans, 2
- Anions, 356
- Annelida, 399*t*
- Anorexia, 357, 357*t*, 361*t*
- Anterior pituitary gland, hormones of, 198*t*
- Anthrax, 383–384
- Antibiotics, 251, 325, 372, 403
 - and feed digestibility, 334
 - feeding to swine and poultry, 333
 - use of, in semen, 251, 256
 - and vitamin K synthesis, 343
- Antibodies, 372
 - monoclonal, 373–374
- Anticodons, 150
- Antigen-antibody reactions, 374
- Antigens, 374
- Antioxidants, 341
- Antiserum, 373
- Antitoxins, 374
- Aortic rupture in poultry, 361*t*, 362, 363*f*
- APHIS (*see* USDA, Animal and Plant Health Inspection Service)
- Appetite, factors affecting, 330
- Appetitive behavior in animals, 424
- Aquaculture, 120–130
 - advantages of, 120–121, 129
 - brackish water culture of, 121*f*
 - defined, 121
 - economic impact of, 120–123
 - environmental aspects of, 129
 - fresh water culture of, 121*f*
 - history and development of, 120–123
 - marketing aspects of, 129
 - processing aquaculture products, 129
 - production cycles of, 128–129
 - production methods, 126–128, 126*f*, 127*f*, 128*f*
 - yield of, 9
- Arable land, 8*f*
- Arboviruses, 377*t*
- Arsenic, 367–368
- Arteries, 186–187
- Arterioles, 187
- Arthropoda, 400*t*
- Arthropod-borne diseases transmitted from animals to humans, 377*t*
- Arthropod control, 409–414
- Arthropods:
 - affecting humans and/or domestic animals, 401*t*, 404–409
 - as vectors of disease, 401*t*
- Artificial insemination, 241–258
 - advantages and benefits of, 243–244
 - in bees, 254
 - in cattle, 253–254
 - defined, 241
 - and estrous synchronization, 256–257
 - future of, 256–258
 - and genetic engineering, 257
 - history of, 241–243
 - of horses, 254
 - in humans, 255–256
 - limitations of, 244–245
 - in poultry, 254
 - in progeny testing, 244
 - regulations in cattle, 253*t*
 - species in which used, 242–243
 - in swine, 254
 - timing of, in cows, 253–254
 - in the world, 243*t*
- Artificial vagina (AV), 246*f*
- Ascariasis, 401*t*
- Ascarids of horses, 118

Ascorbic acid, 344–345
(*See also* Vitamin C)

Ash, 320*f*, 322

Asiatic cholera, 404*t*

Assay techniques for vitamins:

biological, 354

chemical, 355

microbiological, 354–355

Ataxia, 362

Atherosclerosis, 60–61

ATP (adenosine triphosphate), 186

Autonomic nerves, 193

Autosomes, 142

AV (artificial vagina), 246*f*

Average daily gain (ADG), 335

calculation of, 163*t*

Avian digestion, 332, 332*t*

Avian digestive system, 329*f*

Avidin, 352

Axon, 192–193

Azoturia, 115*t*

B

B vitamins:

and formation of red blood cells, 344

and release of energy from food, 344

Bacillus anthracis, 383

Backcross, 176

Backfat of swine, 24, 25*f*

Bacterial infections, 379–385

transmissible from animals to humans, 379–385

Bactofugation, 63

Baldness and heredity, 151

Barrow, 220

Basophils, 190

Bats, navigating of, by sound, 420

BCT (brucellosis card test), 380

Bedbugs, 400*t*, 409

Bee (*see* Honeybees)

Bee milk, 53

Bee venom, 54

Beebread, 53

Beef:

cholesterol in, 52*t*

composition of, 50*t*

improvement federation, 173

minerals of, 50*t*

vitamins of, 57

Beef breeds and artificial insemination, 353*t*

Beef cattle:

backgrounding of, 33

breeds of, 21*t*, 24, 26*f*

historical perspective of, 31–32

improvement federation, 173

life cycle of, 31–34

number of operations, 32*t*

Beef Improvement Federation, 173

Beef industry of the United States, 49

Beef steer:

defined, 220

external parts of, 181*f*

Beef tapeworm, 388*f*

Bees, 400*t*, 401

(*See also* Honeybees)

Beeswax, 401

Beetles, 400*t*

Behavior:

animal (*see* Animal behavior)

maternal, 424–426

Behavioral responses of animals, 418–419

external (learning experiences), 417

internal (heredity), 417

Bell-shaped curve in phenotypic variations, 163*f*

Bergmann rule, 301

Beriberi, 337, 339*t*, 345–346

Bile, 332*t*

Binomen, 399–400

Bioassay of crops, use of insects in, 403*f*

Biological assay of vitamins, 354–355

Biological control:

of insects, 410–414

of rabbit population, 411–412

Biological value, 50–51, 51*t*, 318

Biotechnology, 152–157

Biotin, 352

clinical deficiency symptoms of, 339*t*, 352

common sources of, 339*t*, 352

functions of, 339*t*, 350, 352

Bird eggs, 283

development of, 285–287

Birds:

altricial, 283*t*

communication of, by sound, 420

egg production, 45–46

grower, 45

meat production, 45

precocial, 283*t*

Birth rate, effect of heterosis on, 176*t*

- Birth size, maternal influence on, 207
- Black death, 384
- Blackbodies, 307
- Blastoderm, 283
- Blastodisk, 283
- Blind staggers, 361*t*, 366
- Bloat, 315, 330
- Blood:
- clotting, role of vitamin K in, 343, 343*f*
 - compatibility of types of, 189*f*
 - composition of, 187–188, 188*t*
 - plasma, 187–188
 - portal system, 187
 - serum, 188
 - types of, 188–190
 - typing of farm animals, 189–190
- Blood platelets, 190
- Blood spavin of horses, 109
- Blood spots of eggs, 292
- Blood-typing, 188–190, 253*t*
- Bloodworms of horses, 118
- Bluetongue, 377, 409
- Body condition, effect of, on lactation, 275
- Body conformation of horses, 101, 104–105*f*
- Body weight and feed conversion, 303*t*, 335
- Boll weevil, 413
- Bolus, 331
- Bomb calorimeter, 323*f*
- Bone:
- growth of, 182–183
 - parts of, 184*f*
- Bone marrow, 182
- Bone meal, 357
- Botflies, 118, 406
- Bots, 401*t*
- Botulism, 391
- Bovine somatotropin (*see* BST)
- Bovine tuberculosis, 379
- Bovitec, 325
- Bowman's capsule, 193, 194*f*
- Brachiopoda, 399*t*
- Brahmans, 21*f*, 22
- heat tolerance of, 22, 302*f*, 306*f*, 309
- Brain:
- cholesterol in, 52*t*
 - gross anatomy of, 193*f*
 - size and lactose, 54*t*
- Bran, 345
- Breast-feeding, 54, 263–264
- and conception control, 264
- Breed associations, 22–23
- Breed differences, 22
- Breeding mares, 103
- Breeds:
- of beef cattle, 21*t*, 26*f*
 - of cats, 83–84, 85*t*
 - of dairy cattle, 21*t*, 27*f*
 - defined, 20
 - development of, 20
 - differences in, 22
 - of dogs, 83–84, 84*t*, 85*t*
 - dual-purpose, 24
 - exotic, 22
 - form and function, 24
 - of fowl, 28, 29*t*, 30–31*f*
 - genetic differences in, 22
 - of goats, 36
 - of horses, 21*t*, 29*f*
 - and life cycles of livestock and poultry, 20–46
 - new ones, 22
 - of sheep, 21*t*, 28*f*
 - of swine, 21*t*, 24, 25*f*
 - synthetic, 22
 - triple-purpose, 24
- Broilers, number of, 44*t*
- Bronchi, 191, 192*f*
- Broodiness, 426, 427*f*
- how delayed and induced, 290
- BRT (brucellosis ring test), 380, 381*f*
- Brucella*:
- abortus*, 380
 - melitensis*, 380
 - routes of infection, 382*f*
 - suis*, 380
- Brucellosis, 380–383
- card test, 380
 - in cattle, swine, goats and sheep, 380
 - diagnosis of, 380
 - in humans, 381, 383*f*
 - milk ring test, 380
 - occurrence of, 382*f*
 - prophylaxis and control of, 381
 - state classifications for cattle, 382*f*
 - therapy of, 382
- Bryozoa, 399*t*
- BSE (Bovine spongiform encephalopathy), 389–390, 390*f*
- BST (bovine somatotropin), 35, 264
- Bubonic plague, 404*t*
- Buffalo chips, 421
- Bull stud, 35, 244*n*

Buller syndrome, 422

Butter:

- cholesterol in, 52*t*
- composition of, 50*t*
- consumption of, 58*t*

C

Caffeine, libido and, 254*n*

Calcitonin, 198*t*

Calcium, 356–357

- and blood clotting, 343*f*, 357*t*
- blood levels of, 201
- clinical deficiency symptoms of, 357*t*
- in forages, 357
- functions of, 356–357, 357*t*
- in grains, 357
- in muscle contraction, 186
- sources of, 357*t*

Calcium/phosphorus ratio, 357

- in feeding horses, 106

Calories, 323

- of carbohydrates, 324
- defined, 323
- expended during lifetime, 215
- of fats, 324
- of protein, 324

Campylobacter, 384

Cancer cells, division of, 205

Cancer of the eye, 307

Canine distemper, 92

Cannibalism in animals, 429

Canter, 98–99

Capacitation of spermatozoa, 229

Capillaries, 186–187

Caponize, 429

Carbohydrates, 314–315, 315*t*

- of animal products, 53–55
- caloric value of, 323
- classification of, 315*t*
- consumption trends of, 59*t*
- digestion of, 331

Carbon monoxide, 192

Carboxyhemoglobin, 192

Carboxypeptidase, 332*t*

Carcass, amount of heterosis for, 176*t*

Carnivores, 327, 329*f*

Carotenes, 316

Carrier, 372

Carrion, 372

Cartilage, 182–183

CAST (Council for Agricultural Science and Technology), 5, 131, 134, 138

Castration, 220

- and animal behavior, 422
- chemical, 201
- effect of: on growth, 211
- on social dominance, 422
- of horses, 106

Cat ascarid, 92, 389

Cat hookworm, 92, 389

Cations, 356

Cats:

- basic body types of, 83–84
- breeds of, 83–84, 85*t*
- color plate of, 4a (Chapter 4)
- history and domestication of 2*t*, 82–83
- human bonding with, 82*f*, 86*f*, 88*f*
- number of in the United States, 81

Cattle:

- breeds of, 21*t*, 24–27, 26–27*f*
- domestication of, 2*t*
- world number of, 7

Cattle grubs, 406

Cattle tick fever, 407

Cattle warble, 406

Caudal, defined, 179, 261

Cecum, 106, 328, 328*t*

Cell division, 143–146

- of cancerous cells, 205
- of normal cells, 205

Cells:

- illustration of, 141*f*
- types of, in growth, 205–206

Cells of Leydig, 225

Cellulase, 332*t*

Cellulose, 315*t*, 329*f*, 331–332*t*, 334

Centaur, 96

Cerebellum, 193

Cerebrum, 193

Certified Semen Services, Inc., 256

Cervix, 223*f*, 224*f*

Cesarean operation, 233

Chalaza, 284*f*

Chastek paralysis, 339*t*, 346

CHD (coronary heart disease), 60–61

Cheddar cheese:

- cholesterol in, 52*t*
- composition of, 50*t*
- minerals of, 56*t*
- vitamins of, 57

- Chemical assay of vitamins, 355
- Chemical preservation of animal products, 64–65
- Chemicals:
and animal communication, 420
in insect control, 409–410
- Chicken:
cholesterol in, 52*t*
composition of, 50*t*
minerals of, 50*t*
vitamins of, 57
- Chickens:
breeds of, 28, 29*t*, 30, 30*f*, 31*f*
classifying baby chicks, 285
digestive system of, 191*f*
domestication of, 2*t*
external parts of, 183*f*
life cycle of, 43–46
molting of, 46
skeleton of, 185*f*
world number of, 7
- Chiggers, 404*t*, 408
as vectors of disease, 404*t*
- Chlordane, 410
- Chlorine, 359–366
clinical deficiency symptoms of, 357*t*
functions of, 357*t*, 360
sources of, 357*t*, 360
- Chlorophyll, 314, 316
- Cholesterol, 199, 200*f*, 316
in animal products, 52*t*
effect of diet on amount in eggs, 292
and heart disease, 60–61
synthesis of, 60
- Choline, 339*t*, 354
clinical deficiency symptoms of, 339*t*, 354
common sources of, 339*t*, 354
functions of, 339*t*, 354*f*
- Chondrocytes, 206
- Chordata, 339*t*
- Chorion, 230–231, 232*f*
- Chromosomes, 141–143, 237, 413
abnormalities of, 142
of chickens, 142
lethal, 143
nonhomologous, 142*f*
number of, in animals, 142*t*
sex, 142*f*, 237, 413
- Chymotrypsin, 332*t*
- Circulatory system, 186–190, 187*f*
- Cirrhosis, 339*t*
- Classification:
of digestive systems, 328*t*
of nutrients, 320*f*
- Claude Bernard rule, 302
- Claudication, 109
- Climate, 298
effect of, on production, 311
and the progress of people, 295
- Climatic chamber, 311*f*
- Cloaca, 194
- Cloning, 153, 237–238
- Clutch, 290
- Clutch size of selected birds, 291*t*
- Coat color:
changes with environmental temperatures, 308*f*
of horses, 99–100, 101*t*, 102*t*
- Cobalamin, 344, 352
- Cobalt, 364
clinical deficiency symptoms of, 361*t*, 365*f*
functions of, 361*t*, 364
sources of, 361*t*
and vitamin B₁₂, 352
- Coccidiomycosis, 386
- Cockroaches, 400*t*
- Codon, 149–150
- Coefficient of digestibility, 52, 322–323
- Coelenterata, 399*t*
- Coenzymes, 339*t*
- Cold habituation, 300
- Cold sterilization, 64
- Cold tolerance of animals, 299
- Colic in horses, 106, 108
- Collagen, effect of age on, 215
- Collateral relatives, 101, 170*t*, 171
relationships of, 170*t*
- Colorado tick fever, 404*t*
- Colostrum, 277–280
composition of, 277*t*
effect of feed on, 277*n*
immunological aspects of, 278–280
importance of, 278–280
- Combat behavior, 422
- Comfort zone:
of cattle, 305
of poikilotherms, 299
(*See also* Thermoneutral zone)
- Compaction, 315
- Companion animals, 16, 80–95
behavior of, 89
care and training of, 89–90
career opportunities associated with, 93–94

- Companion animals—*Cont.*
 contributions to humans by, 85–88
 economic aspects of, 82
 feeding and managing, 90–92
 health and disease aspects of, 92–93
 human bonding with, 88
 human relationships with, 80–82, 94–95
 major species of, 80–81
 therapeutic uses of, 86–88
 annual visits to veterinary clinics, 94
- Compensatory gains, 212
- Compensatory growth, 205
- Complement, 374
- Complement fixation, principles of, 374*f*
- Complement fixation reaction, 374
- Complementary milk, 271
- Concentrate feeds for horses, 106
- Concentrates, crude fiber of, 321
- Conception rate, effect of heterosis on, 176*t*
- Conditioned reflex, 418
- Conditioning:
 classical (associate learning), 418
 operant (trial and error), 418
- Conduction and heat loss, 306
- Conformation of horses, 101, 104–105*f*
- Congenital malformation and toxic plants, 391*f*
- Consumption trends:
 of dairy products, 57–60
 of fats, 58*t*
 of fish, 59*t*
 of meat, 59*t*
 of oils, 58*t*
 of poultry products, 59*t*
- Contagious bovine pleuropneumonia, 394
- Convection and heat loss, 306–307
- Cooling in nonsweating species, 309
- Cooling mechanisms, 300
- Copper, 362
 clinical deficiency symptoms of, 361*t*, 362*f*, 363*f*
 functions of, 361*t*, 362
 sources of, 361*t*, 362
- Coronary heart disease (CHD), 60–61
- Corpora allata, 413
- Corpus albicans, 224
- Corpus hemorrhagicum, 224
- Corpus luteum, 198*t*, 224–225*f*, 227, 234, 256
- Correlations, genetic, 172
- Corticotropin-releasing hormones (CRH), 198*t*
- Cortisol, 200*f*
- Cosmic radiation, 298
- Cottage cheese, composition of, 50*t*
- Cotyledons, 230, 231*f*
- Coumarin, 393
- Council for Agricultural Science and Technology (*see* CAST)
- Courtship among animals, 420
- Cow ponies, 96–97
- Cow trap, 428*f*
- Cowper's glands, 222
- Cowpox, 378
- Cows:
 brain of, 199*f*
 circulatory system of, 187*f*
 drying off, methods used in, 274
 external parts of, 180*f*
 gestation period of, 227*t*
 insemination of, 253–254
 internal parts of, 191*f*
 muscles of, 185*f*
 reproductive organs of, 223*f*, 224*f*
 skeleton of, 184*f*
- Coxiella burnetti*, 379
- Cranial, defined, 179, 261
- Crazy-chick disease, 342*f*
- Creaming of milk, 277
- Creep feeding, 32
- Creeping eruption, 406
- Cretinism, 210–211
- Creutzfeldt-Jakob disease (CJD) and new variant (vCJD), 390
- Cribbing of horses, 111
- Crop, 329*f*, 329*t*, 331–332, 332*t*
- Crop milk, 264
- Crossbreeding, 175–177
 and animal behavior, 417
 and growth, 213
 rotation, 176
- Crossbreeding effect, type of gene action indicated by, 176*t*
- Crossing effect, type of gene action indicated by, 169*t*
- Crossing over, 145, 154
- Crude fat, 320*f*, 321
- Crude fiber, 320*f*, 321
- Crude protein, calculation of, 320*f*, 321
- Cryptorchid, 220
- Cryptosporidiosis, 385
- Ctenophora, 399*t*
- Cultures, killed, 373
- Cumulus oophorus, 230
- Curled-toe paralysis, 339*t*, 348*f*
- Cutaneous larva migrans, 406
- Cutting horse, 417*f*
- Cyanide, 391

Cyanocobalamin (B₁₂), 339*t*, 352–354
 clinical deficiency symptoms of, 339*t*, 352–354
 common sources of, 339*t*, 354
 functions of, 339*t*, 352
 Cystic follicles, 228
 Cytochrome C, 360
 Cytokinesis, 145, 145*f*

D

Dairy breeds, composition of milks of, 277*t*
 Dairy cattle:
 breeds of, 21*t*, 27*f*
 historical perspective of, 34
 life cycle of, 34–36
 number of, 34*t*
 Dairy cows (*see* Cows)
 Dairy products, consumption of, 57–60, 59*t*, 415
 DDT (dichlorodiphenyltrichloroethane), 409, 409*n*, 410, 415
 Deerflies, 404*t*, 406
 Dehydration, 63–64
 Dehydration exhaustion, 304
 7-Dehydrocholesterol, 340
 Delayed implantation, 230
 Deletion, 143
 Dementia, 339*t*
 Demodectic mange, 92, 408
 Dendrites, 192
Dermacentor andersoni, 379
 Dermatitis, 339*t*, 348*f*, 353*f*
 Dermis, 179
 DES (diethylstilbestrol), 325
 Dexamethasone, 239
 DHIA (Dairy Herd Improvement Association), 172, 324
 sire summaries, 173
 Diaphysis, 182
 Dicalcium phosphate, 357
 Dicoumarin, 393
 Dicoumarol, 343
 Dieldrin, 410
 Diestrus, 227
 Diet composition, 333–334
 Dietary nutrients furnished by major food groups, 50*t*
 of beef, ham, and lamb, 58*f*
 Diethylstilbestrol (DES), 325
 Differentiation, 203, 207
 Digestibility:
 effects of diet composition on, 333–334
 factors affecting, 333–334
 of feeds, 333–334

Digestible energy, 324, 325*f*
 Digestion:
 avian, 332
 in body regions, 329*t*
 of carbohydrates, 331, 332*t*
 of cellulose, 331, 332*t*, 333–334
 effect of heating on, 333
 factors, of, 333–334
 of fats, 331–332, 332*t*
 in monogastric animals, 328*f*, 329*f*, 330
 physiology of, 327–336
 in polygastric animals, 328*f*, 330
 process of, 330, 332*t*
 of starch, 332*t*
 of proteins, 331, 332*t*
 Digestion coefficient, 52, 322
 Digestion stall, 322*f*
 Digestive systems, 190–191, 327–329, 329*t*
 anatomy of, 327–329
 avian, 191*f*, 329*f*
 capacity of, 329*t*
 classification of, 328*f*
 of monogastric animals, 328*f*
 with functional cecum, 328*f*, 328*t*
 of polygastric animals, 328*f*
 types and capacities of, 327–328, 329*t*
 Digestive tract, enzymes of, 332*t*
 Diluters (semen), 250–251
 Diploid, 143
 Disaccharides, 314, 315*t*
 Disease:
 body defenses against, 372
 BSE (bovine spongiform encephalopathy), 389–390, 390*f*
 Creutzfeldt-Jakob Disease (CJD) and new variant (vCJD), 390
 defined, 371
 diagnosis of, 375
 genetic resistance to, 372–374
 infectious, 371
 modes of spreading, 372
 noninfectious, 371
 symptoms in horses, 114–115
 testing for, 375
 types of, 371
 Disease protection, recent application of technology to,
 373–374
 Disease resistance:
 acquired, 373
 natural, 372–374
 Diseases:
 of animals transmissible to humans, 375–390
 associated with selected parasites, 377*t*

Diseases—*Cont.*

- epizootic, 394
 - of humans associated with selected arthropods, 377*t*
 - of humans transmissible to animals, 390–391
 - nutritional, of horses, 115–116, 115*t*
 - protecting United States livestock from foreign, 393–395
 - transmitted by arthropods, 377*t*, 404*t*
- Diseases (bacterial) of animals transmissible to humans, 379–385
- anthrax, 383–384
 - brucellosis, 371*f*, 380–382
 - campylobacteriosis, 384–385
 - Cat scratch disease, 385
 - colibacillosis, 385
 - erysipelas, 385
 - leptospirosis, 382–383
 - listeriosis, 385
 - Lyme disease, 385, 386*f*
 - paratyphoid fever, 404*t*
 - plague, 384
 - salmonellosis, 384
 - tuberculosis, 379–380
 - tularemia, 384
 - typhoid fever, 404*t*
- Diseases (fungal):
- coccidiomycosis, 386
 - histoplasmosis, 386
- Diseases (helminthic or worm) transmissible to humans
- by animals, 387–389
 - enchinococcosis (hydatid disease), 389*f*
 - hookworm (ancylostomiasis), 389
 - roundworms (ascarids), 389
 - taeniasis, 388–389, 389*f*
 - trichinosis, 387–388, 387*f*
- Diseases (protozoal) transmissible to humans by animals:
- anaplasmosis, 401*t*
 - cryptosporidiosis, 385
 - malaria, 404*t*
 - toxoplasmosis, 385
- Diseases (rickettsiae and chlamydial infections), 379
- Q fever, 379
 - psittacosis (ornithosis), 379
 - Rocky Mountain spotted fever, 379
- Diseases transmissible by animals as passive carriers, 391
- botulism, 391
 - tetanus, 391
- Diseases (viral) of animals transmissible to humans, 375–379
- bluetongue, 377, 409
 - contagious ecthyma, 378–379
 - encephalitis, 377

- foot-and-mouth, 378
 - Newcastle, 377
 - rabies, 375–376, 375*f*, 376*f*
 - smallpox (variola), 378
 - vesicular stomatitis, 378
 - West Nile virus, 377
 - yellow fever, 401*t*
- Distemper, 92
- DNA (deoxyribonucleic acid), 146–151, 158, 188, 194, 211, 216, 263, 357, 364, 419
- Dog fly, 405
- Dog hookworm, life cycle of, 389*f*
- Dogs:
- breeds of, 83–84, 84*t*
 - color plates of, 4b–4c (Chapter 4)
 - history and domestication of, 1, 2*t*, 3, 82–83
 - number of in the United States, 81
 - important uses of, 80–82
- Domestication of animals, 1, 2*t*, 3
- Dominance, 155–156, 164
- and coat color of horses, 101–102*t*
 - lack of, 156
 - partial, 156
- Dominant, defined, 155
- Dormancy, 300
- Dorsal, 179
- Double-yolked eggs, 284, 293
- Down syndrome, 143
- Drosophila, 402
- Drugs, effect of, on milk composition, 378
- Dry matter, calculation of, 321
- Dry period, effect of, on lactation, 275
- Drying off cows, methods used in, 273–274
- Ducks:
- domestication of, 2*t*
 - world number of, 7
- Duplication, 142, 143*f*
- Dystocia, 425

E

- East Coast fever, 394
- Echinococcosis, 389*f*
- Echinodermata, 399*t*
- Ecology, 295–296

 - defined, 296
 - and environmental physiology, 295–312

- Ecthyma, contagious, of goats and sheep, 379
- Ectoparasites, 370
- Edema, 262*f*

- Efficiency of feed conversion, factors affecting, 334–335
- Efficiency of gain, heritability estimate of, 166*t*
- Egg color, 166*t*, 282
- Egg hatchability:
and manganese, 365
and zinc, 365
- Egg laying, 289
effect of: artificial light on, 290*f*
light on, 290, 296*f*
nutrition on, 291
season on, 290
factors affecting, 289–291
hormonal control of, 287–288
intensity, effect of clutch length on, 290
physiology of, 282–294
by selected birds, 291*t*
- Egg production:
effect of hen's age on, 214*t*, 289–290
heritability estimate of, 166*t*
in the United States, 44
- Egg products, 76
- Egg shape, 282–283
heritability estimate of, 166*t*
- Egg size:
effect of: age on, 292
bird size on, 293
nutrition on, 293
ovum on, 293
factors affecting, 292–293
heritability estimate of, 166*t*
- Egg weight, 283*t*
of selected birds, 166*t*, 283*t*
- Egg white (*see* Eggs, albumen of)
- Egg-white injury, 352
- Egg yolk, 284
double, 284, 293
factors affecting color of, 292
percent, 283*t*
use of, in extending semen, 250
- Eggs:
albumen of, 283*t*, 284
percent, 283*t*
of birds, 283
cholesterol in, 52*t*
components of, 284*f*
composition of, 50*t*, 292
double-yolked, 284, 293
as food buy, 49
formation of, in hen, 286*f*
frozen scrambled egg mixes, 76
hard-cooked-peeled, 76
immunological and medical aspects of, 293
kinds of, 283
minerals of, 50*t*
nature's purpose of, 282
of other species, 282–283
number produced, 44*t*
pasteurization of, 68–69
safety of, 68–69
shell of: percent, 283*t*
thickness, 283
soft-shelled, 283
structure of, 283, 284*f*
vitamins of, 57
within eggs, 289*f*
yolk of (*see* Egg yolk)
- Elastin formation and copper deficiency, 362, 363*f*
- Electroejaculation, 247*f*
- Electron microscopy, 268
- Eliminative behavior of animals, 421–422
- Emaciation, 361*t*, 364
- Embryo transfer (ET), 234–235
procedures used in, 236*f*
as a research tool, 237
to test for Mendelian recessive alleles, 235
and twinning, 235
use of, in genetic testing, 235
- Embryology, 179
- Embryonic development:
and dietary zinc, 367*f*
in poultry, 287
- Embryos:
cloning of, 237–238
freezing of, 237
sexing of, 237
- Encephalitis, 377*t*
- Encephalomalacia, 338*t*, 343
- Endemic relapsing fever, 407
- Endemic typhus fever, 404*t*
- Endocrine glands, 196–197
of cows, 197*f*
secretions of, 197–200
- Endocrinology, 196–202
- Endoskeleton, 182
- Energy:
of foods, 323–324
required to double birth weight, 212*t*
used by animals, 324
- Enriched, 345*n*
- Entomology, defined, 399
- Envenomization, 400

- Environment, effect of, on thyroxine secretion, 298
- Environmental physiology, 295–312
defined, 296
- Environmental temperature, effect of, on lactation, 275
- Enzymes:
defined, 331
of digestive tract, 331, 332*t*
- Eosinophils, 190
- EPA (Environmental Protection Agency), 409
- EPD (Expected progeny difference), 173
- Epidemic typhus fever, 404*t*
- Epidermis, 179
- Epididymis, 221*f*
- Epiglottis, 191
- Epinephrine, 186, 199*f*
effect of, on milk letdown, 272–273
and temperature changes, 301
- Epiphysial groove, 210
- Epiphysis, 182
- Epistasis, 156–157, 166, 168
- Equine encephalitis, 377*t*
- Equine chorionic gonadotropin (eCG), 97
- Equine piroplasmiasis, 401*t*
- Erepsin, 322*t*
- Ergocalciferol, 340
- Ergosterol, 316, 340
- Ergot, 393
- Eructation, 330
- Erysipelas, 385
- Erysipeloid, 385
- Erythema, 400
- Erythroblastosis fetalis, 189
- Erythrocytes in farm animals, 188*t*
- Erythropoiesis, 352, 361*t*
- Escherichia coli* and genetic engineering, 152
- Esophageal groove, 329*f*
- Essential amino acids, 51–52, 51*t*, 52*t*, 317–318, 330
- Essential fatty acids, 316
- Essential oils, 317
- Estimated net energy, 324
- Estivation of insects, 300
- Estradiol, 200*f*
- Estrogen, 198*t*, 232
effect of, on growth of mammary gland, 264, 265*f*
secretion of, by beef and dairy cows, 264*n*
secretion variations, 264*n*
- Estrogen compounds, 202
and fattening, 202
and growth, 202
- Estrogens, 198*t*
effects of, on epiphysial cartilage, 211
functions of, 226–227
- Estrous cycle, 227–229
abnormalities of, 228
length of, 227*t*
phases of, 227
- Estrous detection, 257
- Estrous period, length of, 227*t*
- Estrus (heat), 227–228, 423
continuous, 228
detection in cattle, 257
effect of, on lactation, 275
in mares, 103
synchronization of, 227, 233, 256–257
and artificial insemination, 256–257
- ET (*see* Embryo transfer)
- Ether extract, 321
- Euploidy, 143
- Evaporation and heat loss, 308–309
- Evaporative cooling:
for cows, 309*f*
and egg laying, 309–310
factors affecting, 308–309
and milk production, 309
- Ewes, gestation period of, 227*t*
- Exercise and milk composition, 278
- Exocrine glands, 196, 259
- Exoskeleton, 182
- Exotic breeds, 22
- Expected progeny difference (EPD), 173
- Exploratory behavior, 426–427
- Exsanguination, 407
- Exudative diathesis, 338*t*
- Eyes:
of horses, 99
of houseflies, 404
- ## F
- F₁ generation, 154
and gene frequency, 164–165
- F₂ generation, 154
and gene frequency, 164–165
- Face flies, 407
- Factory farming, 131
- Famine, historical examples of, 3
- FAO (Food and Agriculture Organization of the United Nations), 5, 6–9*f*, 12*f*
- Farm exports, 17

- Farm products as part of food prices, 16*f*
- Farm purchases, 15
- Fat:
- of animal products, 52–53
 - brown, 206
 - consumption of, 58*t*
 - consumption trends of, 58*t*
 - deficiency of, 317*f*
 - effect of, on absorption, 316
 - of feeds, 315–316
 - on pork and beef carcasses, 58*t*
 - synthesis in milk, 269
 - white, 206
- Fat-depressing diets, 278
- Fats, 315–316
- caloric value of, 323
 - as dietary essentials, 52, 316
 - digestion of, 331–332
 - effect of, on appetite, 316
 - saturated, 52*t*
 - unsaturated, 52*t*
- Fats and oils, consumption of, 58*t*, 317
- Fatty acids, 52*t*
- essential, 52–53, 316
 - omega-3 (n3), 52–53
 - omega-6 (n6), 52–53
 - saturated, 52–53
 - unsaturated, 52–53
- FCM (fat-corrected milk), 334
- FDA (*see* Food and Drug Administration)
- Feather meal, 14
- Feather pigmentation and dietary copper, 362*f*
- Feathers, 179, 182
- Febrile reaction, 372
- Federal Meat Inspection Act, 393
- Feed:
- digestibility of, 322
 - effect of: on egg composition, 293
 - on lactation, 276
 - on milk composition, 278
 - on milk fat, 278
 - on milk secretion in sows, 277*n*
 - heating of, 333
 - physical form of, 333
- Feed additives, 324–326
- Feed consumption, effect of hot weather on, 303
- Feed conversion, 333–334
- of beef cattle, 10*t*
 - of dairy cows, 10*t*
 - efficiency of, 334–335
 - factors affecting, 334–335
 - of homeotherms, 303–304
 - of poikilotherms, 303–304
 - of poultry, 10*t*
 - of sheep, 10*t*
 - of swine, 10*t*
- Feed digestibility:
- factors affecting, 333
 - and ration composition, 333–334
- Feed efficiency, 360
- effect of heterosis on, 176*t*
- Feed industry, 15
- Feedback mechanism, 201
- Fertility:
- heritability estimate of, 166*t*
 - and population density, 429
- Fertilization, 229–230
- in vitro*, 234
- Fetal membranes:
- of calves, 231*f*
 - of pigs, 230–231, 231*f*
- Fever, 400
- causes of, 304
- Fibroblasts, 205
- Filariae, 400
- Filariasis, 404*t*
- Filled milk, 76
- Fish:
- characteristics of, 123–125
 - composition of, 50*t*
 - consumption of, 59*t*, 120–121, 123*f*
 - as converters of feed into food, 9
 - diagram of, 124*f*
 - dietary needs of, 124–125
 - efficiency in production of, 121, 129
 - marketing of, 129
 - minerals in, 50*t*
 - production of in the United States, 122*f*
 - schematic of, 125*f*
 - and water quality, 126
 - world catch of, 8, 9*f*
 - world production of, 120*f*, 121*f*
- Fish tapeworm, 388
- Fistulas, of horses, 109
- Fleas, 399–400, 399*t*, 400*t*, 409
- as vectors of disease, 404*t*
- Fleeceworms, 405
- Flies, 404*t*, 407
- botflies, 406
 - chromosomes, 413
 - deerflies, 406–407
 - dog, 405

Flies—*Cont.*

- face, 407
 - gadflies, 406
 - heel, 406
 - horn, 405
 - horseflies, 406–407
 - houseflies, 404–405 (*see also* Houseflies)
 - irradiation of, 412
 - sandflies, 404*t*
 - screwworm, 401*t*, 405–406, 412
 - stable, 405
 - in transmission of African sleeping sickness, 404*t*, 414
 - warble, 406
- Flukes, 400
- Flumethasone, 239
- Fluorine, 367
- clinical deficiency (or excess) symptoms of, 361*t*, 368*f*
 - functions of, 361*t*, 367
 - sources of, 361*t*, 367
- Fluorosis, 367
- Flushing, of sheep, 40
- FMD (*see* Foot-and-mouth disease)
- Foal heat, 103, 228
- Foals:
- care and management of, 105–106
 - time to double birth weight, 56*t*
- Foley catheter, 235–237, 237*f*
- Folic acid, 339*t*, 352
- clinical deficiency symptoms of, 339*t*, 353*f*
 - common sources of, 339*t*, 352
 - functions of, 339*t*, 352
- Follicle-stimulating hormone (*see* FSH)
- Follicles, 225*f*, 265*f*, 286*f*, 287*f*
- Food:
- absorption of, 332–333
 - consumption trends of, 57–60, 59*t*
 - mastication of, 331
 - means of ingesting by animals, 421
 - prehension of, 331
 - related illnesses, 371
 - utilization of, by cows, 325*f*
- Food and Agriculture Organization (*see* FAO)
- Food and Drug Administration (FDA), 201–202, 366
- Food and Safety Inspection Service of USDA, 394
- Food conversion, 334–335
- effect of age on, 335
 - effect of average daily gain on, 335
 - effect of inheritance on, 335
 - effect of level of feeding on, 335
 - effect of weight on, 335

- Food mastication in farm animals, 331
- Food nutrients, absorption of, 332–333
- Food prehension in farm animals, 331
- Food safety, 65–69
 - providing safe honey, 66
 - providing safe meats, 65–68
 - providing safe milk products, 69
 - providing safe poultry products, 68–69
- Foodstuffs, analysis of, 321–322
- Foot-and-mouth disease, 378
- Forages, 421
 - for horses, 107
 - preferences of, by animals, 421
- Foreign diseases, protecting United States livestock from, 394–395
- Formamidine compounds in insect control, 410
- Fortification of animal products, 62–63
- Founder of horses, 110, 116*t*
- Fowl, breeds of, 28, 29*t*, 30*f*, 31*f*
- Fowl influenza, 394
- Fox trot, 99
- Freemartin, 231
- Freeze-drying of animal products, 69–70
- Freezing of embryos, 237
- FSH (Follicle-stimulating hormone), 224, 226, 229, 234
 - role of: in egg laying, 287–288
 - in mammary gland growth, 265*f*
- Full-feed and digestibility, 333
- Full-siblings, relationship of, 170*t*, 171
- Fungal infections, 373
- Fungicides, 410

G

- Gadfly, 406
- Gaits of horses, 97–99
- Galactin, 264
- Galactophotes, 261
- Galactopoiesis, 364
- Gametes, 143
- Gamma globulin, 372
- Ganglion, 193
- Geese, domestication of, 2*t*
- Gelding, 220
- Gender reversal in poultry, 418
- Gene action:
 - additive, 157, 176
 - nonadditive, 155–157, 176
 - testing for additive effect, 168–169
 - testing for nonadditive effect, 169*t*

- Gene frequency:
 factors affecting, 164–165
 and genetic drift, 165
 and mutations, 165
 in a population, 163–165
 and selection, 165
- Gene transfer, 152–153
- Generation interval, 172, 428
- Genes, 146–147, 158, 417
 and coat color of horses, 99–100, 101*t*, 102*t*
 control, 150–151
 and embryonal development, 151–152
 functions of, 146–147
 lethal, 152
 linkage of, 154
 operator, 150–151
 segregation and recombination of, 154
- Genetic code, 149–150
- Genetic correlations, 172, 277
- Genetic differences, 22
- Genetic drift and gene frequency, 165
- Genetic engineering, 152–157
 and artificial insemination, 257
 and growth hormone, 152–153
 and plant breeding, 153
 and production of insulin, 152–153
 and production of vaccines, 152
- Genetic progress:
 annual, 172
 for one generation, 171
 prediction of, 171–172
 for several years, 171–172
- Genetic resistance to disease, 374
- Genetics:
 and heat tolerance, 298
 principles of, 141–158
- Genome project, 158
- Genotypes, 154–158, 164
 and blood, 189
 of horses, 102*f*
 mutations, 154–155
- Gentamicin, use of, in semen, 251
- Germ cell, of egg, 284*f*
- Germ oil, 338*t*
- Gestation, 227*t*, 230
- Gestation period of mares, 227*t*
- GH (*see* Growth hormone)
- Gizzard, 327, 329*f*, 332*t*
- Gloger rule, 302
- Glomerulus, 193, 194*f*
- Glucagon, 198*t*
- Glucocorticoids, 198*t*, 211, 232, 239
- Glycerol, 250
- Glycogen, 315*t*
- Gnats, 400*t*, 409
- Goats:
 breeds of, 36
 domestication of, 2*t*
 historical perspective of, 36–37
 life cycle of, 36–38
 number of in the United States, 36
 meat production, 38
 mohair production, 38
 world number of, 7, 36
- Goiter, 116*t*, 362*f*, 364*f*
- Golgi apparatus, 270*f*
- Gonadotropic hormones, 198*t*
- Gonadotropin-releasing hormone (GnRH), 198*t*, 201
- Gonadotropins, 198*t*
 and twinning, 201
- Goose-stepping, 339*t*, 348, 349*f*
- Gossypol, 292
- Gout, 194
- Governmental safeguards for animal and human health, 394–395
- Grading animal products, 72–74
 egg grades and grading, 72
 grading meat products, 73–74
 grading milk products, 72–73
- Grass staggers, 359
- Grass tetany, 359
- Grazing by farm animals, 421
- Gregarious behavior among animals, 427–428
- Grinding:
 of grain, 333
 of hay, 333
- Gross energy, 323
- Ground limestone, 357
- Growth:
 accretionary, 205
 adolescent spurt, 204
 from birth to weaning, 213
 of body, heart and brain, 204*f*
 of bone, 206
 the cell as the unit of, 205–206
 compensatory, 212
 curve in cattle and swine, 209*f*
 and development of humans, 204–205
 effect of: limited feeding on, 212*t*
 undernutrition on, 212
 factors limiting, 209
 of fat, 206

Growth—*Cont.*

- fetal and postnatal, 204*f*
- genetic control of, 213
- and glucocorticoids, 211
- and heredity, 212–213
- hormonal control of, 209–211
- in humans, 204–205
- and insulin, 211
- of muscle, 205–206, 206*f*
- and other traits, 213–214
- and ovulation rate, 213
- periods of, 206–209
- the phenomenon of, 203–205
- physiology of, 203–217
- postnatal, 208–209, 208*f*
- postweaning, 213
- prenatal, 206–207
- Growth-accelerating force, 208
- Growth curves of unicellular and multicellular plants
 - and animals, 208*f*
- Growth hormone (GH or somatotropin), 198*t*
 - concentration of, in pituitary gland, 210*f*
 - effect of, on lactation, 264
 - functions of, 209–210
 - and genetic engineering, 35, 152, 264
- Growth hormone-inhibiting hormone, 198*t*
- Growth hormone-releasing hormone (GHRH), 198*t*
- Growth-retarding force, 208
- Guinea pigs, inbred strains of, 174*f*
- Gut closure and antibody absorption, 279
- Gyplure, 413

H

- Habituation, 418
- HACCP (Hazard Analysis and Critical Control Point),
 - 65, 66*t*
- Hair, 179, 182
- Hair color, effect of environment on, 308*f*
- Hair follicle, 183*f*
- Half-siblings, relationship of, 170*t*
- Hand, in horses, 97
- Haploid, 143
- Hardy-Weinberg law, 164
- Harvest mite, 408
- Hatch Act, 4
- Hatching date:
 - and egg size, 293*t*
 - as related to age at sexual maturity, 292
- Hatching of eggs, 44–45, 287
- Hazard Analysis and Critical Control Point (*see* HACCP)
- Health:
 - of animals and humans, 373–396
 - defined, 371
 - governmental safeguards for, 393–395
 - role of vitamins in, 337–355
- Heart, 186–187
 - diagram of, 188*f*
 - disease and animal fats, 60–61
- Heat (*see* Estrus)
- Heat conservation and body size, 301–302
- Heat dissipation, 306–311
 - and body size, 301
- Heat gain by radiation, 307–308
- Heat increment, 300, 302–303, 323, 325*f*
- Heat loss, 305
 - factors enhancing, 305*f*
 - factors increasing, 305*f*
 - by radiation, 307
 - in swine, 306*f*
- Heat production:
 - of carbohydrates, 305
 - effect of feed on, 305
 - factors increasing, 305*f*
 - of fats, 305
 - in homeotherms, 299–300
 - of protein, 305
 - variation among animals, 306
- Heat-regulating mechanisms, 301–302
- Heat regulation, chemical, 301–302
- Heat stroke, 304
- Heat tolerance:
 - of animals, 306*f*
 - effect of genetics on, 298
- Heating, effect of, on trypsin-inhibiting factor, 333
- Heating diets, 333
- Heaves of horses, 116*t*
- Heel flies, 406
- Helminth (worm) infections, 387–389
- Hemoglobin, 188
 - sickle-cell, 188
- Hemorrhagic sweet clover disease, 343
- Hepatoflavin, 346
- Herbicides, 410
- Herbivores, 10, 318, 327
- Herdbook, 23
- Hereditary patterns of animal behavior, 417–418
- Heredity:
 - and environment, 296–298
 - and growth, 212–214
 - and social dominance, 428–429
 - and social rank, 428–429

- Heritability:
 and efficiency of feed conversion, 166*t*
 of egg weight, 166*t*
 of milk composition, 166*t*
 of milk ejection, 269
 of peak flow of milk, 269
- Heritability estimates, 166
 and genetic progress, 166*t*
 type of gene action indicated by,
 166–168
- Hessian fly, 409
- Heterosis, 22, 176–177
 effects of, on various traits, 176*t*
- Heterospermic insemination, 252
- Heterozygotes, 156
- Heterozygous, 20, 156, 167–168
- Hexapoda, 398
- HGH (human growth hormone), 210
- Hibernating species, 300
- Histoplasmosis, 386
- Hogs, external parts of, 181*f*
- Holandric inheritance, 157
- Homeostasis, 299
- Homeothermic mechanism, 300
- Homeotherms, 299–300
 feed efficiency of, 303–304
- Homeothermy, 299–300
 and age, 300
- Homing behavior in animals, 420
- Homing pigeons, 420
- Homospermic insemination, 252
- Homozygous, 20, 156, 167–168
- Homozygous dominant, matings required to test
 for, 167*t*
- Honey, 52–55
 composition of, 50*t*
 how made, 53–54
 kinds of, 53
 minerals of, 56*t*
 providing safe, 66
 specific gravity of, 53
 sugars of, 53
 uses of, 53
 world production of, 54
- Honeybees:
 communication among, means of, 53
 drone, 53–54
 queen, 53–54
 royal jelly of, 53
 sting of, 54
 worker, 53–54
- Hookworm (ancylostomiasis), 389
 of cats and dogs, 92, 389*f*, 401*t*
 of humans, 389
- Hormone(s), 197–202, 417–418
 and animal behavior, 417–419, 423
 balance of, 202
 and cancer, 202
 chemical nature of, 197–199
 effect of, on growth and fattening, 202
 and egg laying, 287–288
 feedback mechanisms of, 201
 functions of, 198*t*, 200
 growth (*see* Growth hormone)
 interrelationships of avian females, 287*f*, 288*f*
 juvenile, 414
 luteinizing (*see* LH)
 mechanism of action, 201
 and public health, 202
 regulation of their secretion, 201
 releasing, 198*t*
 role of, in reproduction, 201
 steroid, 198*t*, 200*f*, 201–202
 of thyroid gland, 198*t*
- Horn flies, 405
 raising of, 413
- Horse botfly, 406–407
- Horseflies, 406–407
- Horses, 96–119
 anemia in, 115*t*, 118
 artificial insemination of, 254
 bad habits of, 111
 birthday of, official, 108
 blemishes and unsoundnesses of, 109–111
 body conformation of, 104*f*, 105*f*
 brain of, weight of, 54*t*
 breeds of, 21*t*, 27–28, 29*f*, 97, 98*t*
 care and management of, 101, 103–106
 care of feet of, 111–112
 castration of, 106, 220
 characteristics and types of, 97–100
 coat color of, 99–100, 101*t*, 102*t*
 colic in, 108, 111, 115*t*, 118
 color plate of, 4*d* (Chapter 4)
 common defects and unsoundnesses of, 109–111
 conformation of, 101, 104–105, 104*f*, 105*f*
 cutting, 96, 417*f*
 determining age of, 112, 113*f*, 114*f*
 disease and parasite control in, 114–118
 disease symptoms of, 114–115
 domestication of, 2*t*
 draft, 97

Horses—*Cont.*

external parts of, 182*f*
 eyes of, 99
 feeding of, 106–108
 feet of: care of, 111–112
 parts of, 112*f*
 founder in, 116*t*
 gaits of, 97–99
 genotypes of, 102*f*
 gestation period of, 103, 227*t*
 gregarious behavior of, 428
 harness, 98*t*
 heavy, 97
 historical aspects of, 27–28, 96–97
 and HYPP (Hyperkalemic periodic paralysis), 359
 light, 97
 markings of, 100, 100*f*
 measuring height of, 97
 and human medicine, 97
 moon blindness in, 107, 116*t*
 movement defects of, 109
 night blindness of, 117*t*
 normal body functions of, 113–114
 nutritional diseases of, 115, 115*t*, 116*t*, 117*t*
 osteomalacia of, 116*t*
 pasture for, 107
 ponies, 96–97, 98*t*
 and recreational use, 15–16
 rickets in, 116*t*
 saddle, 98*t*
 selection of, 101
 sizes and types of, 97
 skeletal system of, 98*f*
 smooth-mouthed, 112, 114*f*
 as source of power, 13, 96–97
 splints of, 110
 stable vices of, 111
 training and grooming of, 108
 trimming feet of, 112*f*
 types of, 97, 101
 uses of, 96–97, 118–119
 vitamins for, 107, 115*t*, 116*t*, 117*t*
 washing of, 108
 wild, 96
 world number of, 7
 Host resistance, 414
 Houseflies, 404–405
 life cycle of, 404
 Human botfly, 406
 Human chorionic gonadatropin (hCG), 97

Human diseases transmissible to animals, 390–391

Human Genome project, 158

Human health and vitamins, 337–355

(*See also* Vitamins; *and specific vitamin*)

Hyaluronidase, 230

Hybrid vigor, 22, 176–177, 213

 calculation of, 176*t*

Hydatid disease, 389

Hydrocyanic acid, 391

Hydrophobia, 375–376

Hyperkalemic periodic paralysis (*see* Horses, and HYPP)

Hyperplasia, 205

Hyperthyroidism, 211

Hypertrophy, 205

Hypophysectomy, 197, 210

 effects of, 197

Hypophysis (*see* Hypothalamus)

Hypoprothrombinemia, 343

Hypothalamic releasing factors, 198*t*

Hypothalamus:

 in animal motivation, 419

 diagram of, 199*f*

 and heat regulation, 301

 hormones of, 198*t*

Hypothermia, experimental, 300

Hypothyroidism, 211

I

Ice cream:

 composition of, 50*t*

 minerals of, 50*t*

ICU (International Chick Unit) of vitamin D₃, 355

Imitation milk, 76

Immune reaction, 372

Immune serum, 372

Immunity, 372–373

 acquired, 373

 defined, 372

 differences between active and passive, 373*t*

 natural, 372–374

 species, 372

 transfer of passive, from mother to offspring, 279*t*, 373*t*

Implantation, 230

Implants, 32

Imprinting, 418–419

Inbreeding, 174–175, 335

 amount of, in relatives, 170*t*

 and growth, 213

- Inbreeding effect, type of gene action indicated by, 169*t*
- Incubation period:
length of, in poultry, 283*t*
of selected birds, 283*t*
- Induced parturition, 239
- Inflammation, 372
- Inflammatory reaction, five signs of, 372
- Inflection, 208*f*, 209
- Influenza, 390
- Infundibulum, 223–224, 224*f*
- Ingestive behavior of animals, 421
- Inheritance:
cell theory of, 141–143
effect of, on food conversion, 335
and milk composition, 276–277
modes of, in horses, 101–102*t*
qualitative, 162–163
quantitative, 162–163
sex-influenced, 157–158
sex-linked, 157
- Inositol, 339*t*
clinical deficiency symptoms of, 339*t*, 354
common sources of, 339*t*, 354
functions of, 339*t*, 354
- Insect growth regulators (IGRs), 410
- Insecta, 400*t*
- Insecticides, 410, 414
- Insects, 398–415
aesthetic value of, 402
biological control of, 410–414
body parts of, 398
contributions of: to humans, 400–403
to medicine, 402–403
control of, 409–414
in control of weeds, 402
damage of, to crops, 403
destructiveness of, 403–404
economic significance of, 398
as food for poultry, 401
growth regulators, 410
harmful effects of, 403–404
as parasites, 401*t*
and/or predators, 402
and pollination, 402
reproductive capability of, 410
resistance of, to insecticides, 410–411
secretions of, 400–401
sex attractants of, 413
speed of, 398
as test animals, 403*f*
use of: in dyes, 401
in research, 402
value of, to soil, 402
variation among, 398
wings of, number of, 398–399
- Insensible perspiration, 308
- Insight learning (reasoning), 418
- Instars, 398
- Instinct, 418, 430
- Insulin, 198*t*, 211
and genetic engineering, 152
role of: in lactation, 267
in mammary gland growth, 267
- Integrated pest management, 415
- Intelligence of selected animals, 419
- International Code of Zoological Nomenclature, 400
- Interspecies rearing, 426
- Interstitial cells, 225
- Intrauterine migration, 231
- Intussusception, 205
- Inversion, 142*f*, 143
- Invertase, 332*t*
- Investigative (exploratory) behavior of animals, 426–427
- In vitro* fertilization, 234
- Involution of mammary gland, 273–274
- Iodinated casein, 324
- Iodine, 362–364
clinical deficiency symptoms of, 361*t*, 362–363*f*
functions of, 361*t*, 362–364
in secretion of thyroxine, 362
sources of, 361*t*, 363*n*
supplementing diets with, 363*n*
- Iodine value, 316
- IPM (integrated pest management), 415
- Iron, 360–362
clinical deficiency symptoms of, 361*t*
functions of, 360–362
of milk, 361–362
sources of, 361*t*
- Iron absorption, effect of ascorbic acid on, 345*f*
- Irradiation, of flies, 412
- Isotonic, 268
- IU (International Unit), 355
- ## J
- Jerky, 63–64
- Joint ill of horses, 105
- Joints, types of, 184
- Juvenile hormone, 414

K

- Karyotype, 142
 - of cattle, 142*f*
- Kidney, 193
 - as a secreting unit, 194*f*
- Kilocalorie, 323
- Kwashiorkor, 51

L

- Labeling of animal products, 62
- Lactase, 332*t*
- Lactation, 259–280
 - artificial initiation of, 264
 - effect of: age on, 275
 - animal size on, 275
 - feed on, 276
 - frequency of milking on, 274
 - endocrine control of, 201, 265*f*
 - factors affecting, 274–276
 - hormonal control of, 264–267
 - initiated by suckling stimulus, 276
 - peak of, 273
 - persistence of, 274*f*
 - physiology of, 259–280
- Lactochrome, 346
- Lactoflavin, 346
- Lactogen, 264, 265*f*
- Lactogenesis, 264
- Lactose, 54–55, 315*t*
 - antipellagric properties of, 55
 - and brain size, 54*t*
 - characteristics of, 54–55
 - hygienic values of, 55
 - in milks of mammals, 54, 276*t*
 - and mineral absorption, 74
 - sweetness of, 55
 - synthesis in milk, 268
- Lamb:
 - cholesterol in, 52*t*
 - composition of, 50*t*
 - minerals of, 50*t*
- Lambs:
 - nutritional deficiencies in, 259–361, 364–365
 - skeletal muscular dystrophy in, 338*t*, 343, 366
 - swayback disease in, 362
- Lameness of horses, 109–110
- Laminitis, 110, 116*t*
- Land classification, 8*f*
- Land, world use of, 12*f*
- Land-grant colleges and universities, 3–4
- Larval migrans, 406
- Larynx, 191
- Lasalocid, 325
- Laws of probability and animal breeding, 154–155
- LD₅₀, 391
- Learning in animals: associative, 418
 - by conditioning, 418
 - by habituation, 418
 - by imprinting, 419
 - insight (reasoning), 418
 - operant conditioning, 418
 - by reasoning, 418
 - responses to, 417–418
 - by trial and error, 418
- Le Châtelier's second principle, 70
- Leptospirosis, 382–383
 - animals susceptible to, 382–383
 - vaccination against, 383
- Letdown of milk, 271–273
 - early theories of, 271
- Leukocytes, 190, 372
 - in farm animals, 188*t*
- Leukopenia, 190
- LH (luteinizing hormone), 198*t*, 199, 224, 226–227, 229
 - role of: in egg laying, 287–288
 - in mammary gland growth, 266*f*
- Libido, 225
- Lice, 400*t*, 404*t*, 408–409
 - biting, 401*t*
 - bloodsucking, 401*t*
 - control of, 408–409
 - as vectors of disease, 401*t*, 404*t*, 414
- Life cycles, of livestock and poultry, 20–46
- Life span:
 - effect of diet on, 215–216
 - in relation to length of growth period, 215*f*, 216
- Ligaments, 184
- Light:
 - effect of: on reproduction, 295
 - on semen, 248
 - on sexual maturity in poultry, 290*f*, 296*f*
 - and insect control, 413
- Lignin, 320*t*
- Linebreeding, 175, 175*f*
- Linecross, 168, 175–176
- Linkage of genes, 154
- Lipase, 332*t*
- Lipids, 315–316, 320*f*, 323
 - classification of, 320*f*

- Lipizzans, 98*t*, 99
- Lipoproteins, 60
- Lipotropic factor, 354
- Liquid nitrogen, 251
- Listeriosis, 385
- Litter size, effect of dam's age on, 214*t*
- Littermates, 170–171
- Liver:
- cholesterol in, 52*t*
 - minerals of, 56*t*
 - vitamins of, 57
- Livestock:
- breeds of, 20–46
 - and United States farm income, 15
 - world number of, 7–9
- Livestock inventory and production, 15
- Livestock products, worldwide use, 8*f*
- Living insecticides, 414
- Lobule-alveolar system, 261*f*
- Longevity as related to velocity of growth, 215
- Lung, mammalian, diagram of, 191, 192*f*
- Luteinizing hormone (*see* LH)
- Luteotropin, 264
- Lyme disease, 385, 386*f*, 401*t*, 404*t*, 407
- Lymph vessels, 187
- Lymphocytes, 187, 190
- Lyophilization of animal products, 69–70
- Lysine, deficiency of, 318*f*
- Lysozyme, 372*n*
- ## M
- Macroelements, 356–360
- Macrophages, 372
- Magnesium, 359
- clinical deficiency symptoms of, 357*t*, 359*f*
 - functions of, 357*t*, 358–359
 - in muscle contraction, 186
 - sources of, 357, 359
- Maintenance energy, 324
- Malaria, 401*t*
- Malnutrition, 3, 48–49
- and animal learning, 418
- Malpighian bodies, 193
- Malta fever, 380
- Maltase, 332*t*
- Maltose, 315*t*, 332*t*
- Mammary glands:
- anatomy of, 260–262
 - defined, 259
 - endocrine control of, 264–267, 265*f*
 - growth of, 262–264
 - measurement of, 263
 - of higher mammals, 259–262
 - internal structure of, 260–261
 - involution of, 273–274
 - lymph flow in, 262
 - number of, in selected species, 259
 - perfusion of, 268
 - pressure changes in, 269*f*
 - retrogression of, 263–264
- Mammotropin, 264
- Manganese, 365
- clinical deficiency symptoms of, 361*t*, 365, 367*f*
 - functions of, 361*t*
 - and hatchability of eggs, 361*t*
 - sources of, 361*t*
- Marek's disease, 373
- Mares:
- care and management of, 103–105
 - milk composition of, 276*t*
 - parturition in, 103–105
- Margarine, consumption of, 58*t*
- Mariculture, 121, 121*f*
- Markings of horses, 100
- Mastication of food, 331
- Mastitis, 370
- and milk composition, 268
- Maternal behavior, 424–426
- of American bison, 424–425
- Mating:
- in farm animals, 162–178
 - habits among animals, 423–424, 428
- Mating systems for livestock improvement, 173–177
- Maturity:
- at birth, 207*f*
 - physiological, 216*f*
- Meat(s):
- canning of, 67
 - consumption of, 59*t*
 - curing of, 67
 - inspection of, 67
 - preservatives for, 64
 - processed, 76
 - providing safe, 66–68
 - smoking of, 67
 - synthetic, 76–77, 77*f*
- Meat analogues, 77
- Meat inspection of USDA and states, 394
- Meat production:
- major worldwide sources of, 11*f*
 - worldwide, 7

- Meat products restructured, 75–77
- Meat tenderizers, 67
- Mediterranean fever, 381
- Medulla oblongata, 193
- Megacalorie, 323
- Megakaryocytes, 190
- Meiosis, 143–146
- Meiotic division, 145–146, 145*f*, 146*f*
- Melanin, 297
- Memory, long- and short-term, 419
- Menadione, 338*t*
- Mendel's law of segregation and recombination of genes, 154
- Menopause, 228
- Menstruation, 227–228
- Merocrine gland, 259
- Metabolic rate, 213–214, 264
and body size, 214*t*
effect of fever on, 304
- Metabolic water, 314
- Metabolizable energy (ME), 324, 325*f*
- Metamorphosis, 399
- Metestrus, 227
- Methane of rumen, 330
- Methoxychlor, 410
- Microbe engineering, 152
- Microbiological assay of vitamins, 354–355
- Microelements, 360–368
- Microorganisms:
attenuated, 373
inhibiting growth of, 65
- Microsurgery with embryos, 234, 237–238
- Migration and gene frequency, 165
- Milk:
antipellagric properties, 55
antirachitic properties, 55
Ca:P ratio of, 56
cholesterol in, 52*t*
composition of, 50*t*, 268–269, 276*t*, 276–278
and growth rate, 56*t*
creaming of, 277
defined, 276
drying of, 64
early theory of secretion of, 271
filled, 76
fortification of, 62
imitation, 76
minerals of, 55–56, 56*t*, 57*f*
multivitamin-mineral, 61–62
progesterone and pregnancy testing, 257
residual, 271
secretion of, 269–270
synthesis of, 267–269
synthetic, 76
in treatment of ulcers, 55
use of, in extending semen, 250
vitamin A and D potency of, 61–62
vitamins of, 57, 57*f*
- Milk composition:
of dairy breeds, 276, 277*t*
factors affecting, 276–278
heritability estimate of, 166*t*, 277*t*
milk ejection, peak flow of, 277
of selected mammals, 276*t*
- Milk fat:
dietary effects on, 278
in milks of mammals, 276*t*
- Milk letdown, 271–273, 418
factors favoring, 272–273
factors inhibiting, 272–273
- Milk precursors:
determination of, 267–268
of fat, 269
of lactose, 268
of minerals, 269
of protein, 268–269
of vitamins, 269
of water, 268
- Milk production:
effect of heterosis on, 176*t*
and evaporative cooling, 309
heritability estimate of, 166*t*
- Milk products, providing safe, 69
- Milk ring test, 380
- Milk secretion, when most rapid, 269
- Milk sickness in humans, 392
- Milk toning, 62
- Milk veins, 261–262
- Milking, completeness of, 274
- Milking frequency, effect of, on lactation, 274
- Milking machine:
for cows, 260*f*
for sows, 273*f*
- Mineral absorption and vitamin D, 340
- Mineral interrelationships, 256
- Mineral nutrition, 356–368
- Mineralocorticoids, 198*t*
- Minerals, 320*f*, 356–368
amount of, in milks of mammals, 276*t*
of animal products, 50*t*

- classification of, 320*f*
 contributions of, to humans and animals, 356–368
 daily allowance of, for humans, 56*t*
 deficiency symptoms of, 320, 357*t*, 361*t*
 essential, 319–320
 in feeding horses, 107, 115–117*t*
 of feeds, 320, 322
 functions of, 319–320, 357*t*, 361*t*
 and growth rate of young, 56*t*
 major sources of, 357*t*, 361*t*
 secreted in milk, 276
 (*See also specific mineral*)
 Mites, 400, 400*t*, 401*t*, 407–408
 chiroptic, 408
 demodectic, 408
 fowl, 407–408
 mange, 408
 psoropic, 408
 sarcoptic, 408
 scab, 408
 as vectors of disease, 401*t*
 Mitochondria, 141*f*
 Mitosis, 144–145, 144*f*
 Mollusca, 399*t*
 Molt, 182
 Molting:
 how induced, 291
 of insects, 398
 Molybdenum, 366–367
 clinical deficiency (or excess) symptoms of, 361*t*, 366
 functions of, 361*t*, 366
 sources of, 361*t*, 366
 Monensin, 325
 Monoclonal antibodies, 373–374
 Monocytes, 190
 Monoestrus, 228
 Monogastric animals, 328*f*
 Monorchid, 220
 Monosaccharides, 314, 315*t*, 320*f*
 Moon blindness of horses, 107, 110, 116
 Morbidity losses from diseases, 370
 Morphogenesis, 203, 207
 Morrill Act, 3
 Mortality losses from disease, 370
 Mosaic code, 388
 Mosquitoes, 400–401*t*, 407
 in transmission of malaria, 404*t*
 as vectors of disease, 404*t*
 Mother-young behavior of animals, 424–426
 Motivation of animals, 419

 Mucin, 332*t*
 Mule-foot, 182
 Muscle contraction, physiology of, 186
 Muscles:
 smooth, 185
 striated, 185
 types of, 184–186
 Muscular system, 184–186
 Mutation and gene frequency, 165
 Mutations, 155, 188
 Mycotoxins, 393
 Myiasis, 403
 Myoblast, 205, 206*f*
 Myoepithelial cells, 261*f*, 272*f*
 Myosin, 185–186
 Myotube, 205, 206*f*
 Myxomatosis virus, 411

N
 NAAB (National Association of Animal Breeders, Inc.), 253
 NARMS (National Antimicrobial Resistance Monitoring System), 71
 Nasal fly, 406
 National Antimicrobial Resistance Monitoring System (*see* NARMS)
 National Association of Animal Breeders, Inc., 253
 National Genetic Evaluation, 173
 beef sire summaries, 173
 dairy sire summaries, 173
 sheep sire summaries, 173
 swine sire summaries, 173
 National Institutes of Health, 394
 National Performance Programs, 172–173
 for beef, 172
 for dairy, 172
 for sheep, 173
 for swine, 172
 National Research Council (NRC), 106*n*, 324*n*, 355*n*, 368*n*
 Natural foods, 62–63
 Nature as designer of milk, 56
 Navel ill of horses, 105
 Navigation behavior in animals, 420
 Nematelminthes, 399*t*
 Nematodes, 400
 Nemertinea, 399*t*
 Nervous system, 192–193

- Net energy (NE), 324, 325*f*
 Neurohormonal regulation, 197
 Neurons, 192–193
 Neutrophils, 190
 Newcastle disease, 377
 Newton's law of cooling, 301
 NFE (nitrogen-free extract), 321
 Niacin (*see* Nicotinic acid)
 Nickel, 367–368
 and rumen activity, 368
 Nicotinic acid (niacin), 339*t*, 349–350
 clinical deficiency symptoms of, 339*t*, 350, 351*f*
 common sources of, 339*t*, 350
 functions of, 339*t*, 349–350
 Nidation, 230
 Night blindness, 338*t*
 of horses, 107
 Nitrates, 192, 391
 Nitrogen-free extract (NFE), 321
 Nitrogen metabolism, urinary end products of, 194*f*
 Nitrogenous compounds, classification of, 320*f*
 Nonadditive (*see* Gene action, nonadditive)
 Nondisjunction, 142
 Nonfat milk solids, fortifying with, 62
 Nonprotein nitrogen (*see* NPN)
 Nonthermal sweating, 308–309
 Noradrenalin, effect of, on muscles, 185–186
 Norepinephrine, 186
 effect of, on muscles, 186
 NPN (nonprotein nitrogen), 330
 NRC (*see* National Research Council)
 Nucleic acid metabolism, urinary end products of, 194*f*
 Nursing intervals in piglets, 425, 426*f*
 Nutrients, classification of, 320*f*
 Nutrition:
 and behavior of humans and animals, 313
 defined, 313
 and egg laying, 291
 and egg size, 293
 environmental considerations of, 302–304
 and growth, 212
 of horses, 106–108
 principles of, 313–326
 role of minerals in, 356–368
 role of vitamins in, 337–355
 Nutritional diseases of horses, 115–117*t*
 Nutritional labeling, 62
 Nutritional myopathy, 366
 Nutritional wisdom of animals, 421
 Nutritive ratio, 323
 Nutritive values, 318
 of beef, ham and lamb, 50*t*
 (*See also* Biological value)
 Nymphomaniac, 228
- ## O
- Oils, 315–317
 consumption of, 58*t*
 Oligospermia, 234
 Omasum, relative size of, 329*f*
 Omnivores, 318, 327
 Oogenesis, 147*f*
 Operant conditioning, 418
 Operon, 151
 Opisthotonos, 357*t*, 359
 Oral contraceptives, 201
 Organogenesis, 207
 Orientation behavior in animals, 420
 Ornithosis, 379
 Osmotic pressure in mammary glands, 268
 Osteoblasts, 206
 Osteoclasts, 206
 Osteomalacia, 338*t*, 341, 357*t*, 361*t*
 Ova transfer, 230*f*
 Ovarian cysts, 228*f*
 Ovary, 223–224*f*, 225*f*
 of avian female, 285–287
 endocrine control of, 226–227
 follicles of, 198*t*
 hormones of, 198*t*
 of sow, 198*t*, 224–225*f*
 Overdifferentiation, 217
 Overdominance, 156–157
 Overgrazing, 392
 Oviduct, 223*f*, 224
 Oviposition, 289
 Ovoflavin, 346
 Ovulation, 229, 233
 in birds, 289
 synchronization of, 233
 Ovum of sow, 225*f*, 230*f*
 Ox warble, 406
 Oxygen debt, 186
 Oxyhemoglobin, 188
 Oxytocin, 198*t*, 232, 271–272
 effect of, on semen output, 245
 and egg expulsion, 289
 and mastitis therapy, 272
 role of, in milk letdown, 271–272

Oxytocinase, 271
Oyster shells, 357*t*

P

- Pacemakers, 187
Palomino, 98*t*, 99
Pancreas, 198*t*, 332*t*
 hormones of, 198*t*
Pantothenic acid, 339*t*, 348–349
 clinical deficiency symptoms of, 339*t*, 348
 common sources of, 339*t*, 349
 functions of, 339*t*, 348
Papanicolaou stain, 256
Papillae, 330*f*
 effect of diet on development of, in ruminants, 330*f*
Para-aminobenzoic acid (PABA), 339*t*, 354
 clinical deficiency symptoms of, 339*t*, 354
 common sources of, 339*t*, 354
 functions of, 339*t*, 354
Paracaseinate, 331
Parakeratosis, 361*t*, 366*f*
Parasites:
 defined, 399
 external, 401*t*
 and the health of humans and animals, 401*t*
 of horses, 118
 internal, 401*t*
 of significance to humans and animals, 401*t*
Parasitology, defined, 399
Parathyroid gland, 198*t*
Parathyroid hormone, 198*t*
 effect of, on lactation, 265–266
Parthenogenesis, 54, 230, 402
Parturient paresis, 262, 265–266
Parturition, 232–233
 and animal behavior, 424
 inducing, 239
 in mares, 103–105
Pasteurellosis, 395
Pasteurization, 68–69
 of deboned poultry meat, 68
 of eggs, 68–69
 of milk, 69
Pasture for horses, 107
Patency, 261
Pathogens:
 modes of entry of, 372
 resistance to, 372–373
PD (*see* Predicted difference)
Peak flow of milk, 272
Peat scours, 366
Peck order, 225, 429
Pedigree, 22, 23*f*
Pedigree-Record Association, 22–23
Pellagra, 339*t*, 351*f*
Pelleted diet, effect of, on papillae, 330*f*
Pelleting of diets, 333
Penetrance, 167
Pepsin, 332*t*
Peptidase, 332*t*
Peptide linkage, 317
PER (protein efficiency ratio), 57
Perfusion of mammary gland, 268
Periosteum, 183
Peripheral nerves, 193
Pernicious anemia, 339*t*, 352
Perosis, 339*t*, 354*f*, 361*t*, 365
Pesticides, in animal products, 77, 410*n*
Pet animals, number of in the United States, 81–82
Pet foods, money spent for, 82
PG (*see* Prostaglandins)
pH, as used in preservation of animal products, 64–65
Pharynx, 191
Phenotype, 142, 155–157
Phenotypic variation, 162–163
 causes of, 165–166
Pheromones, 420
Phospholipids, 316, 320*f*
Phosphorus, 356–357
 clinical deficiency symptoms of, 357*t*, 358*f*
 in forages, 357
 functions of, 357*t*
 in grains, 357
 phytin, 357
 sources of, 357*t*
Photoperiodism, 286
Photosensitization, 307
Photosynthesis, 314, 327
Phyla, five most important, in animal science, 400, 401*t*
Physical form (feed) and digestibility, 333
Physiological maturity, 216*f*
Physiology:
 adaptive, of humans and animals, 299
 of circulatory system, 186–187
 defined, 179
 of digestion, 327–336
 of egg laying, 282–294
 of farm animals, 179–194

- Physiology—*Cont.*
of growth, 203–217
of lactation, 259–280
of reproduction, 219–239
of senescence, 203–217
- Phytin, 357
- Pica, 357*t*
- Pigeon milk, 200
- Pigs:
artificial rearing of, 279*f*
domestication of, 2*t*
external parts of, 181*f*
(See also Swine)
- Pineal gland, 198*t*
- Pinkeye, 407
- Piroplasmosis, 394
- Pitocinase, 271
- Pituitary gland, 196–197, 198*t*, 209–210, 232, 362, 419
anterior, 196–197, 198*t*, 199*f*, 266*f*
posterior, 197, 199*f*, 266*f*
- Placenta, 232–233
hormones of, 198*t*
- Placental lactogen, effect of, on lactation, 266–267
- Placental membranes, 198*t*, 231*f*, 233
- Plague, 384
- Plant protein, 317
- Plants:
composition of, 314–321
toxic to animals, 391–393
- Platyhelminthes, 399*t*
- Play behavior in animals, 423
- Pleiotrophy, 172
- PMS (pregnant mare serum), 97
- Pneumonic plague, 384
- Poikilothermic species, 300
- Poikilotherms, 124, 216, 300
feed efficiency of, 303–304
- Points of horses, 99
- Poisons for insects, 410
- Pollination by insects, 402
- Polydactyly, 235
- Polyestrus, 228
- Polygastric animals, 328*f*
- Polyneuritis, 339*t*, 346, 347*f*
- Polynucleotidase, 332*t*
- Polyploidy, 143, 230
- Polypnea, 299
- Polysaccharides, 315*t*
- Polyspermy, 230
- Pons, 193
- Population:
doubling time of, 5, 6*t*, 7*t*
and food production, increases in, 7–9
regional distribution of, 5*f*
world projections, 6
world trends of, 5–6
- Population density, factors affecting, in animals, 429
- Porifera, 399*t*
- Pork:
cholesterol in, 52*t*
composition of, 50*t*
minerals of, 50*t*
- Pork tapeworm, 388
- Portal system, 187
- Potassium, 359
clinical deficiency symptoms of, 357*t*, 360*f*
functions of, 357*t*, 359
and HYPP, 359
sources of, 357*t*, 359
- Potassium nitrate, 391
- Poultry:
breeds of, 28, 29*t*, 30–31*f*
gender reversal in, 418
hatching of, 44–45
life cycle of, 43–46
number of in the United States, 7, 15, 44*t*
world number of, 7
(See also Chickens; Turkeys)
- Poultry litter, use of, in farm animal diets, 14
- Poultry products:
consumption of, 59*t*
providing safe, 68–69
- Pox diseases of humans and animals, 378
- Precipitin reaction, 374
- Precocial birds, 283*t*
- Predicted transmitting ability (PTA), 173
- Preejaculation preparation of bulls, 245–246
- Pregnancy, 230–233
effect of, on lactation, 274–275
and milk composition, 278
tests for, in cows, 257
- Pregnant mare serum gonadotropin (PMSG), 97
- Prehension of food in farm animals, 331
- Prepotent, 174
- Preservation of animal products, 63–65, 69–70
- Probability in animal breeding, 154–155
- Proboscis, 404
- Proestrus, 227
- Progeny testing and artificial insemination, 257

Progeny tests, 167
 Progesterone, 198*t*, 200*f*, 201, 232
 effect of, on growth of mammary gland, 264, 265*f*
 functions of, 227
 Progestins, 201
 Prolactin (Prl), 198*t*
 role of: in avian females, 288
 in lactation, 264
 Prolactin-inhibiting hormone (PIH), 198*t*
 Prolactin-releasing hormone (PRH), 198*t*
 Prostaglandins (PG), 200*f*, 232–234, 239, 256
 chemical structure of, 200*f*
 Prostate gland, 222
 Protamone, 324
 Protected proteins, 319
 Protein(s), 317, 319, 320*f*
 of animal products, 50*t*, 50–52
 calculation of crude, 321
 caloric value of, 323
 complete, 51*t*
 consumption trends of, 83
 digestion of, 331
 functions of, 317
 and growth rate of young, 56*t*
 from major food groups, 11*f*
 in milks of mammals, 276*t*
 in plants, 317
 protected, 319
 quality of, 51–52, 319
 synthesis in milk, 268–269
 Protein/calorie ratios, 57
 Protein efficiency ratio (PER), 57
 Protoplasm produced by insects, 415
 Protozoa, 339*t*
 Protozoal infections, 385
 Proventriculus, 329*f*, 331–332, 332*t*
 Proximate analysis, 322
 Pseudorabies, 395
 Psittacosis, 379
 Psychrometric chamber, 311*f*
 Puberty, 226, 263
 age of, in farm mammals, 226*t*
 Public health, 370
 Pulmonary system, 187
 Pure Food and Drug Law, 394
 Purebred, 20
 Purified diet, 360
 Pyrethrum, 406
 Pyrexia, 304
 Pyridoxal, 350
 Pyridoxamine, 350

Pyridoxine (B₆), 339*t*, 350–352
 clinical deficiency symptoms of, 339*t*, 351, 352*f*
 common sources of, 339*t*, 352
 functions of, 339*t*, 350–351

Q

Q fever, 379
 Quantitative traits, statistical evaluation of, 162–163
 Quarantine, 394

R

Rabbits, use of virus to control population of, 411
 Rabies, 375–376
 in selected wildlife hosts, 376*f*
 transmission of, 375–376
 vaccination of cats and dogs against, 376
 vectors of, 375
 Rack, 99
 Radiation:
 and heat loss, 307
 in meat preservation, 64
 Radiation sterilization, 412
 Radioactive isotopes, 268
 and mineral nutrition, 356
 Radiocarbon dating, 2*n*
 Radiograph of sow uterus, 232*f*
 Ralgro, 325
 Rate of passage:
 as affected by physical form, 333
 effect of, on digestibility of foods, 333
 RB51 vaccine, 381
 Reactions:
 antigen-antibody, 374–375
 complement fixation, 374
 febrile, 304, 400
 immune, 372
 inflammatory, 372
 precipitin, 374
 toxin-antitoxin, 374
 Recessiveness, 155–156, 164
 Records of relatives, 170–171
 Rectal temperatures of selected animals, 299
 Red bug, 408
 Red water fever, 382–383
 Reflexes, 418
 Regeneration, 204
 Registration certificate, 23*f*

- Regression of mammary glands, 273–274
- Reinforcement and animal learning, 418
- Relapsing fever, 404*t*
- Relaxin, 198*n*, 198*t*, 232
- Releasing hormones, 198*t*, 201
- Releasing stimuli, 419
- Renal cortex, 193
- Renal medulla, 193
- Rennin, 332*t*
- Repeatability, 167*t*
- Reproduction:
 - effects of temperature on, 229
 - physiology of, 219–239
 - in avian females, 285–287
 - in avian males, 284–285*f*
 - in females, 226–233
 - in males, 224–226
- Reproductive efficiency, effect of hot weather on, 309
and population density, 429
- Reproductive organs of cows and sows, 224*f*
- Reproductive physiology, recent findings of, 233–239
- Reproductive physiology research and artificial insemination, 256–258
- Reproductive tract:
 - of boars, 220*f*
 - of bulls, 220*f*
 - of cows, 223*f*
 - of females, 222–224
- Residual milk, 271
- Respiratory center, 192
- Respiratory system, 191–192, 192*f*
- Rete testes, 220
- Reticulum, relative size of, 329*f*
- Rh factor, 189, 255
- Rhesus monkey, 189
- Riboflavin, (B₂), 339*t*, 346, 348
 - clinical deficiency symptoms of, 339*t*, 346, 348*f*
 - common sources of, 339*t*, 346
 - functions of, 346–348
- Rickets, 338*t*, 339*n*, 341*f*, 362
- Rickettsial infections, 385
 - cryptosporidiosis, 385
 - Q fever, 379
 - toxoplasmosis, 385
 - transmissible to humans by animals, 407
 - trench fever, 401*t*
 - tsutsugamushi, 404*t*
 - typhus fever, 401*t*
- Rift Valley fever, 394
- Rinderpest, 394
- Ringworm, 340*f*
 - and vitamin A, 340*f*
- RNA (ribonucleic acid), 147–151, 158, 211, 333–334, 357, 364, 419
- Rocky Mountain spotted fever, 379, 401*t*, 407
- Rodenticides, 393
- Roughages:
 - crude fiber of, 321
 - digestion of, 334
- Roundworms:
 - of cats, 389
 - of dogs, 389
 - of horses, 389
 - of humans, 389
- Royal jelly, 53
- Rumen:
 - development of, 328–330, 329*f*
 - digestion in, 332*t*
 - epithelium of, 330*f*
 - methane of, 330
 - microorganisms and, 330
 - when functional, 329*f*
- Rumensin, 325
- Ruminants, 334–336
 - in competition with humans for food, 11–12
 - defined, 328
 - role of, in human nutrition, 10*f*, 11–12
 - stomach compartments of, 329*f*, 329*t*
 - synthesis of amino acids, 317–318
 - synthesis of B-complex vitamins, 318
 - synthesis of vitamin K, 318
 - utilization of NPN, 318–319
- Ruminate, 331
- Rumination, 421
- Runt pigs, 425
- ## S
- SAES (*see* State agricultural experiment stations)
- St. Louis encephalitis, 377*t*
- Salmon, 420
 - cholesterol in, 52*t*
 - minerals in, 56*t*
- Salmonellosis, 384
- Salt, 360
- Sand flies, 404*t*
- Sarcolemma, 67
- Sarcoptic mange, 407–408
- Saturated fatty acids, 316

- Scar tissue, 204
- Scent posts, 422
- Schistomiasis, 401*t*
- Screwworm, 405–406
- Screwworm flies, 401*t*
- sterilization of males, 405–406, 412
- Scrotum as heat-regulating mechanism, 219–220
- Scrub typhus, 404*t*
- Scurs, 157–158
- Scurvy, 337, 339*t*, 344–345
- Season, effect of, on milk composition, 277
- Sebaceous glands, 183*f*
- Selecting farm animals, 162–178
- Selection, 166–169, 427–428
- for additive gene action, 168–169
- and animal behavior, 417–419, 428
- artificial, 166
- for dominance and recessiveness, 167
- effect of population density on, 429
- for epistasis, 168
- and gene frequency, 165
- of horses, 101
- on individuality, 169–170
- and insect resistance to insecticides, 410–414
- for kinds of gene action, 166–169
- natural, 166
- for overdominance, 167–168
- on records of relatives, 170
- of superior breeding stock, 169
- Selection differentials, 171–172
- examples of, 171*t*
- Selenium, 365–366
- clinical deficiency (or excess) symptoms of, 361*t*, 365, 368*f*
- functions of, 361*t*, 365
- in relation to vitamin E, 365
- sources of, 361*t*, 366
- Semen:
- amount produced, 225
- antibiotics used in, 251, 256
- appearance of, 247
- cold shock of, 248
- collection of, 245–247
- coloring of, 251
- custom freezing of, 253
- dead and alive cells, 248, 249*f*
- effect of light on, 248
- enumeration of, 247–248
- evaluation of, 247–250
- exports of, 244*t*
- extension of, 250–253
- freezing, in straws, 252
- freezing and thawing of human, 255
- fresh liquid, 251
- frozen, 251–252
- lyophilization of, 252–253
- morphology of, 248
- motility of, 248
- output and frequency of ejaculation, 245–246
- pelleting of, 252
- pH of, 250
- production of, in selected mature males, 246*t*
- shell-freezing of, 252
- staining of, 249
- storage of, 251–253
- straws used, 252
- volume per ejaculate, 225
- Semen extenders:
- characteristics of, 250–251
- kinds of, 250–251
- Semen storage, 225–226*f*, 251, 252*f*, 253
- Seminal vesicles, 222
- Seminiferous tubules, 220, 221*f*
- Senescence, 214–216
- physiology of, 203–217
- Septicemia, 384
- Seven-year itch, 407–408
- Sex:
- chromosomes, 142
- determination of, 142
- Sex attractants, 413
- of insects, 413
- Sex control, 237
- Sex hormones:
- and sex characteristics of birds, 288
- and vitamin K, 343
- Sex-influenced inheritance, 157–158
- Sexing embryos, 237
- Sex-limited traits, 158
- Sex-linked inheritance, 157
- Sexual behavior of animals, 423–424
- Sexual maturity:
- age at heritability estimate of, 166*t*
- factors affecting, in poultry, 289–290
- Sexual preparation and semen collection, 245–246
- Shade:
- cooling effect of, 309*f*
- in nonsweating species, 309
- Sheep:
- breeds of, 21*t*, 27, 28*f*
- contagious ecthyma, 278

- Sheep—*Cont.*
 domestication of, 2*t*
 external parts of, 180*f*
 flushing of, 40
 historical perspective of, 38–39
 improvement program, 173
 life cycle of, 38–41
 number of in the United States, 39*t*
 scabies, 408*n*
 world number of, 7
 (*See also* Lambs)
- Sheep botfly, 406
- Sheep gadfly, 406
- Sheep liver fluke disease, 389
- Shelf life of poultry meats, 67–68
- Shell membranes of eggs, 284*f*
- Shelter seeking among animals, 422
- Shivering, effect of, on heat production, 305
- Shorthorns, 21*t*
 heat tolerance of, 302*f*, 308*f*
- Sickle-cell anemia, 362
- Sigmoid flexure, 222
- Sigmoid growth curve, 208*f*
- Silkworms, 400–401
- Single cross, 176
- Sire summaries, 173
- Skeletal muscular dystrophy, 338*t*, 343, 366
- Skeletal system, 182–184
- Skin pigmentation and vitamin D, 339–340
- Slaframine, 393
- Slipped tendons, 367*f*
- Smallpox, 378
- Smith-Hughes Act, 4
- Smith-Lever Act, 4
- SMR (*see* Standard metabolic rate)
- Social dominance of animals, 428–429
- Social pathology, effect of population density on, in rats, 429
- Social rank of animals, 225, 428–429
- Sodium, 359
 clinical deficiency symptoms, 357*t*, 359*f*
 functions of, 357*t*, 359
 sources of, 357*t*, 359
- Sodium chloride, 359
 clinical deficiency symptoms of, 357*t*, 360*f*
 functions of, 357*t*, 359
 sources of, 357*t*, 360
- Somatomedins, 210
- Somatostatin, 198*t*
- Somatotropin (STH), 209–210
 (*See also* Growth hormone)
- Sonoray, 170*f*
- Sore mouth disease, 379
- Sound:
 in animal communication, 420*f*
 and insect control, 413
- Sows:
 gestation, 227*t*
 ovary of, 224*f*, 225*f*
 ovum, 225*f*, 230*f*
 reproductive organs of, 224*f*
 teat location of, functional at weaning, 426*t*
- Soy protein isolate (SPI), 52*f*
- Soybeans, trypsin-inhibiting factor of, 333
- Spanish fly, 401
- Spallanzani, 241–242, 331
- Species immunity, 372
- Spectinomycin, use of, in semen, 251
- Sperm capacitation, 229
- Spermatogenesis, 146*f*, 248
 effect of temperature on, 311
- Spermatozoa:
 abnormal, 249*f*
 cold shock of, 248
 concentration of, 246*t*
 enumeration of, 247–248
 fertile life of, 246*t*
 life of, in female tract, 246*t*
 live and dead, 226*f*
 microphotograph of, 249*f*
 morphology of, 248
 motility of, 248
 normal and abnormal, 249*f*
 numbers of, per ejaculate, 246*t*
 staining of, 248
- Sperm-typing for sex preselection, 257
- Spiders, 400*t*
- Spinal cord, 193
- Spinnbarkeit, 256
- Splints of horses, 110
- Spontaneous ovulation, 229
- Spotted fever, 379
- Stable flies, 405
- Stadia, 398
- STAGES (swine testing and genetic evaluation system), 173
- Stags, 220, 423
- Stallions:
 care and management of, 103
 semen of, 103, 246*t*
- Standard metabolic rate, 305
- Starch, 315*t*
- Starvation, defined, 7*n*
- State agricultural experiment stations (SAES), Appendix D

- State of being, 131–139
 defined, 135–137
 economic and policy aspects of, 133
 ethics and morals of, 132
 legal aspects of, 133–134
 philosophical aspects of, 132–133
 and production practices, 134
 ranges of response categories, 136*t*
 scientific assessment of, 134, 137–139
 and welfare plateau, 137–138, 138*f*
- Statistical evaluation of quantitative traits, 162–163
- Steapsin, 332*t*
- Steely wool and copper deficiency, 362
- Steer (*see* Beef steer)
- Sterilization, of male screwworm flies, 412
- Steroid hormones, 199, 220*f*
- Sterols, 316, 340
- Stiff lamb disease, 342*f*
- Stigma, 285
- Stomach compartments of ruminants, 328*f*, 329*f*
- Stomoxys calcitrans*, 405
- Strain 19, vaccine, 381
- Stress:
 effect of, on animal productivity, 299
 measurement of, 299
- Sucking stimulus, 276
- Sucrase, 332*t*
- Sucrose, 315*t*
- Sulfur, 360
 clinical deficiency symptoms of, 357*t*, 361*f*
 functions of, 357*t*, 360
 sources of, 357*t*, 360
- Summit metabolism, 305
- Sunburn, 307
 in farm mammals, 307–308
- Superovulation, 229
- Surrogate mother, 234, 235*f*
- Swayback disease in lambs, 362
- Sweating:
 nonthermal (cold), 308–309
 thermal, 308
- Sweeney of horses, 111
- Sweet clover and dicoumarin, 393
- Sweet clover disease, hemorrhagic, 343
- Swine:
 backfat of, 25*f*
 breeds of, 21*t*, 24, 25*f*
 domestication of, 2*t*
 heat loss in, 306*f*
 historical perspective of, 41
 improvement federation, 172–173
 life cycle of, 41–43
 number of in the United States, 41*t*
 segregated early weaning of, 42
 testing and genetic evaluation system (STAGES), 173
 world number of, 7
- Swine Improvement Federation, 173
- Swine roundworm, life cycle of, 387*f*
- Symbiotic relationships of animals and humans, 295
- Synapse, 193
- Synchronization:
 of estrus, 201, 233
 of ovulation, 201, 233
- Syndactyly, 235
- Synovial fluid, 184
- ## T
- Taeniasis, 388
- Tapeworm, 400
 of dogs, 389*f*
 of humans, 388*f*
- Taxonomist, 400
- Taxonomy, 399*t*, 400
- TDN (total digestible nutrients), 323
- Teart, 361*t*, 366
- Teat location of sows, functional at weaning, 426*t*
- Teeth:
 effect of fluorine on, 368*f*
 of horses, 113*f*, 114*f*
- Temperature:
 effect of: on feed digestibility, 303–304, 333
 on reproduction, 229
 rectal, of selected animals, 299–300
- Temperature-regulating mechanisms, body, 301–302
- Temperature regulation, 301–302
- Tenderizers, meat, 67
- Termites, 410
- Testes:
 of avian male reproductive system, 285*f*
 cross section of, 221*f*
 hormones of, 198*t*
- Testicle of a boar, 222*f*
- Testicular development and semen output, 245
- Testosterone, 198*t*, 200*f*, 201, 225
 and animal behavior, 422
- Test-tube babies, 234
- Tetanus, 118, 391
- Texas armadillo, 206*n*
- Texas cattle fever, 407
- Texas fever, 407

- Thalidomide, 152
- Therm, 323
- Thermal sweating, 308–309
- Thermogenesis, 301
- Thermolysis, 301
- Thermoneutral zone, 305
of homeotherms, 299–300, 304*f*
of poikilotherms, 299–300
- Thermoneutrality, 304*f*
- Thiaminase, 346
- Thiamine (B₁), 345–346
clinical deficiency symptoms of, 339*t*, 346
common sources of, 339*t*, 346
functions of, 339*t*, 345–346
synthesis of, 346
- Thiouracil, 325
- Thoroughbreds, 98*t*, 99
- Thoroughpin, 111
- Three-breed cross, 24, 176–177
- Thrush, 111
- Thumps, 361
- Thyroid gland, hormones of, 198*t*, 210–211
- Thyroidectomy, effect of, on growth, 210, 267*f*
- Thyroprotein, 324
- Thyrotropin or thyroid-stimulating hormone (TSH), 198*t*, 362
- Thyrotropin-releasing hormone (TRH), 198*t*
- Thyroxine, 198*t*, 199*f*, 210–211
effect of: on growth, 210–211
on lactation, 264–265
and egg laying, 288
seasonal changes in secretion of, 265
and temperature changes, 304
- Ticks, 386*f*, 400–401*t*, 407
life cycle of, 407
nonscutate, 407
scutate, 407
as vectors of disease, 370, 401*t*, 407
- Tin, 367–368
- Tissue culture, 375
- Tocopherol, 341
- α -Tocopherol deficiency, 342*f*
- Total digestible nutrients (TDN), 323
- Toxaphene, 410
- Toxic plants, 391–393
- Toxin-antitoxin, reaction, 374
- Trace elements, 360–368
- Trachea, 191, 192*f*
- Traits:
economic, 162
qualitative, 162
quantitative, 162–163
- Tranquilization of bulls in semen collection, 247
- Translocation, 143
- Trembles, 392
- Trial and error, 418
- Tribal colleges, 4
- Trichinella spiralis*, 387
life cycle of, 387*f*
- Trichinosis, 67, 387
- Triglycerides, 320*f*
- Triiodothyronine, 198*t*
- Trisaccharides, 315*t*
- Trypanosomiasis, 394
- Trypsin, 332*t*
- Trypsin-inhibiting factor, 333
- Tsetse fly in transmission of African sleeping sickness, 401*t*, 414
- TSH (*see* Thyrotropin or thyroid-stimulating hormone)
- Tsutsugamushi disease, 404*t*
- Tuberculosis, 379–380
in mammals other than cattle, 380
methods of controlling infection from cattle to people, 379–380
- Tularemia, 401*t*, 404*t*
- Turkey meat:
cholesterol in, 52*t*
composition of, 50*t*
minerals of, 50*t*
vitamins of, 57
- Turkeys:
breeds of, 28, 30*f*
domestication of, 2*t*
external parts of, 183*f*
life cycle of, 43–46
number of in the United States, 44*t*
- Twinning and hormones, 201
- Twins, relationships of, 170*t*
- Typhoid fever, 404*t*
- Typhus fever, 404*t*
- ## U
- Udder:
blood circulation in, 261–262
high-quality, 260
internal structure of, 260–261
pendulous, 264
supporting structures of, 260–261
- Ultraviolet (UV) light, 401
- Undulant fever, 381
- United States, as an exporter and importer of food, 17

United States Department of Agriculture (*see* USDA)
 USDA (United States Department of Agriculture), 370,
 394–395
 Animal and Plant Health Inspection Service (APHIS),
 256, 394
 biological control of insects facility, 412*f*
 Food Safety and Inspection Service (FSIS), 394
 meat inspection by, 393
 Veterinary Services Division (VSD), 394–395
 United States Department of Health and Human
 Services, 394
 United States Food and Drug Administration (FDA), 393–394
 USP (United States Pharmacopeia units), 355
 United States Public Health Service (USPHS), 394
 United States Recommended Dietary Allowances
 (USRDA), 56
 Unsaturated fatty acids, 316
 Urea, 194*f*, 318–319, 334, 360
 Urease, 368
 Urethra, 194, 194*f*, 222, 223*f*
 Uric acid, 194*f*
 Urinary system, 193–194
 parts of, 194*f*
 Urine, components of, 194
 Uterine horns, hormones of, 198*t*, 223–224*f*

V

Vaccination, 373–374
 Vaccine, 373
 Vagina, 223*f*
 artificial, 246*f*
 Vanadium, 367
 Vaporization, 308–309
 of moisture, 300
 Variation in animal breeding, 162–163
 Variola, 378
 Vas deferens, 221*f*
 Vasectomy, 221–222, 255
 Vasopressin, 197
 Veins, 186–187
 Venezuelan equine encephalitis, 377*t*
 Ventral, defined, 179
 Ventricular fibrillation, 300
 Ventriculus, 332*t*
 Venules, 187
 Verdoflavin, 346
 Vesicular stomatitis, 378–379
 Vestibule, 224*f*
 Veterinary Services Division (VSD) of USDA, 394–395

VFA (volatile fatty acids), 330, 333
 production of, effect of temperature on, 310*f*, 311
 as source of energy, 330
 Vigor tolerance, 414
 Villi, 333
 Viral infections, 375–379
 transmissible from animals to humans, 375–379
 transmissible from humans to animals, 390–391
 Viral vaccine, use of, in controlling cancer, 373
 Visceral larval migrans, 406
 Visual displays in animal communication, 420
 Vitamin A, 337–339, 338*t*, 340*f*
 clinical deficiency symptoms of, 338*t*
 common sources of, 338*t*, 339
 expressed quantitatively, 355
 functions of, 338*t*
 and ringworm, 340*f*
 seasonal variation of, in milk, 278
 Vitamin B₂ (*see* Riboflavin)
 Vitamin B₁₂, and cobalt, 364
 (*See also* Cyanocobalamin)
 Vitamin C, 344–345
 and absorption of iron, 345*f*
 clinical deficiency symptoms of, 339*t*, 346
 common sources of, 339*t*
 functions of, 339*t*, 344–345
 Vitamin D, 338*t*, 339–341, 355
 in bone development, 340–341
 clinical deficiency symptoms of, 338*t*
 common sources of, 338*t*, 341
 danger of excess, 62
 effect of excess, 341
 and egg size, 293
 expressed quantitatively, 355
 functions of, 338*t*, 340–341
 and parathyroid hormone, 265–266
 and parturient paresis, 265–266
 Vitamin E, 341–343
 clinical deficiency symptoms of, 338*t*, 342*f*, 343
 common sources of, 338*t*, 343
 functions of, 338*t*, 341
 and reproduction, 341
 and selenium, 341
 Vitamin K, 338*t*, 343–344
 clinical deficiency symptoms of,
 338*t*, 344
 common sources of, 338*t*, 344
 functions of, 338*t*, 343
 role of, in blood clotting, 343*f*
 and sex hormones, 343
 synthesis of, 343

Vitamins, 320*f*, 321, 337–355
 of animal products, 57
 assay techniques for, 354–355
 classification of, 320*f*, 339*t*
 defined, 377
 fat-soluble, 320, 337–344, 338*t*
 fortifying milk with, 62
 for horses, 107, 115–117*t*
 providing, for farm animals, 355
 storage loss in milk, 69
 term first introduced, 337
 water-soluble, 320, 339*t*, 344–354

Voice box, 191

Volatile fatty acids (*see* VFA)

Vulva, 223*f*

W

Warble fly, 406

Warbles, 401*t*, 406

Warfarin, 343

Warm-blooded species, 299–300

Wasps, 411

Wassermann test, 293, 374

Water:
 of animals, 314
 for horses, 108
 metabolic, 314
 of plants, 314

Waxes, 316, 320*f*

Weaning weight:
 effect of: dam's age on, 214*t*
 heterosis on, 176*t*
 heritability estimate of, 166*t*

Weight effect on food conversion, 335

Well-being (*see* State of being)

Wernicke's disease, 346

Western encephalitis, 377*t*

Wether, 220

Whey, 14

White blood cells (*see* Leukocytes)

White muscle disease, 342*f*

WHO (World Health Organization), 371

Wilson rule, 301

Witch's milk, 263

Wool, 179, 183

World Health Organization (WHO), 371

World land resources, classification of, 8*f*

Worm infections, 387–389

X

Xerophthalmia, 338

Y

Yellow fever, 401*t*

Yolk of eggs (*see* Egg yolk)

Young horses, care and management of, 106

Z

Zearalenone, 393

Zebu cattle, 21*f*, 22, 302*f*, 306*f*, 309

Zeranol, 325

Zinc, 364–365
 clinical deficiency symptoms of, 361*t*, 364–365, 366*f*, 367*f*
 functions of, 361*t*, 364–365
 and hatchability of eggs, 365
 sources of, 361*t*

Zona pellucida, 230*f*

Zone cooling, effect of, on milk production, 309, 310*f*

Zoo animals, 396*f*

Zoonoses, 370