

Index



Note: Page numbers followed by 'b' refer to boxes; 'f' to figures; and 't' to tables.

- abalone, 950f
- abductin, 647f
- abiotic environments, 1075
- abiotic factors, 1029
- ABO blood group system, 181–2
 - antigens/antibodies, 182, 182t, 574b
 - characteristics, 182t
 - codominance, 182
- Aboriginal people, use of fire, 1004, 1118
- abscisic acid (ABA), 386, 388–90
 - biosynthesis, 388f
 - and drought resistance, 388–9
 - and frost tolerance, 389
 - and wilting, 388, 389t
- abscission zone, 345
- absorption spectrum, 116
- absorptive capacity (gut), 464
- abundance of populations, determination, 1030f, 1031
- Acacia*, 1008, 1013–14, 1070b
 - bipinnate leaves, 1013, 1013f
 - drought tolerance, 371
 - flowers, 1013b, 1014
 - phyllodes, 345, 1013, 1013f, 1014
- Acacia dealbata*, compound leaves, 345
- Acacia retinodes*, 23
- Acanthaster planci*, 972, 972f
- acanthodians, 977
- acclimation, 694
- acclimatisation, 694
- acellular slime moulds, 830, 830f
- acetyl CoA, 108, 110
- acetylation of histones, 244
- acetylcholine, 624b, 625b
- N*-acetylglucosamine, 42
- (1→4)-linked β -*N*-acetylglucosamine units, 29, 140
- achondroplasia, 184
- acid growth hypothesis, 382–3
- acid sulfate soils, 1111
- acidic soils, 1111
- acidophiles, 23, 792
- acids, 22
- Acmena*, 1011
- acoelomate, 931
- acomycetes, 894
- acorn worms, 974
 - structure, 974, 974f
- acquired immunity, 566–8
- acquired immunodeficiency syndrome, *see* AIDS
- acritarchs, 743
- acrosome, 416
- actin, 138, 663
- actin-binding proteins, 84
- actin microfilaments, 83–4, 83f, 432, 663, 666
- actinomorphic flowers, 883, 883f
- actinopods, 832
- Actinopterygii, 978
- actinula, 927
- action potentials, *see* neuronal action potentials
- action spectrum, 116
- activation energy, 52, 53
- active response, 619
- active sites, 54
- active transport, 97
- acute promyelocytic leukaemia, chromosomes, 205f
- adaptations to living on land (plants), 859–61
- adaptations to stress (animals), 693–710
 - desert animals, 694–5
 - environmental oxygen stress, 702–8
 - low temperatures, 696
 - metabolic depression, 700–2
 - oxygen stress and temperature, 708–9
 - phenotypic plasticity, 694
 - Q₁₀ concept, 697, 708
 - responses to global warming, 709–10
 - temperature regulation and metabolism, 697–9
 - thermal acclimation, 699–700
- adaptations to stress (plants), 369–75
 - lack of oxygen around roots, 374
 - mineral stress, 374
 - phenotypic plasticity, 694
 - salinity stress, 373–4
 - temperature stress, 374–5
 - water stress, 370–3
- adaptive evolution, 770f
- adaptive radiation
 - frogs, 1017–18
 - mammals, 1019–20
- adenine, 43, 44, 58, 208
- adenosine monophosphate, *see* AMP
- adenosine triphosphate, *see* ATP
- adherens junctions, 133, 134f
- adhesive forces, water, 21b
- adipocytes, 33f
- adipose tissue, 33–4
- adrenal cortex, 607–8, 607f
- adrenal gland, 604, 604f
- adrenal medulla, 601, 604, 607f
- adrenaline, 529, 624b
- adrenocortical hormones, 595
- adrenocorticotrophic hormone (ACTH), 96, 605t, 607
- adrenohypophysis, 601
- advanced characteristics (cladistics), 717
- adventitious roots, 337
- aerenchyma, 329, 329b
- aerial locomotion, 649
 - powered flight, 652, 653t
 - unpowered flight, 649–52
- aerial roots, 342
- aerobic respiration, 796
- aerofoil, 649
- afferent pathways, 618
- agar, 834
- age-structured populations, population dynamics, 1039–41
- aggregate fruits, 889
- aggregations (animals), 686
- aggressive competition, 1053, 1053f
- aggressive mimicry, 678
- agricultural land, degradation effects, 1111
- agriculture, biotechnology use, 290–2
- Agrobacterium tumefaciens* plasmids
 - used to transform plants, 290f, 291, 320–1
 - used for transferring cloned genes, 321b
- AIDS, 817b
 - and immunodeficiency, 582–3b
- air breathing
 - lungs, 493–9
 - tracheae, 499–502
- air-breathing fish, 491–3, 492f
- air capillaries, 498f, 499
- air humidity, and stomatal opening, 366
- air pollution, 1113–16
- akinetes, 789
- alanine, 37f, 38f
- alarm pheromones, 689
- alates, 688
- Albizia*, 345
- alcohol function, 23t
- alcoholic fermentation, 107f
- aldehyde function, 23t
- aldohexoses, 26
- aldosterone, 556, 607, 607f
- aleurone layer, 312, 386
- algae
 - brown, 840–3
 - cell walls, 140
 - cellulose in, 27

- golden-brown, 840
green, 833, 835–7, 835f
red, 833, 834–5, 834f
symbiotic, 925
- alginic acid, 840
- aligned coding DNA sequences, 777, 777f
- alkaliphile bacteria, 23
- alkaloids, 724, 726b, 914, 1057
- allantois, 981, 987
- allatostatins, 600
- allatotropins, 600
- allele frequencies, 762
- alleles, 179, 180b, 181b
expressivity, 195
multiple, 762
segregation, 180
- allergens, 914
- allergic asthma, 304–5b
- allergic responses, 585, 585f
- alligators, 983
- Allocauarina*, *see also* she-oaks
leaves, 336
root nodules, 343, 1092
- allografts, 582b, 586
- allopatric speciation, 773–4
- allopatry, 1062
- allosteric activation/inhibition, 58, 58f
- allosteric interaction, 239
- alpine herbfield, 1071b
- alpine zones, 1069–70b
- alternation of generations (plants), 299, 860
- alternative energy sources, 1116
- altruistic helping behaviour, 689
- aluminium toxicity, 374
- alveolar ducts, 494
- alveolates, 844–9
- alveoli, 494, 495
cortical, 844
- amber, 736
- Amborella*, 885
- amide function, 23t
- amido group, 23t
- amine function, 23t
- amino acids, 24
acidic, 37f
basic, 37f
catalytic, 54
codon sequences, 226
essential, 455–6
family, 37f
general formula, 36, 36f
neutral non-polar, 37f
neutral polar, 37f
peptide bonding, 37–8
sequencing, 720
structure, 36–7
substrate-binding, 54
- amino group, 23t, 36
- aminoacyl-tRNA, 221b, 229, 229f, 232
- aminoacylation, 229, 229f
- ammonia, 545, 546
metabolism, 545–6
molecular structure, 17
as nitrogenous waste, 547
- ammonites, 953
- ammonium ion, 796–7
- ammonoids, 743, 748
- ammonotely, 545
- amnion, 981
- amniotes, 981–2
distinctive features, 981
evolutionary development, 981–2, 981f
- amoebae, 832
with second-hand chloroplasts, 851–2
- amoebocytes, 922
- amoeboid movement, 653, 653f
- AMP (adenosine monophosphate), 43
- Amphibia, 978, 980
- amphibians, 980–1, *see also* frogs
adaptive radiation, 1017–18
breathing mechanisms, 493–4, 493f
characteristics, 980–1
circulatory system, 511f, 512f, 513, 515
excretion, 547
fossil, 980
jaw and gut structure, 469
primary induction and mesoderm induction, 439–40
- amphipathic molecules, 34, 35f
- amplexus, 409
- ampulla, 971
- amylopectin, structure, 30, 30f
- amyloplasts, 81b, 82, 383
- amylose, structure, 30–1, 30f
- anabolism, 59, 609
- anaemia, and heterozygote advantage, 186–7b
- anaerobes
fermentation, 112, 112f
metabolic pathways, 107f
- anaerobic bacteria, 796
- anaerobic respiration, 796
- anaerobic soil conditions, 374
- anal pores, 931
- analogous features, as evidence of convergence, 718–19
- anamorphic form (fungi), 909
- anaphase, 161, 163
- anaphase I, 171
- anapsid skull, 982, 982f
- anastomose, 898
- ancestral molluscs, 948
- anchoring junctions, 131f, 132, 133, 133f
- androgens, 608–9
- anemone, 1054, 1054f
- anemonefish, 1054, 1054f
- Angelman syndrome, 197, 198f
- angiosperm pollen, Cretaceous period, 881
- angiosperms, 298, 300, 881–9, *see also* flowering plants
characteristics, 882–3
double fertilisation, 886
- evolution, 884f
reproductive cycle, 885–6, 885f
- angiotensin, 529
- angiotensin II, 556, 607
- angle of attack, 649, 650b
- Angophora*, 1011, 1012b
- anguilliform locomotion, 648f
- angular collenchyma, 329
- anhydride formation, 25b
- Anigozanthos*
ethological isolation, 772, 772f
mechanical isolation, 772–3
- animal behaviour, 671–90
competition, 679, 680–1
courtship and mating behaviour, 681–4
defence mechanisms against enemies, 677–9
explanations, 672
foraging behaviour, 676–7
genetic basis, 672–3
learning and development of, 673–5
maturation of, 674
and neural circuits, 631
parental care, 685–6
social organisation and co-operative behaviour, 686–90
territorial behaviour, 679
understanding complex behaviour, 675–6
- animal cells
cytokinesis, 164, 164f
Golgi apparatus, 79f
meiosis, 168f
mitosis, 161–4, 162f
osmosis, 99f
structure, 70f
- animal cloning, 291b
- animal defences against predators, 1058–9
- animal development, 423–50
cell behaviour, 424
cell lineages and maintenance of tissues, 436–8
cytoplasmic determinants, 438–40
embryonic development, 424–32, 921
genetic regulation, 442–4
organogenesis, 433–6
regulation of development, 438–42
- animal gaits, 654, 655b
- animal hormones, 593–5
classification, 594–5, 594f
control of physiological function, 593f
control systems, 596–8
general functions, 595
invertebrates, 599–600
mechanisms of action, 595, 595f
sites of action, 594–5
vertebrates, 600–12
water-soluble and lipid-soluble, 595
- animal immunity, evolution, 586–7
- animal movement, 643–68
on land, 653–7
muscles and skeletons working together, 657–68

- through the air, 649–53
- through water, 644–9
- animal neurotoxins, 625b
- animal nutrition, 454–76
- animal photoreceptors, 146
- animal pole, 425
- animal populations, measuring using mark-release-recapture method, 1030b
- animal reproduction, 400–19
- animal tissues, 130
 - location in the human body, 135f
 - nutrient composition, 459
 - principal types, 135–9
- animal viruses, spread, 815
- Animalia, 730, 919
- animals, *see also* specific groups, e.g. mammals
 - asexual reproduction, 401–2, 849, 946
 - asymmetry, 424
 - detection of electric and magnetic fields, 148–9
 - evolution, 919–21
 - extinction, Australia, 1004
 - fertilisation, 417–19
 - flight, 650–1b
 - fossil faunas, 919–20
 - gas exchange, 482–506
 - as multicellular, heterotrophic organisms, 919
 - nutrient requirements, 455–8, 460–1
 - origin of multicellularity, 919
 - as pollinators, 886–8, 886f
 - primary sex organs, 410
 - responses to environmental stress, 693–701
 - responses to global warming, 709–10
 - secondary sex organs, 410–11
 - sexual reproduction, 400, 402–12
 - Southern Hemisphere distribution, 999–1000
 - temperature regulation and metabolism, 697–9
- anions, 17
- anisogamous gametes, 403, 403f
- annelid worms, 942–7, *see also* earthworms; marine bristle worms
 - closed circulatory system, 510f
 - cutaneous exchange, 488
 - digestion, 944
 - excretory organs, 549–50
 - excretory system, 550f, 944
 - locomotion, 943–4
 - peristaltic contractions, 653–4, 654f
 - as protostomes, 942
 - respiration and circulation, 944
 - structure, 942–3, 943f
- Annelida, 941, 942–7
- annual rings, 335
- annulus (sporangia), 873
- anoxygenic bacteria, 119, 785
- anoxygenic photosynthesis, 785
- ant plant, 1054, 1054f
- Antarctic Convergence, 749f, 751
- Antarctica, 1001
- Antechinus*, 1021
 - costs of reproduction, 407–8
 - foraging behaviour, 762
 - insect resource use, 1062, 1062f
 - population dynamics, 1036f
- antennae, 960
- antennal glands, 550, 961
- antennules, 960
- anterior pituitary gland, 601, 604
- anterior pituitary hormones, 604, 605t
- anterior–posterior axis, 424
- antheridia, 843, 844, 860, 906
- anthers, 301–2, 883
- Anthoceroophyta, 862
- Anthozoa, 928–30, 929f
- anti-actin drugs, 166b
- antibiotics, as bacterial protein synthesis inhibitors, 232b
- antibodies, 562b, 568, 573, 585, *see also* immunoglobulins
 - binding sites, 575
 - differences from TCR molecules, 576t
 - generation of diversity and gene rearrangement, 570b
 - molecular structure, 575
- antibody classes (isotypes), 575b
 - function, 580t
- anticoagulants, 947
- anticodons, 228
- antidiuretic hormone (ADH), 556, 602
- antigens, 562b, 573, 573–4
- anti-microtubule drugs, 166b
- antipodal cells, 306
- ants, 1058
 - castes, 688, 689f
 - societal structure, 688–9
- Anura, 1017
- aorta, 517
- apes, 988
 - and the evolution of hominoids, 988–9
 - upright, 990–1
- aphids, 376f
 - mouthparts, 467
- apical complex, 846
- apical dominance, and auxins, 383
- apical meristems, 142, 314–15
- apical organs, 930
- apicomplexans, 846
- apomixis, 307–8, 307f
- apomorphic characters, 717
- apoplast, 358
- apoplastic pathway, 340, 358
- apoptosis, 260, 262, 424
- apples, 888f
- apposition eye, 634–6
- appressoria, 898, 898f
- apricots, 888f
- Apterygota, 962, 962t
- aquaporins, 96
- aquatic animals
 - buoyancy, 644–5
 - muscular locomotion, 646–9
 - non-muscular locomotion, 645–6
 - water and solute exchange, 539
- aquatic ecosystems, 1076
- aquatic ferns, 872b
- aquatic habitats, oxygen availability, 484
- aquatic insects, gas exchange, 500–1b
- aquatic locomotion, 644–9
- aquatic mammals, undulatory swimming, 649
- aquatic plants
 - roots, 342–3
 - stems, 337
- arachnids, 958–9
 - body structure, 958, 959f
 - catching and digesting prey, 625b, 958–9
 - excretion, 958
 - gas exchange, 502, 958
 - reproduction, 959
 - sense organs, 959
- Araucaria*, 878b
- Araucariaceae, 878b, 879, 1001b
- arboviruses, 817b
- arbuscles, 911
- arbuscular mycorrhizae, 911
- Archaea, 730, 782
 - diversity, 792–3
 - evolutionary lineage, 786
 - structure and biochemical features, 787t
- Archaeal era, 3, 730, 741
- Archaeopterix lithographica*, 984
- archegonia, 860, 865
- archenteron, 428, 430
- Archosauria, 982–5
- archosaurs, 982–5
 - characteristics, 982–3
 - fossil, 983
- arginine, 37f
- Aribidopsis thaliana*, cell differentiation, 316–17b
- aridity, Australia, 1002
- Armillaria luteobubalina* dieback, 915
- arteries, 519–20
 - structure, 519–21, 520f
- arterioles, 521
- Arthropoda, 941, 942, 956–64
- arthropods, 942, 956–64
 - abundance, 956
 - chelicerate, 957–9
 - chitinous mouthparts, 467–8
 - circulation, 957
 - evolution, 956–7
 - excretory glands, 550
 - integument, 658f
 - mandibulate, 959–64
 - nervous system, 627, 957
 - structure, 957
- artificial fertilisers, 358b
- artificial selection, 759b

- Ascaris lumbricoides*, 955
 asci, 905
 ascocarp, 906
 ascogonium, 906
 ascomycetes, 894, 905–6
 Ascomycota, 894, 905–6
 characteristics, 902t
 life cycle, 905
 reproduction, 905–6
 ascospores, 905
 asexual reproduction
 animals, 400, 401–2
 ciliates, 849
 earthworms, 946
 flowering plants, 315–19
 fungi, 901, 907
 and hybridisation, 775–7
 asexual spores, 901
 Asian faunas, 750b
 asparagine, 37f, 76
 aspartate, 37f
 aspirating pump, 494
 assimilate transport pathway, 366–7
 associative learning, 674–5
 assortive mating, 763
 astaxanthin, 836b
 Asteraceae, 1014–15
 Asteroidea, 969, 972
 asters, 163
 asthma, from grass pollen, 304–5b
 asymmetry
 animals, 424
 eukaryotic cell membranes, 69, 72f
Athrotaxis, 1008
 atlas, 981
 atmosphere–ice–ocean system, 709
 atmospheric pollution, 1113–16
 atomic number, 14
 atomic structure, 14–15
 atoms
 chemical bonding to make molecules, 15
 covalent bonding, 16–17
 in elements, 14
 non-covalent bonding, 17–18
 ATP (adenosine triphosphate), 43, 58
 biological attributes, 59
 as energy carrier, 58–9
 role in muscle contraction, 665, 666–7
 structure, 58f
 ATP (adenosine triphosphate) synthesis, 107, 107f
 in electron transport system, 111–12, 113–14b
 in fermentation, 112, 112f
 in glycolysis, 108f, 109
 in photosynthesis, 118–19
 ATP synthase, 112, 112f, 118
 ATPases
 role in stomatal control, 364
 role in transport, 97, 97f, 98
 atrial contraction, 518
 atrial natriuretic factor (ANF), 556
 atrioventricular bundle, 519
 atrioventricular node, 519
 atrium (sponges), 923
 atrium (vertebrates), 511, 516
 Australia
 biodiversity, 716b
 in Gondwana, 1000–1
 Australian biota, 999–1000
 fauna, 1016–24
 flora, 1008–16
 Australian bull kelp, 840, 1007b
 Australian environments
 changes, 1102–16
 evolution through the Cenozoic, 1001–5
 marine, 1006–8
 terrestrial, 1006
 Australian fauna, 750b, 1016–24
 adaptive radiation of frogs, 1017–18
 adaptive radiation of mammals, 1019–24
 biogeographic patterns of terrestrial vertebrates, 1017
 insects with southern connection, 1017
 reptiles, 1018–19
 Australian flora, 1008–16
 dominance of sclerophylls, 1009–10
 major components, 1008
 major families, 1011–16
 northern plant groups represented in Australia, 1016
 succulents, 1010
 Australian forests, use of, 1100–1b
 Australian frogs, adaptive radiation, 1018–19
 Australian hopping mouse, water intake, 544
 Australian human population dynamics, prediction, 1040b
 Australian native plants, coping with low nutrients, 356–7b
 Australian region, 750
 Australian reptiles, 1018–19
 Australian vegetation, Specht's structural classification, 1050t
 australopithecines, 990–1
Australopithecus, 990, 991
Australopithecus africanus, 990–1, 991f
Australopithecus anamensis, 991
 autapomorphies, 717
 autocrine hormones, 594f, 595, 611b
 autografts, 582b
 autoimmune diseases, 578
 autoimmunity, 562b
 autonomic axons, 639
 autonomic ganglia, 640
 autonomic nervous system, 639
 diagrammatic representation, 639f
 functions, 640b
 subsystems, 640
 vertebrate, 639–40
 autoradiography, 274b, 278
 autoregulation, blood flow to local tissues, 529–30
 autosomal dominant disorders, 185b
 autosomal recessive disorders, 185b, 767
 autosomes, 187
 linkage, 190–2
 autotrophs, 106, 824, 1076
 auxin binding proteins (ABP), 384
 auxins, 319, 380–4
 and apical dominance, 383
 biochemical and molecular responses to, 382t
 and cell elongation, 382–3
 chemical structure, 381–2, 381f
 and phototropism, 380–1, 381f
 role in mediating gravitropism, 383–4
 Aves, 978, 984–5, *see also* birds
Avicennia marina, 374
 axillary bud growth, cytokinin role, 387f
 axillary buds, 315
 axis, 981
 axon hillock, 624
 axoneme, 832
 axoneme microtubules, 86, 87
 axons, 139f, 616, 621, 622
 axopods, 832
 axostyle, 831
Azolla, 872b

 B cells (B lymphocytes), 565b, 566, 567
 development, 572, 572b
 baboon, brain, 628f
Bacillus, 790, 791
 backcross, 184
 BACs (bacterial artificial chromosomes), 273
 bacteria, 3, 782–802, *see also* cyanobacteria
 anaerobic, 796
 beneficial/harmful influences, 783t, 784
 Bergey's classification, 787, 790–1b
 cell division, 158f
 characteristics, 783, 784f
 classification and identification, 787–93
 denitrifying, 797, 1092
 endospore-forming, 790–1
 as first cellular life, 785–6
 genetic systems, 799–802
 identification methods, 787, 788b
 importance of plasmids and phages to, 802, 802f
 metabolic diversity, 793–4
 methane-producing, 793, 798–9
 nitrifying, 797, 1092
 nitrogen-fixing, 343, 357, 797, 1091–2
 nutritional types, 794–6, 794–5f
 as prokaryotes, 783–5
 role in nitrogen cycle, 796–7, 797f
 size and density of populations, 793
 structure, 784f, 785
 Bacteria (super kingdom), 730, 782, *see also* Archaea
 diversity, 788–91
 evolutionary lineage, 786
 structure and biochemical features, 787t

- bacterial cell walls, 140
 structure, 29
- bacterial cells, internal pH, 23
- bacterial chromosomes
 DNA synthesis at the replication fork, 214
 enzymes needed for replication, 212–14
 replication initiation, 212, 214f
- bacterial fermentations, 797–8
 industrial and agricultural use, 799t
- bacterial infections, immune mechanisms, 584, 584t
- bacterial operons, structure, 238
- bacterial protein synthesis inhibitors, 232b
- bacterial species, definition, 790b
- bacterial transcription, 223f, 224
- bacteriophage vectors, 273
- bacteriophages, 207, 273, 807
 biotechnology use, 812b
 gene transfer, 800, 801f
 importance to bacterial populations, 802
 virions of, 810, 811f
- bacteroids, 343
- baleen whales, filter feeding, 470f
- Banksia*, 344, 728, 728f, 1008, 1012
- banksia family, 1012
- bark, 335–6, 335b, 367
- barnacles, 1068f, 1069
 fertilisation, 419
 space-limited population, 1037, 1039f
- baroreceptors
 blood pressure control, 526–7
 impact on vasomotor centre, 527
- basal bodies, 87
- basal lamina, 130, 130f
- base pairing, 44, 44f, 210
- bases, 22
- basidiocarp, 906
- basidiomycetes, 894, 906–8
 characteristics, 907
 reproduction, 907–8
- Basidiomycota, 894, 906–8
 characteristics, 902t
 life cycle, 907f
- basidiospores, 906, 907
- basidium, 906
- basket stars, 969
- basophils, 573
- Batesian mimicry, 1059
- bats, 1023, 1023f
 flight, 652
 neurobiology, 638b
 suborders, 1023
- Bd2* gene, 262
- bearded dragons, 1019, 1019f
- beef tapeworm, 936
- bees, *see* honeybees
- beetroot, 343
- Bennett's wallaby, 68f, 1021f
- Bergey's classification of bacteria, 787, 790–1b
- Bernoulli equation, 529–30b
- berries, 888, 888f
- bettongs, 1023
- bicarbonate ion, 23, 505
- bicoid* gene and anterior development, *Drosophila*, 445–6, 446f
- bicupsid teeth, 987
- bilateral symmetry, 924b
- bilayers, 34, 42f, 69, *see also* lipid bilayers
- bile, 463
- binary fission, 158
- Binoe's gecko, parthenogenesis, 402, 775, 776f
- binomial system, 727–8
- biodiversity, 715
 Australia, 716b
 importance of conservation, 1103–4
 marine, 1007b
- biodiversity crisis, 715
- biodiversity hotspots, 1103
- biodiversity loss, 1102
 through rainforest clearing, 1104–5b
- bioeconomics, 1041–2
- bioelements, 13f, 14t
- bioenergetics, 49
- biogeochemical cycles, 1086–95
- biogeographic regions, and evolutionary history, 749–51
- biological catalysts, *see* enzymes
- biological classifications, 4, 725t
- biological control, 1107
 through predation, 1056–7
- biological control agents, 125, 915, 1055f, 1057, 1108, 1110b
- biological electron carriers, 62
- biological species' concept, 729, 756, 770
- biology, 2
 unifying themes, 2–4
- bioluminescence, 844, 846, 979
- biomass, 1081
 ecological pyramids, 1081, 1081f
 energy and productivity, 1082b
- biomembranes, 34–5
- biomes, 1069–71
 gradients and ecotones, 1069
 represented in Australia, 1069–71b
- biomolecules, 14t, 23–4
 functional groups, 23t
- biosphere, 13, 1086
- biotechnology, 289
 agricultural applications, 290–2
 bacteriophage use, 812b
 fungi use, 915
 and green algae, 836b
 pharmaceutical applications, 289–90
 and plants, 320–1
- biotic environments, 1075
- biotic factors, 1029
- bipedalism, 991
- bipinnate leaves, 1013
- bipolar distribution, 750
- biramous appendages, 960
- birds, 982, 984–5, *see also* chickens; migratory birds, flightless birds
 circulatory system, 511f, 515, 985
 co-operative breeding, 687–8
 countercurrent heat exchange, 522–3b
 courtship behaviour, 682–3b, 683–4
 digestive system, 469, 469f
 diversity, 984f, 985
 diving, 704–5b
 extinction, 1102f
 and the fire season, northern Australia, 1064–5, 1065f
 flight, 649–50, 652, 653f, 984–5
 fossils, 984
 heart, 985
 high altitude adaptation, 708
 immune system, 586
 jaws, 984–5
 lungs, 498f, 499
 parathyroid and ultimobranchial glands
 function, 610
 as pollinators, 886, 886f, 887
 salt glands, 557, 557b
 torpor, 701–2
 wingspans, 649
- birth, 1033
- bitou bush, 1109, 1109f
- bivalves, 947
 anchoring, 950
 filter feeding, 949–50
 gill structure, 949–50, 949f
 reproduction, 950
- Bivalvia, 947, 949–50
- black bean, 724
- black-footed rock wallaby, 7–8b, 7f
- black-striped mussels, 1107
- blackberries, 1108
- blades (kelp), 841
- blastocoel, 425, 427
- blastoderm, 426
- blastodisc, 426
- blastomeres, 424, 425, 426–7
- blastopore, 428
 dorsal lip, 430
- blastula, 425, 427
- Blattaria, 963f
- blood, 137f, 531–3
 properties, 531–2
- blood cells, 531f, *see also* specific cells, e.g. erythrocytes
 formation, 437, 437f, 532
 lineage regulation, 438
- blood clotting, 532–3
- blood flow
 autoregulation, 529–30
 baroreceptor and chemoreceptor control, 526–7
 Bernoulli, gravity, and dinosaur necks, 529–30b
 extrinsic control, 531

- homeostatic control pathways, 527f
- hormonal effects, 529
- blood flow regulation, 525–31
 - to tissues, 529–31
 - in vertebrates, 526–9
- blood flukes, 932, 934–5
 - life cycles, 934f
- blood glucose, hormonal control, 611f
- blood groups, and codominance, 181–2
- blood pressure
 - baroreceptor control, 526–7
 - neuronal feedback system, 528f
 - regulation, 525–6
 - responses, 528–9
 - and volume, systemic and pulmonary circulation, 520f
- blood-sucking leeches, 946, 947
- blood vessels
 - capillary exchange, 522–5
 - lymphatics, 525
 - microcirculation, 521
 - structure and function, 519–25
- blue bottle, 924, 925b
- blue–green algal bloom, 792b
- body composition, and myth of fast and slow metabolism, 476
- body fat
 - regulating mechanisms, 477–8
 - sources of, 476–7
- body mass
 - genetic basis for, 477–8
 - and metabolic rate, 460–1
- body weight regulation in humans, 476–8
- Bohr effect, 504
- bolting, 384
- bone marrow, 532, 567, 572, 578
- bones, 137f, 658–9
 - changes, 658–9
 - constituents, 658
 - as levers, 661b
 - production, 658
 - stress forces, 662
 - structure, 659f
- bony fishes, 469
 - ion pumps to maintain ion balance, 548
 - osmoregulation and ionoregulation, 541f, 542
 - urine formation, 554
- bony-tongued fishes, distribution, 999, 999f, 1000
- book gills, 958
- book lungs, 502, 958
- bordered pit-pair, 328, 328b
- Boreal region, 749
- botanical biogeographic regions, 749t
- bottlebrushes, 1011
- boundary layer, 486, 487f
- bovine spongiform encephalopathy (BSE), 819
- Bowman's capsule, 552
- box jellyfish, 924, 926b, 927
- brachiopods, 743, 744b, 953b
- Brachyichiton*, 1070b
- bracken, 871
- bracket fungi, 906
- brain
 - higher functions, 630
 - insects, 630, 630f
 - mammalian, 627–30
 - vertebrates, 630
- brain stem, 629, 639
- branchial hearts, 953
- Branchiostoma*, 974, 975
- brassinosteroids, 392
- breathing
 - amphibians, 493–4, 493f
 - birds, 498f, 499
 - fish, 491–3, 492f
 - insects, 499–502
 - mammals, 494–7
 - reptiles, 494
- brewer's yeast, 905, 913
- brine shrimps, 547
- brittle stars, 969, 970, 970f, 972
 - basic structure, 972f
- brown algae, 840–3
- brush turkey, nest temperature regulation, 410
- brushtail possum, 41f
- Bryophyta, 862
- bryophytes
 - in Australian environments, 867b
 - Devonian period, 862
 - gametophytes, 862
 - life cycle, 862f
 - sporophytes, 865, 866f
- bryozoans, 743, 953b
- buccal breathing, 493–4, 493f
- buccal cavity, 849
- buccal-force pump, 491
- budding
 - animals, 401–2
 - plants, 318, 319b
- buffers, 23
- Bufo marinus*, 1017
 - buccal breathing, 493f
 - distribution, 1032, 1108f
 - as major pest species, 1057, 1108
- bulbs, 315
- bundle sheath cells, 123, 348
- buoyancy, 644–5, 952
- Burgess Shale, 744b, 920, 956
- bursicon, 600
- Burt, Sir Cyril, 8
- bush medicines, 726–7b
- bushfire, 1006
- buttercup flower, structure, 883f
- butterflies
 - chemical defences, 1058, 1059f
 - life cycle, 964f
- C–C bonds, 61, 62
- C–H bonds, 61, 62
- C–N bonds, 62
- C–O bonds, 63
- C₃ photosynthesis, 122, 124
- C₄ pathway of carbon fixation, 123f, 124
- C₄ photosynthesis, 122–4
- C₄ plants, 1010, 1015
 - 'Kranz' anatomy, 122, 123f
- cadherins, 133, 434
- caecotrophy, 476
- caimans, 983
- Calamites*, 871
- calcitonin, 609, 610
- calcium ions
 - hormonal control, 609–10
 - role in muscle contraction, 666
 - as second messengers, 150, 151f
- calicivirus, 1107
- callase, 302
- Callistemon*, 1011
- Callitris*, 878b, 880, 1070b
- callose, 302
- callus cells, 319
- Calvin–Benson cycle, 120–2, 121f
- calyptra, 866
- calyx, 883
- CAM pathway, 124f
- CAM plants, 124, 125
 - photosynthesis, 124, 373
 - prickly pear, 125
 - stomatal opening, 365
- cambium, 334
- Cambrian explosion, 736
- Cambrian period, 737, 740f, 741, 743, 919–20
- camouflage, 677
- cAMP (cyclic adenosine monophosphate), 43, 150, 240, 241f
- cAMP phosphodiesterase, 150
- cancer
 - as cell division out of control, 170b
 - clonal origins, 261
 - familial, and Knudsen's two-hit hypothesis, 262
 - as genetic disease, 261
 - genome and mutations, 264
 - immune mechanisms, 584
 - and mutation rate, 264
- cancer cells, growth and survival characteristics, 260–1
- cancer genes, 261–4, *see also* dominant oncogenes; tumour suppressor genes
- Candida albicans*, 914
- cane toad, 1017
 - buccal breathing, 493f
 - distribution, 1032, 1108f
 - as major pest species, 1057, 1108
- capacitance of air for O₂ and CO₂, 483, 483f
- capacitance vessels, 521
- capacitance of water for O₂, 483
- capillaries, 521
 - lymphatic, 525

- capillary exchange, 522–5
- capitulum, 1015
- carapace, 958, 982
- carbaminohaemoglobin, 505
- carbohydrate antigens, 574
- carbohydrates, 24–31, 455
 - in the diet, 477
 - energy value, 63
 - functions in biological systems, 24t
 - general formula, 24
 - glycemic index, 459
 - mobilisation in cereal embryos, 386
- carbon
 - covalent bonding, 17
 - in organisms, 13
- carbon atom, 14, 15f
- carbon cycle, 1089–90
- carbon dioxide
 - in carbon cycle, 1090
 - molecular structure, 17
 - transport, 504–5
- carbon dioxide concentration, and stomatal opening, 366
- carbon fixation, and Calvin–Benson cycle, 120–2, 121f
- carbon isotopes, 14
- carbon sources, fungal use of, 899–900
- carbonic acid, 23, 54, 505
- Carboniferous period, 737f, 745, 746
- carbonyl group, 23t, 24
- carboxyl group, 23t, 36
- carboxylic acid function, 23t
- carboxypeptidase, 57f
- cardiac centre, 527
- cardiac glycosides, 1057f, 1058
- cardiac muscle, 138f, 664
- cardiac output, 525
- cardiovascular regulation, vertebrates, 526–9
- carnivores, 454, 986, 1076
 - teeth, 470, 986
- carnivorous kangaroo, 1023
- carnivorous plants, 1055
- β -carotene, 35, 835, 849
- β , β -carotene production, 836b
- carotenoids, 35, 116, 835, 836b
- carotid bodies, 506
- carpels, 301, 882, 883, 883f
 - evolutionary origin, 884
- carrageenan, 834
- carrier-mediated transport, 95
- carriers, facilitated diffusion, 94, 95f
- carrots, 343
- carrying capacity, 1036
- cartilage, 42, 137f
- cartilaginous fishes, 469, 977, 977f
- Casparian strip, 340
- cassowaries, 1056, 1103f
- castanospermine, 724, 724f
- Castanospermum australe*, 724
- catabolism, 59, 611
- catabolite activator protein (CAP), 240, 241f
- catalase, 92
- catalysis, 53
- catalysts, 53
 - biological, 53–7
- catalytic amino acids, 54
- catarrhines, 988
- catastrophes, 1043
- catecholamines, 604
- caterpillars, 405, 405f
- cations, 17
- cats
 - feral, 8b
 - tortoiseshell, 197
- catydid, mimicry, 1058, 1058f
- cavitation, 362f, 363
- cDNA (complementary DNA), 210, 250, 274b
- cDNA clone, 274f
- cDNA libraries, 274f, 276–7
- cell adhesion, 432
- cell adhesion molecules, 145
- cell behaviour, during animal development, 424
- cell–cell adhesion, 434
- cell–cell recognition, 432
- cell coat, 69
- cell cycle, 158
 - checkpoint control, 167
 - and DNA content, 160
 - eukaryotes, 159–60
 - outline, 159–60
 - regulation, and tumour suppressor genes, 262
- cell cycle phases
 - G1 phase (first gap phase), 159–60
 - G2 phase (second gap phase), 160
 - M phase (mitosis), 160
 - S phase (synthesis phase), 160
- cell cycle progression
 - control, 166
 - cyclin–Cdk kinases regulation, 166–7, 167f
- cell differentiation, 424, 436
 - flowering plants, 316–17b
 - vertebrate neural tube, 442
- cell division, 3, 72, 157–8
 - in cancer, 170b
 - control in eukaryotes, 166–7
 - cytokinesis, 160
 - eukaryotes, 159–60
 - and nuclear division, 159
 - prokaryotes, 158–9
- cell elongation, and auxins, 382–3
- cell lineages, 436
- cell plate, 164
- cell proliferation, 424
- cell shape, 432
- cell signalling, 441b, 442
- cell signals, 143–4
 - responses to, 144, 144f
 - types, 144
- cell structure, 3
 - studying, 74–5b
- cell-surface proteins, 72f
- cell theory, 3
- cell therapy, 292–3, 292f
- cell types, 3
- cell volume, 539
- cell walls (plants)
 - cellulose in, 27
 - polysaccharides in, 29
- cells, *see also* eukaryotic cells; prokaryotic cells
 - as basis of living organisms, 2–3
 - functions, 3
- cellular immunity, 568, 568f, 587
- cellular respiration, 59, 107, 108, 483, 504
- cellular responses, 581
- cellular slime moulds, 827
 - life cycle, 828f
- cellulases, 55f, 473
- cellulose, 27–9, 140, 141
 - digestion, 473
 - solubility, 28
 - structure, 28f
- cellulose degraders, 905
- cellulose microfibrils, 27f, 28–9, 28f, 140
- Celmisia*, 1014–15
- Cenozoic era, 736, 1000
 - Australian environments evolution, 1001–5
- Cenozoic life, 748
- centimorgan, 192
- centipedes, 956, 959
- central cell, 306
- central chemoreceptors, 506, 527
- central nervous system, 627
- centric diatoms, 840
- centromeres, 161, 163f
 - sequences, 254
- centrosome, 161
- cephalisation, 932, 950
- Cephalochordata, 974, 975
- cephalochordates, 975
 - structure, 975f
- Cephalopoda, 947, 952–4
- cephalopods, 942–4, 947
 - buoyancy and locomotion, 952–3
 - fossil, 743
 - gas exchange and circulation, 953–4
 - head, 953
 - ink sacs, 953
 - jet propulsion, 646, 646f
 - nervous system, sense organs and behaviour, 953
 - reproduction, 954
- cephalothorax, 957
- cercariae, 934
- cercozoa, 851–2
- cerebellar cortex, 629
- cerebellum, 629
- cerebral cortex, 628
 - functions, 628f
- cerebral ganglia, 626
- Cestoda, 935–6

- cestodes, 935–6
- cGMP (cyclic guanosine monophosphate), 146
- chalk, 839
- chance (stochasticity), 1043
- channels
 - diffusion via ‘gating’ mechanisms, 95
 - facilitated diffusion, 94, 95f
- Chara*, 858
- character displacement, 1062–3
- Charales, 858–9
- charophytes, 858–9
- checkpoint controls, 167, 263–4, 264f
- cheese-making, fungal role, 913
- cheese production, 798
- cheetahs, genetic drift, 765b
- Chelicerata, 956, 957
- chelicerate arthropods, 957–9
 - marine, 958
 - structure, 958
 - terrestrial, 958–9
- Chelonia, 982
- Chelonia mydas*, 41f
- chemical bonding, 15
 - covalent bonds, 16–17
 - non-covalent bonds, 17–18
- chemical defences of plants, 1057–8, 1057f
- chemical energy, 49
 - harvesting, 107–8
- chemical fixation, 74–5b
- chemical fossils, 735
- chemical mutagens, 260
- chemical potential, 51
- chemical reactions
 - rates of, 52–3
 - spontaneous, and free energy, 51–2
- chemical stimuli, 144–5
 - lipid-soluble, 144–5
 - surface-bound, 145
 - water-soluble, 145
- chemical synapses, 622
 - transmitter release, 623f
- chemisomotic coupling, 112f
- chemoautotrophs, 795f, 796
- chemoheterotrophs, 794f, 795, 796
- chemoreceptors, 144, 636, 961
 - cardiovascular control, 527
 - ventilation control, 506
- chemosynthetic bacteria, 120b
- chemotrophs, 794–5
- chiasma, 170
- chicken
 - cleavage, 426f
 - neurulation, 433f
- chickenpox, 817b
- chimeras, 977
- chimpanzees, 989
- chiral molecules, 25, 26
- chiral pairs, 25
- Chironex fleckeri*, 924, 926b, 927
- Chiroptera, 1023
- chitin, 140, 657
 - fungal cell walls, 896, 903
 - structure, 29, 29f
- chitinous mouthparts, arthropods, 467–8
- chitons, 947, 948–9
 - structure, 949f
- Chlamydomonas*, 114, 115f
- Chlorarachnion*, 851, 851f, 852
- chlorarachniophytes, 837, 851–2
- chlrenchyma, 329
- chloride anion, 17
- chloride pumping, loop of Henle, 555, 555f, 556
- chlorine atom, 15f, 17
- chlorofluorocarbons (CFCs), 1114
- chlorophylls, 36t, 82, 114
 - absorption spectra, 116, 116f
 - in chlorophytes, 835
 - in cyanelles, 834
 - in dinoflagellates, 844
 - in euglenoids, 849
 - light-harvesting complexes, 117–18
 - structure, 116f
- Chlorophyta, 835–7, 1007b
- chloroplast DNA, phylogeny, 723
- chloroplast genomes, 250, 250f, 723
- chloroplasts, 81f, 82, 114, 329
 - ATP synthase complex, 113b
 - euglenoids, 850
 - light trapping, 117
- chlorosis, 355, 355f
- choanocytes, 827, 922, 923
- choanoflagellates, 827
- cholecystokinin, 463, 612
- cholesterol, 35, 69
 - structure, 35f
- chondrichthyan fishes, 977
 - excretion, 546–7
- Chondrichthyes, 977
- chordae tendinae, 517
- Chordata, 968, 973
 - subphyla, 974
- chordates, 973–89
 - general features, 973–4, 973f
- chorion, 987
- chromatin, 159, 163, 168, 206, 224
- chromatin strands, 72
- chromatophores, 953
- chromists, 837
- chromophores, 145, 146
- chromoplasts, 82
- chromosomal mutations, *see* mutations
- chromosomal rearrangement, and speciation, 775
- chromosome behaviour, 205
- chromosome mapping, 192
- chromosome structure, 205–6
- chromosomes, 72, 73f
 - and linkage, 190–1
 - protein and DNA components, 207
 - and sex-linkage, 186–9
- chrysolaminarin, 31, 838
- chrysophytes, 838, 838f
- Chytridiomycota, 894, 903
 - characteristics, 902t
- chytrids, 894, 903
 - life cycle, 903f
- ciguatera food poisoning, 846
- cilia, 86–7, 87f, 645, 646f, 849
 - origins, 826
- ciliates, 848–9
 - asexual reproduction, 849
 - sexual reproduction, 848f, 849
- Cinnamomum*, 1016
- circadian rhythms, endogenous, 395
- circulation, 509–10, *see also* blood vessels; heart
 - structure
 - annelids, 944
 - arthropods, 957
 - cephalopods, 953–4
 - crustaceans, 960
 - embryonic mammals and birds, 516–17b
 - mammalian heart, 514f, 515, 985
 - and thermoregulation, 522–3b
 - vertebrate animals, 512f
- circulatory systems
 - birds, 511f, 515, 985
 - evolution, 511, 511f
 - functions, 310
 - mammals, 526f, 985
 - negative feedback controls, 526
 - open and closed, 510
 - regulation, vertebrates, 526–9
 - vertebrates, 511–15
- circum Antarctic current, 1001, 1002f, 1016
- cisternae, 76, 78
- citric acid cycle, 107f, 110–11, 110f
- cladistic analysis, 715–16
- cladodes, 336
- cladograms, 715–17, 894f
- clamp connections, 907
- classes, 725
- classification, 794
 - animal hormones, 594–5, 594f
 - bacteria, 787–93
 - based on phylogenetic relationships, 724–9
 - binomial system, 727–8
 - biological, 4, 725t
 - flowering plants, 882
 - fungi, 894
 - kingdoms, 729–30, 729f
 - proteins, 36t
 - protists, 822–3f
 - purposes of, 724
 - taxonomy and naming the hierarchy of life, 724–6
 - viruses, 815–17
- clathrin, 78
- Claviceps purpurea*, 914
- cleavage, 424–7
 - amniotes, 981
 - mammals, 426, 429f

- maternal products role, 426–7
- mechanisms, 424–6
- cleft chin, 184
- cleistogamy, 310
- click-beetles, 657
- climacteric respiration, 391
- climate change, 1114–15
 - Australia, 1001–2, 1003–4
 - Cenozoic era, 1001–2
 - impacts of, 1115
 - Quaternary period, 1003–4
- climatic regions, Australia, 1006f
- climatic variability, ENSO influence, 1006
- climbing plants, tendrils, 350
- clitellum, 945, 946
- clonal selection, 569, 569f, 571f
- cloned DNA sequences
 - characterising, 279–83
 - identifying, 277–8
 - using protein product, 278–9
- cloning
 - genes of unknown function, 286–7
 - human gene, 273f
- cloning vectors, 273–5
- closed circulatory systems, 510f
- closed populations, 1033
- Clostridium*, 790, 791
- clubmosses, 868–70
 - life cycle, 869f
- Cnidaria, 923–5
- cnidarians, 918, 923–5
 - body wall of two layers, 924–5
 - jet propulsion, 646, 646f
 - nervous system, 626
 - radial symmetry, 923
 - stinging organelles, 923–4
 - structure, 923, 923f
 - symbiotic algae, 925
- cnidocyte, 923
- coastal landforms, 1008
- coastal types, Australia, 1006
- coccilithophorids, 839
- coccoliths, 839
- Coccolithus pelagicus*, 2f
- cocoon, 945
- co-current flow, 489, 490f
- codes of nomenclature, 727
- coding sequences, 252
- codominance, and blood groups, 181–2
- codons, 226, 227
 - and anticodons, 228
 - variations in usage, 228b
- coelacanths, 978, 980
- coelenteron, 923
- coelom, 430, 467, 941, 947, 954, 957
- coelomate protostomes, 942
- coelomates, muscular gut wall, 466–7
- coelomic fluid, 548
- coelomoducts, 548, 549f
- coenocytic hyphae, 844, 903
- coenocytic organisms, 836
- coenzymes, 57
- coevolution, 1052
- cofactors, 57
- coffee rust, 906b
- cognitive functions, 630
- cohesion species' concept, 771
- cohesion theory, 363
- cohesive forces, water, 21b
- colchicine, 166b
- cold adaption, animals, 696
- Coleochaete*, 858, 859, 859f
- Coleoptera, 963f
- coleorhiza, 312
- coleptiles, 312
- collagen fibres, 137
- collagens, 42, 131b, 658
 - structure, 40f
- collar cells, 827
- collecting duct, 553
- collenchyma cells, 329, 330f
- colloid osmotic pressure, 524
- colloidal gold particles, 75
- colony, 273
- colony hybridisation, 278
- colony hybridisation methods, 278
- colour-blindness, 189
 - pedigree, 189f
- column (flowers), 1015
- columnar epithelial cells, 136t
- comb jellies, 930–1
- comb rows, 930
- commensalism, 1052, 1053
- common ancestors, 715–17
 - genes in, 256, 720, 778
- common ringtail possum, 475–6
- communicating junctions, 132, 134, 134f
- communities, 1028, 1047
 - biomes represented in Australia, 1069–71
 - disturbance affects, 1064
 - disturbance promoting diversity, 1065–6
 - ecological niches, 1061–3
 - fire promoting habitat variability, 1064–5
 - human impacts as novel disturbances, 1066–7
 - interactions within, 1052–61
 - managed for conservation, 1117–18
 - species coexistence and interaction, 1048
 - succession, 1063–4
- community composition data, 1051–2b
- community dynamics, 1048
- community structure, 1048–9
 - as the result of many different interactions, 1067–8
 - species diversity, 1048–9
- companion cells, 331f, 332
- comparative morphology, 717–18
- comparing amino acid sequences of proteins, 720
- comparing molecules, phylogeny, 720
- comparing nucleotide sequences of DNA, 720–1, 720f
- competent (cells), 273
- competition, 406–7, 679, 680–1, 1060–1
 - aggressive, 1053, 1053f
 - exploitive, 1060
 - interspecific, 1060
 - intraspecific, 1060
 - male–male, 683
 - predicting the effect of, 1061f
- competitive exclusion principle, 1061
- complement, 562b
- complement system, 565, 565b
- complementary DNA, *see* cDNA
- complete metamorphosis, 964
- Compositae, 1014
- compound eyes, 634, 636f, 961
- compound leaves, 345, 346f
- concanavalin A, structure, 39f
- concentration gradient, 93
- Concentricycloidea, 969, 972
- conceptacles (Neptune's necklace), 842f, 843
- condensation reactions, 24, 25b
- conditioning, 674–5
- conduction (action potentials), 621–2
- cone shells, 950f
- cones, 871, 879–80
- confusion effect, 768
- conidia, 901
- conidiophores, 897
- conidiospores, 901
- Coniferophyta, 874, 877
- conifers, 874, 877–80
 - life cycle, 879–80, 879f
 - Mesozoic era, 877
 - pollen, 880
 - southern distribution, 878b
 - timber use, 877–8
 - Triassic and Jurassic, 748
- conjugation, 800, 801f, 849
- connective tissues, 137, 137f, 664
- conservation
 - of biodiversity, 1103–4
 - of gene sequences across species, 256, 257f
 - and viable population size, 1043
- conservation genetics, 766b
- conservation strategy, Leadbeater's possum, 1042b
- constitutive activity, 262
- constitutive genes, 221b, 237
- constitutive secretion, 79
- consumers, 1076–7, 1080f
- contagious infections, 815
- contests between individuals, 680–1
- continental drift, 739–40, 1000, 1008
- continental shelf, 750, 1006–8
- continents, ancient positions of, 740–1, 1000
- contractile proteins, 36t
- contractile ring, 164
- contractile vacuole, 547

- contraction (skeletal muscles), 665, 665f
energetics, 666–7
sliding filament model, 665–6
- controlled burning, 1066, 1067
- controls, 5
- conus arteriosus, 511
- convection, 486
- Convention on International Trade in
Endangered Species of Wild Fauna and Flora
(CITES), 1116
- convergent evolution, 719–20, 720f
- Cooksonia*, 868b
- Cooktown orchid, 1015, 1015f
- co-operative behaviour
evolution, 689–90
inclusive fitness and kin selection, 690, 690b
and social organisation, 686–90
- co-operative breeders, 687
- co-operative breeding in birds and mammals,
687–8
- coprophagy, 476
- copulation, 418
earthworms, 945, 946f
- coral bleaching, 1054, 1115
- coralloid roots, 344
- corals, 925, 928–30, 929f
competition, 1060f
cyclone effects, 1065–6, 1066f
endosymbionts, 844, 925, 1053–4
filter feeding, 470f
fossil, 743
mass spawning, 412–13b
mutualism, 1053–4
zoochlorellae, 925
- cork, 335
- cork cambium, 334, 335–6
- corkwood tree, 625b, 726–7b
- corms, 315, 336
- corolla, 883
- coronary arteries, 515
- corpora allata, 599
- corpora cardiaca, 599
- corpus (meristem), 314
- cortex, 332–3
- cortical alveoli, 844
- cortical nephrons, 555
- corticosteroids, 607
- corticosterone, 607, 607f
- corticotrophin-releasing hormone (CRH), 605t
- cortisol, 607, 607f
- Corymbia*, 1011, 1012b
- cosmids, 273
- co-transport, 97
- cotton, insect-resistant, 290f
- cotyledons, 311
- countercurrent exchange, 556
- countercurrent flow, 489, 490f
- countercurrent heat exchange, birds and
mammals, 522–3b
- countercurrent multiplication, 555
- courtship behaviour, 681–4
- covalent bonds, 16–17, 58
- covalent modification, 58
- coxae, 958
- crabs, 956, 960f
gills, 489, 489f
moving between sea and fresh water, 543
terrestrial, gill reduction, 491
- cranial nerves, 629
- Craniata, 974, 976
- craniates, 976–8
fossils, 976
jawless, 976
- crassulacean acid metabolism (CAM), 124–5,
see also CAM plants
- crayfish, 956
giant neurons, 632–3b
gills, 489, 489f
- creatine phosphate, 666
- Cretaceous extinction, 736
- Cretaceous period, 737f, 746f, 747, 748, 1000,
1001
- cretinism, 606
- Creutzfeldt-Jakob disease, 819
- Crinoidea, 969, 970
- crinoids, 743, 970, 970f
- cristae, 80
- crocodiles, 982, 983–4
circulatory system, 512f, 513–14
development, 405f
heart structure, 514f
structure, 983
- cross-bridges, 666
- cross-current exchange, 499
- cross-fertilisation, 308
- cross-pollination, 308–9
- crossing over, 171f
sex-linked genes, 190
- crown-of-thorns starfish, 972
- croziers, 906
- Crustacea, 956, 960–1
- crustacean cardiactive peptide (CCAP), 600
- crustaceans, *see also* crabs; crayfish
body structure, 960, 960f
circulation and gas exchange, 960
excretion, 961
excretory glands, 550, 550f
gills, 489
nervous system, 961
as omnivores, 960
open circulatory system, 510f
reproduction, 961
- crustose lichens, 909f, 910
- cryoprotectants, 700–1
- cryosections, 74b
- cryptic behaviour, 677, 678
- cryptic female choice, 683, 683b
- cryptomonads, 837–8, 838f
- Ctenophora, 930–1
- ctenophores, 930–1
structure, 930–1, 931f
- cuboidal epithelial cells, 136t
- Cubozoa, 927
- cultivated mushrooms, 913
- cutaneous exchange, 488
- cuticle, 142, 348, 363, 859
- cuttlefish, 952
buoyancy, 952
nervous system, 626f
- cyanelles, 834
- cyanobacteria, 119, 789–90, 1092
and blue-green algal blooms, 792b
in lichens, 910
- Cycadophyta, 874, 876
- cycads, 344, 874, 876–7, 876f, 1092
growth form, 876
insect pollination, 875, 876
- Cycas*, 876, 877
- cyclic AMP, *see* cAMP
- cyclic electron transport, 119f
- cyclic GMP, *see* cGMP
- cyclic monosaccharides, 26
- cyclic photophosphorylation, 119
- cyclin-dependent kinases (Cdks), 166
- cyclins, 167
- cyclosporin, 914
- Cyperaceae, 344
- cypress pines, 878b, 880
- cysteine, 37f, 41
- cystic fibrosis, 184
and gene therapy, 287–8b
and heterozygote advantage, 186b
pedigree, 185f
- cysticercus, 936
- cytochalasins, 166
- cytochrome *b/f* complex, 118, 118f
- cytochrome *c* oxidase, 111
- cytochrome electron transport chain, 113b
- cytochrome P450, 77
- cytochromes, 61
electron transport chain, 63f
redox potentials, 62
- cytokines, 562b, 564, 564b, 565–6, 581
- cytokinesis, 159, 160
animal cells, 164, 164f
plant cells, 164, 165f
- cytokinin receptor, 388
- cytokinins, 319, 386–8
structure, 386f
- cytoplasm, 69, 76
- cytoplasmic fusion (fungi), 898
- cytoplasmic signalling, 441b
- cytoplasmic specifications, sea squirts, 438, 439f
- cytosine, 43, 44, 208
- cytoskeleton, 83–6, 83f, 432
- cytosol, 69, 76, 109
- cytotoxic cells (TC cells), 572, 581
- daisies, 1015
flower heads, 1015f
- daisy family, 1014–15
- dandelion, 1108

- dark period
 - and flowering, 393–4
 - phytochrome detection, 395
- dark reactions, 115
- Darwin, Charles, 756
 - and genetics, 758b
 - on speciation, 759
 - theory of evolution by natural selection, 4, 756, 757–8
- Darwinian fitness, 758, 765–6
- Dasyuromorphia, 1021–2
- dating rocks, as time scale of evolution, 736
- dauciform roots, 344
- Daviesia*, 344
- day-neutral plants, 393, 395b
- dead space (lungs), 496
- death, 1033
- decomposers, 899–900, 903, 1077
- deep-sea trenches, 739, 740f
- defence mechanisms against predators and parasites, 677–8
 - by living in groups, 678–9
- defence proteins, 36t
- defensive mimicry, 677–8
- defensive molecules, 565–6
- degraders, 1077
- dehydration, avoiding, 371–2
- deletions (DNA sequences), 259
- demographic stochasticity, 1043
- denatured enzymes, 57
- dendrites, 138, 139f, 616
- dendritic cells, 565f, 566, 566f, 568, 573
- Dendrobium phalaenopsis*, 1015, 1015f
- denitrification, 1092
- denitrifying bacteria, 797, 1092
- dense connective tissue, 137f
- density, water, 21b
- density-dependent population dynamics, 1033, 1036–41
 - age- and size-structured populations, 1039–41
 - carrying capacity, 1036
 - limiting resources, 1036
 - logistic growth model, 1036–7
 - space limited populations, 1037–8
- density-independent population dynamics, 1033–5
 - exponential growth, 1033, 1034–5
 - modelling growth, 1033–4
- density-vague population dynamics, 1037
- denticles, 977
- deoxyribose, 43
- deoxyribose nucleic acids, *see* DNA
- depolarised neurons, 622
- deposit feeding, 972
- dermal bone, 980
- dermal tissue, 142, 328
- desert animals, adaptations, 694–5
- desert ecosystems, water flows through, 1087–8, 1088f
- desert plants, stems, 336
- deserts, 1070b
 - around the world, 1088f
- designer genes, 269
- desmosomes, 133, 133f
- determinate development, 921
- detritivores, 459, 1077
- detritus food chains, 1078
- deuteromycetes, 470f, 909
- Deuteromycota, 470f, 909
- deuterostomes, 627, 920, 921, 921f, 968, 973
 - phylogeny, 969f
- development, 298
- devil's claw, 1108, 1109f
- Devonian period, 737f, 743, 744–5, 746, 862
- dexoribonucleoside triphosphates (dNTPs), 210–11, 213
- diabetes mellitus, 611
- diaphragm, 496
- diapsid skull, 982, 982f
- diarrhoeic shellfish poisoning, 846
- diastole, 517
- diatomaceous earth, 840
- diatoms, 840
- 2,4-dichlorophenoxyacetic acid (2,4-D), 381f, 382
- dicotyledons, 882, *see also* eudicotyledons
 - embryogenesis, 311–12, 311b
 - seed structure, germination and development, 313b
 - vascular bundles, 332–3
- Dictyostelium discoideum*, 143
- dideoxynucleoside triphosphates (ddNTPs), 281
- dieback disease, 843b, 1094b, 1106
- dietary fibre, 458–9
- dietary intake, and energy needs, 477
- differential interference contrast microscopy, 74
- differential screening, 278
- diffusion, 92, *see also* facilitated diffusion
 - across membranes, 93
 - of solutes in water, 92–3
 - through capillaries, 522, 523f
 - through channels via 'gating' mechanisms, 95
 - through lipid bilayers, 94
- diffusion coefficients of gases, 486
- digestion
 - annelids, 944
 - extracellular, 465
 - intracellular, 465
- digestive cavities, simple, 465–6
- digestive enzymes, 461, 462–3, 462t
 - time to break down food, 463–4
- digestive process, 461
 - enzymatic digestion, 461
 - physical digestion, 461
- digestive secretions, control in humans, 461–4
- digestive systems, *see also* human digestive system
 - chitinous mouthparts, arthropods, 467–8
 - evolution and diversity, 465–70
- filter feeding, 470
- hormonal secretions, 612f
- intracellular and extracellular digestion, 465
- jaws and teeth
 - mammals, 469–70
 - vertebrates, 468–9
- muscular gut wall, coelomates, 466–7
- one-way digestive tract, 466
- simple digestive cavities, 465–6, 467f
- dihybrid cross, 181b, 183–4, 183f
- dikaryon, 898
- dikaryotic hyphae, 906
- dingo, 1080f, 1109
- dinoflagellates, 844–5, 845f, 1055
 - toxic, 845–6
- dinosaurs, 747, 747f, 983, 1018
- dioecious species, 308–9, 932, 936, 945, 950
- dipleurula larva, 971, 971f
- diploblastic organisms, 924
- diploid cells, 168, 198, 403
- diploid generation, 860, 865–6
- diploid number, 158
- diplomonads, 831
- diplontic life cycle, 299
- Diprodontia, 1023
- diprodonts, 735f, 1021f, 1022b, 1023
- Diprotodon*, 1022b
- Diptera, 963f
- direct ancestors, 718
- direct development, animals, 405
- direct receptor-mediated responses, 149
- disaccharides
 - function and occurrence, 24t
 - structure, 26–7
- Disphyma*, 350, 361
- distal convoluted tubule, 552
- distribution of populations, 1029–33
 - potential distribution, 1031–2
 - realised distribution, 1031, 1032–3
- disturbance, *see also* natural disturbance
 - affect on communities, 1064
 - promoting diversity, 1065–6
 - in tropical rainforests, 1104b
 - and weed invasion, 1109
- disturbance opportunists, 1063
- divergent evolution, 719
- α -diversity, 1049, 1051b
- β -diversity, 1049, 1051–2b
- diversity
 - measurement, 1049, 1051–2b
 - promotion through diversity, 1065–6
 - species, 1048–9
 - structural, 1049–50
- diving, 704–5b
- DNA (deoxyribose nucleic acids), 3, 43–4, 204
 - base complementarity with RNA, 221f
 - early discoveries, 207–8
 - eukaryotic cells, 70, 72, 73f
 - genetic information in, 207–8
 - information storage, 208b

- introduction into cells using plasmid and bacteriophage vectors, 272–4
- in nucleosome core particle, 206, 206f
- DNA blotting, 281–2
- DNA fingerprints, 285
- DNA hybridisation, 277–8, 278f
- DNA ligase, 210b, 214, 272
- DNA-modifying enzymes, 270–1
- DNA molecules
 - cutting, 269
 - joining, 272, 279
- DNA polymerases, 210b, 213, 213b, 214, 215
- DNA polymorphism, 285, 286b
- DNA repair, 259b
 - defects, and human disease, 263t
 - mechanisms, 260
 - terminology, 210b
 - and tumour suppressor genes, 262–3
- DNA replication, 209b, 210–16
 - in prokaryotes, 211–14
 - semiconservative replication, 211f
 - terminology, 210b
- DNA replication errors, 259
- DNA sequence polymorphisms, 762
- DNA sequences, 210, 250
 - aligned coding, 777, 777f
 - altering using site-directed mutagenesis, 282, 283f
 - cloned, 277–83
 - coding and non-coding DNA, 252
 - genome rearrangements, 254
 - mutations, 258–9
 - polymorphisms, 762
 - repetitive, 252–4
 - ribosomal DNA, 254
 - telomeres and centromeres, 254
 - transposable elements, 254
- DNA structure, 43–4, 44f, 208–10
 - base pairing, 44, 210
 - Watson and Crick's double helix model, 208
- DNA synthesis, *see* DNA replication
- dog, brain, 628f
- dolipore septa, 907
- domains, 730
- domatia, 1054
- dominance, 181b
 - incomplete, 193
- dominance relationships (animals), 687
- dominant oncogenes, 261
 - blocking cell death, 262
 - perpetual growth, 261–2
- dominant phenotype, 180b, 184
- dominant traits, 179
 - in genetic disorders, 184, 185t
- donor DNA, 269
- dormancy, *see also* seed dormancy
 - animals, 701
- dormant buds, 1009, 1010f
- dorsal lip of the blastopore, 430, 439–40
- dorsal nerve chord, 974
- dorsal–ventral axis, 424, 442
- dorsiventral leaves, 345
- double helix, 44
- Down syndrome, chromosomes, 205f, 206
- downy mildews, 843–4
- Dracunculus*, 955
- Drosera*, 357
- Drosophila melanogaster*
 - aggregation, 686
 - bicoid* gene and anterior development, 445–6, 446f
 - cytoplasmic versus intercellular signalling in CNS, 441b
 - differential splicing, 224b
 - DNA microarrays, 258b
 - early embryonic development, 444–5
 - eye-colour phenotypes, 193–4, 194f
 - gene penetrance, 195, 195f
 - genome replication, 215
 - genome size, 249
 - homeotic (*Hox*) genes, 448–50
 - linkage map, 192b
 - mating behaviour, 763
 - morphogens, 446–7
 - neural circuits, 631
 - patched* gene, 256, 257f
 - segmentation genetics, 444–8
 - sex-linked genes, 186, 188–9, 188f
 - specifying the anterior–posterior axis, 445–7
 - transposable element, 254
 - wild-type phenotype, 180b
 - zygotic segmentation genes, 447–8
- Drosophila persimilis*, 728
- Drosophila pseudobscura*, 728
- Drosophila virilis*, 254
- drought, 1006
- drought resistance, and abscisic acid (ABA), 388–9
- drought tolerant plants, 350, 370–3
 - avoiding dehydration, 371–2
 - photosynthesis and water stress, 373
 - responsive stomata, 373
 - water-use efficiency, 372
- drupes, 888, 888f
- dry fruits, 888–9, 889f
- dry-type stigma, 303f, 308
- Dryandra*, 344
- dryland salinity, 1112, 1113, 1113f
- Dubosia*, 625b, 726–7b
- duckweed, 881, 881f
- dugong, 1007b
- Dunaliella salina*, β , β -carotene production, 836b
- dunnarts, 1021
- duplex strands (DNA), 210
- Dutch elm disease, 912
- dwarfism, 184
- dynamic instability, 163
- dynamic restraint hypothesis, 1083b
- ear
 - receptors, 635f, 636
 - sound detection, mammals, 637f
- earthworms, 945, 946
 - asexual reproduction, 946
 - copulation, 945, 946f
 - excretory system, 550f
 - hermaphroditism, 946
 - structure, 942f, 943f, 945
- ecdysis-triggering hormone (ETH), 600
- ecdysone, 599, 599f
- echidna, 985, 1020, 1080f
 - brain, 628f
- echinoderm larva, 971f
- Echinodermata, 968, 969
- echinoderms, 969–83, *see also* sea urchins
 - classes, 972–3
 - fossil, 743, 748
 - nervous system, 627
 - reproduction, development and regeneration, 971
 - simple gas-exchange structures, 488
 - skeleton, 969–70
 - water vascular system, 970–1
- Echinoidea, 969, 973
- echinoids, 973
- eclosion hormone (EH), 600
- ecological communities, *see* communities
- ecological isolation, 771
- ecological niche, 1061–3
- ecological pyramids, 1080–2
 - of biomass, 1081, 1081f
 - of energy, 1081, 1081f
 - of numbers, 1080–1, 1080f
 - and shortness of food chains, 1081–2
- ecologically sustainable development, 1118–19
- ecology, 998, 1028, *see also* population ecology; restoration ecology
 - Australian biota, 998–1024
 - living in communities, 1047–71
- ecosystems, 2, 1028, 1075–95
 - ecological pyramids, 1080–2
 - food chains and food webs, 1077–8
 - human impacts on, 1099–119
 - productivity of different ecosystems, 1084–6
 - shaped by feeding relationships, 1076–7
 - trophic relationships, 1076, 1077–8, 1077f
- ecotones, 1069
- ectoderm, 430
- ectomycorrhizae, 344, 344f, 911, 911f, 912
- ectoparasites, 1054–5
- ectoparasitic flukes, 933
- ectotherms, 697
- Edicaran fauna, 741–3, 919–20
- eelworms, 954
- effectors, 618
- efferent pathways, 618
- egg activation, 416
- egg cells
 - animals, maturation, 416
 - plants, 298, 306
- eggs, 403
- eicosinoids, 595, 611b
- ejaculation, 408

- El Niño, 1006
- El Niño–Southern Oscillation (ENSO), 1006
- elaioplasts, 82
- Elasmobranchii, 977
- elastin fibres, 137
- elastins, 42, 131b
structure, 40f
- elaters, 865–6
- electric fields, 149, 1020
- electrical activity, human heart, 518–19, 518f
- electrical gradient, ion diffusion, 93, 93f
- electrical potential, 61
- electrical synapses, 622
- electrocardiogram, 519
- electrochemical gradient
active transport, 97
ion diffusion, 93
- electromagnetic fields, 148–9
- electromagnetic radiation, as mutagen, 259
- electromagnetic spectrum, 115–16, 115f
- electron carriers, recycling, 111
- electron microscopes, 3, 75b, 808
- electron shells, 14
- electron transport chain, 63f, 107f
- electron transport pathways, 59, 61
- electron transport systems, 113–14b
ATP synthesis, 111–12
- electrons, 14
move between orbitals of different energy levels, 14–15
in orbit around a nucleus, 14–15
- elements, 13f
atomic structure, 14
- elephantiasis, 955
- elimination, 547
- elm bark beetle, 912
- elongation, protein synthesis, 230–2
- embryo, 311
- embryo sac, 886
- embryo sac development, 301f, 302f, 306
- embryogenesis, flowering plants, 311–12, 311f
- embryonic development (animals), 424–32
cleavage, 424–7
comparative morphology, 717
Drosophila, 444–5
gastrulation, 427–32
protostomes and deuterostomes, 921
vertebrae, 976f
- embryonic induction, 439–40
- embryonic mammals and birds, circulation, 516–17b
- embryonic stem cells, 292, 292f, 436
- emigration, 1033
Emiliana huxleyi, 839
- encephalisation, 627
- endangered species, *see also* threatened species
illegal trade in, 1116–17
- endarch xylem, 333
- endemism, Australia, 716b
- endergonic reactions, 52, 52f
- endocarp, 888
- endocrine glands, 593
- endocrine hormones, 594, 594f
- endocrinology of reproduction, 609b
- endocytosis, 79, 101
- endoderm, 430
- endodermis, 328, 340–1, 341f
- endogenous circadian rhythms, 395
- endolysosomes, 79
- endomembrane system, 76, 825–6
- endomycorrhizae, 344
- endomysium, 664
- endonuclease, 210b
- endoparasites, 1055
- endoparasitic flukes, 933–5
- endophytes, 912
- endoplasmic reticulum, 76–7, 77f, 78, 233
- endopodite, 960
- endopterygotes, 962t
- endoskeletons, 658–9
- endosomes, 79
- endosperm, 385, 386, 886
formation, 312
- endosperm nucleus, 886
- endospore-forming bacteria, 790–1
- endosymbiosis, 825–6, 834, 844, 925
primary, 833, 833f
secondary, 837
- endothems, 697, 985
- energy, 49
biomass and productivity, 1082b
in chemical reactions, 49–50
ecological pyramids, 1081, 1081f
and equilibrium state of a reaction, 50–3
forms of, 49
in fuel molecules, 63
required for chemical reactions, 52–3, 53f
- energy limitations hypothesis, 1083b
- energy needs, human diet, 477
- energy quantum, 15
- energy transformations, 49, 50
and loss of energy, 50
- enhancers, 221b, 242, 243–4
- enteric nervous system, 639f, 640
- enterogastrone, 463
- enteroreceptors, 618
- entropy, 50
and energy, 49
and spontaneous chemical reactions, 51
- environment, and phenotypes, 194–5
Environment Protection and Biodiversity Conservation Act 1999, 1117
- environmental change, Cenozoic era, Australia, 1001–5
arrival of humans, 1004–5
changing climate and increased aridity, 1001–2
changing landforms and weathering of soils, 1002–3
increased frequency of fire, 1003
- Quaternary ice ages, 1003–4
vegetation changes, 1005f
- environmental mutagens, 259–60
- environmental oxygen stress, 702–8
adaptations to low levels of oxygen, 704–6
animals responses to high altitudes, 708
caves and burrows, 702–3
humans responses to high altitude, 706–7
swamps and tidal pools, 703–4
and winterkill, 701
- environmental stochasticity, 1043
- environmental stress
animals response to, 693–701
plants adaptations to, 369–75
- enzymatic digestion, 461, 462–3
- enzyme action models, 55–6
induced-fit model, 55f
lock and key model, 55f
- enzyme activity
allosteric activation/inhibition, 58
covalent modification effects, 58
pH effects, 56–7
phosphorylation effects, 58
substrate concentration effects, 56
temperature effects, 57
- enzyme-catalysed reactions, 54
enzymes involved, 60b
stages, 56f
substrate concentration effects, 56, 57f
transition state, 56
- enzyme–substrate reactions, 54, 55f
- enzymes, 36t
active sites, 54
as biological catalysts, 53–7
catalytic power, 54
classes, 59, 60b
enhancement of reactivity of susceptible bonds or groups, 56b
flexibility of shape, 56b
globular protein structure, 54f
operational strategies, 56b
proximity effect, 56b
specificity in their action, 54–5
- eosinophils, 573
- epacrid mycorrhizae, 911
- epacrids, 1012
Epacris impressa, 1013f
Ephedra, 880, 881f
- ephyrae, 927
- epiboly, 429
- epicotyl, 314
- epidermal cells (leaves), 346–7
- epidermal growth factor, 612
- epidermis, 142, 143f, 328
roots, 339
- epigeal germination, 314
- epigenetic regulation, 196–8
- epigynous flowers, 883
Epilobium, 1016
- epiphytes, 870, 1053, 1054

- epiphytic orchids, 1015
 aerial roots, 342–3
- epiphytotics, 915
- epistasis, 196
- epithelial cells, 136t, 137
- epithelial excretory organs, 547–8
- epithelial tissue, 135–7, 136t
- epitopes, 562b, 573, 574f
- eps*, 623, 623f
- Epstein-Barr virus, 814
- equilibrium constant, 50
 and free energy, 50–1
- equilibrium state of a reaction, and available energy, 50–3
- Equisetum*, 870, 870f, 871
- erect posture, significance, 992
- Eremophila forrestii*, size frequency distribution, 1041f
- ergot poisoning, 915
- Erica*, 1012
- Ericaceae, 1012–13
 distribution, 1011f
- erosion, 1111
- erythrocrucorin, 944
- erythrocytes, 502, 532
- erythropoietin, 533
- Escherichia coli*, 68f
 DNA polymerase III, 213, 213b
 genetically disabled, 273
 genome size, 249
lac operon regulation, 238–40, 239f
 replication fork, 212f
trp operon regulation, 240–1, 241f
- essential amino acids, 455–6
- essential fatty acids, 456–7
- essential genes, 256
- essential minerals
 for plants, 355–7
 sources of, 357
- ester formation, 25b
- esterases, 60
- esters, 32
- ethanol fermentation, 798
- ethics and social responsibility, 6–8
- ethological isolation, 772
- ethology, 672
- ethylene, 390–2
 fruit ripening, 391
 role in leaf abscission, 390
 role in shoot growth, 391–2
 signal transduction, 390
- etioplasts, 82
- eucalypt forests, foliage cover, 1049f
- eucalypts, 1011–12
 phylogeny, 1012b
 temperature and distribution, 1031, 1031f
- Eucalyptus*, 1008, 1011, 1012f, 1070b
 drought tolerance, 371
 hybrids, 771f
 juvenile and adult leaves, 346
- oil glands, 348
 salt stress, 373
 salt tolerance, 343
- Eucalyptus marginata*, dieback disease, 843b
- Eucalyptus regnans*, 881, 881f, 1009
- euchromatin, 72
- Euclitella, 945–7
- eudicotyledons, characteristics, 882f
- euglenoids, 849–50, 849f
- Eukarya, 3, 730, 786
 phylogeny, 822–3f
 structure and biochemical features, 787t
- eukaryotes, 3, 68
 control of cell division, 166–7
 genome structure, 282
 genomes, 251
 photosynthetic processes, 115
 phylogeny, 786, 822–3f
 Precambrian, 741
 protists as, 824
- eukaryotic cells, 68, 69–88, *see also* animal cells;
 plant cells
 cilia and flagella, 87–8
 comparison with prokaryotic cells, 88
 cytoskeleton, 83–6
 endomembrane system, 76
 endoplasmic reticulum, 76–7
 evolution, 824–6, 825f
 Golgi apparatus, 78–9
 internal pH, 22–3
 intracellular sorting and transport, 78–9
 lysosomes, 79
 membranes, 69–70
 microbodies, 82
 mitochondria, 79–80
 nucleus, 69, 70–3, 224–5
 plastids, 812
 protein targeting and processing, 232–3, 233f
 ribosomes, 76
 transport vesicles and membrane cycling, 79
- eukaryotic chromosome replication, 214–16, 215f
 bidirectional replication, 215
 histones roles, 216
 telomeres role, 215–16, 216f
- eukaryotic chromosomes, 206
- eukaryotic gene regulation, 242–4
 enhancers and silencers, 243–4
 gene regulatory cascades, 244
 histones role, 244
 transcription factors and enhancers, 242, 242f
 yeast *GAL* regulation, 242–3
- eukaryotic mRNA, post-transcriptional processing, 225–6, 225f
- eukaryotic transcription, 224–5
 in the nucleus, 224
- Eumetazoa, 920
- European red fox, 7–8b, 1107
- euryhaline animals, 543
- eusocial societies, 688–9
- eusociality, evolution, 689–90
- eusporangiate ferns, 871
- eutelic condition, 955
- Eutheria, 985, 986, 1019, 1023–4
- eutherian mammals, 986–7, 1019, 1023–4
 cleavage, 426
 development, 406
 evolution, 986
 phylogenetic relationships, 987f
- evaporation, 539
- evapotranspiration, 1112
- evolution, 3–4, *see also* macroevolution;
 microevolution
 angiosperms, 884f
 animal behaviour and genetics, 672–3
 animals, 919–21
 arthropods, 956–7
 by means of natural selection, 4, 756, 757–8, 764–70
 circulatory system, 511, 511f
 convergent, 719–20
 co-operative behaviour, 689–90
 divergent, 719
 eukaryotic cells, 824–6, 825f
 flowers, 883–4
 fungi, 894
 and geological eras, 741–8
 immune responses, 586–7
 insects, 1017
 jaws, 976f, 977
 key concepts, 757–8
 mechanisms, 755–78
 molecular, 777–8
 neo-Darwinian theory, 758
 nervous systems, 626–30
 nitrogenous waste excretion, 546f
 parallel, 719
 plants, 857–9
 speciation, 770–7
 terrestrial vertebrates, 1017
 time scale from dating rocks, 736
- evolutionarily stable strategy, 680b
- evolutionary change, 756–7
- evolutionary fitness, 1033
- evolutionary history, and biogeographic regions, 749–51
- evolutionary lineages, Bacteria and Archaea, 76
- evolutionary relationships, 4, 758, *see also*
 phylogeny
 analogous features, 718–19
 animal phyla, 920f
 chloroplast DNA, 723
 comparative morphology, 717–18
 comparing amino acid sequences of proteins, 720
 comparing molecules, 720
 comparing nucleotide sequences of DNA, 720–1
 homologous features, 718
 mitochondrial DNA, 721–3

- phylogenetic trees, 715–17
 - prokaryotes and eukaryotes, 786f
- evolutionary species' concept, 771
- evolutionary trees, 715–16, 721, 758
 - constructed from molecular data, 778
- evolving earth influencing life, 739–41
 - plate tectonics, 739–40
 - positions of continental land masses, 740–1
- exarch xylem, 339
- excision repair (DNA sequence), 259f, 260
- excitatory post-synaptic potential (*epsp*), 623, 623f
- excretion, 547–57
 - arachnids, 958
 - crustaceans, 961
 - gastropods, 951
 - insects, 550, 962
 - invertebrates, 549–51
 - vertebrates, 551–7
- excretory organs
 - epithelial, 547–8
 - invertebrates, 549–50
 - tubular, 548–9, 548f, 549f
- excretory system
 - annelids, 944
 - earthworms, 550f
 - platyhelminths, 932, 932f
- exergonic reactions, 52, 52f
- exine, 302, 303f
- exocarp, 888
- exocrine glands, 593
- exocytosis, 79, 102
- exodermis, 328, 341
- exons, 221b, 226
- exonuclease, 210b, 213
- expodite, 960
- exopterygotes, 962t, 964
- exoskeletons, 657–8, 957
 - advantages/disadvantages, 957, 957f
- experimental design, 5–6
- experiments, testing hypotheses by, 5
- exploited populations, management, 1041–2
- exploitive competition, 1060
- exponential growth, 1033
 - in continuous time, 1034–5
 - in discrete time, 1033
 - and environmental variability, 1034
- expressivity, 195
- extensor muscles, 633
- external defences, against foreign organisms, 563, 563f
- exteroceptors, 617
- extinct birds, 1102
- extinct mammals, 1022b, 1102
- extinction, 715, 1004, 1102
 - and stochasticity, 1043
- extracellular compartment, 539
- extracellular digestion, 465
- extracellular environments, 539–40
- extracellular fluid, 538
- extracellular matrix, 130, 131f, 137, 435
 - components, 131b
- extracellular signal processing, 149–53, 442
 - managing response to a signal, 153b
- eye, receptors, 633–5, 635f
- F₁ progeny, 178, 179f, 180
- F₂ progeny, 178, 179f, 180
- Fabaceae, 1014
- facilitated diffusion, 97
 - through channels and carriers, 94–5
- FAD (flavin adenine dinucleotide), 108
- FADH₂, 111
- Fallopian tube, 409b
- families, 725
- family relationships, determining, 286b
- fascicles, 664
- fast-twitch fibres, 667
- fats, in the diet, 477
- fatty acids
 - β-oxidation from lipids, 109–10, 109f
 - essential, 456–7
 - long-chain, 32f
- fatty alcohols, long-chain, 32f
- feather stars, 969, 972
- feathers, 984, 984f
- fecundity, 1039
- feedback control, 597
- feeding behaviour, 676–7
- feeding relationships, and ecosystems, 1076–7
- Felis catus*, 8b
- female gametophytes, 306
- female reproductive organs
 - animals, 410
 - plants, 302–6
- female reproductive system, human, 409b
- feral animals, 1107
 - fertility control, 1108
- feral cats, 8b
- feral predators, impact on native mammals, 7–8b
- fermentation, 107f
 - ATP production, 112, 112f
- ferns, 871–4
 - aquatic, 872b
 - gametophytes, 873–4
 - homosporous, life cycle, 873f
 - leaves, 871–2
 - Mesozoic era, 748
 - sexual reproduction, 873–4
 - sporangia, 872–3
 - sporophytes, 871, 872–3
- ferric ion, 61
- ferrodoxin, 118
- ferrous ion, 61
- fertilisation, 308
 - animals, 417–19
 - flowering plants, 306–7
 - methods, animals, 418–19
- fertilisers, organic versus artificial, 358b
- fertility, 758
- fibonectin, 131b
- fibres (sclerenchyma cells), 329–30
- fibrin, 532, 533
- fibrinogen, 532, 533
- fibroins, 41
- fibrous proteins, 36t, 40–2
 - structures, 40f
 - types of, 41–2
- 'fiddle-heads', 871f, 872
- fighting behaviour, 407, 680, 681f
 - hawks and doves, 680b
- filamentous hyphae, 895, 896–7
- Filicophyta, 868, 871
- filicophytes, 871–4
- filipodia, 432
- filmy ferns, 874f
- filter feeding, 470
 - bivalves, 949–50
 - sponges, 923
 - tunicates, 975
- filtration (capillaries), 522, 524f
- filtration (kidneys), 553
- filtration (tubular excretory organs), 548, 550
- fire
 - in Australian landscape, 1003, 1004, 1006, 1009–10
 - as management tool, 1117–18
 - mosaic pattern, 1065
 - promotion of habitat variability, 1064–5
 - use by Aboriginal people, 1004, 1118
 - use in controlled burns, 1066, 1067
- fire resistance, 1009
- 'fire stick' farming, 1118
- fire-stimulated germination, 1009–10
- first law of thermodynamics, 50
- fish
 - air-breathing, 491–3, 492f
 - circulatory system, 511–12, 511f, 512f, 514–15
 - excretion, 546–7
 - giant neurons, 633b
 - gills, 490f, 491
 - heart structure, 511
 - jaw and gut structure, 468
 - marine, 1007b
 - movement, 647, 648f, 649
 - osmoregulation and ionoregulation, 541f, 542–3
 - salt glands, 557
 - sex change, 404
 - spawning, 412b
 - thermal acclimation, 699–700, 699f
 - unpowered flight, 650
 - urea-osmoconformers, 542b
- fishes, *see also* hagfishes; lungfishes
 - bony, 469, 541, 542, 548, 554
 - bony-tongued, 999, 999f, 1000
 - cartilaginous, 469, 977, 977f
 - fleshy finned, 511–12, 513f, 978, 980
 - ray-finned, 978, 978f
 - teleosts, 469, 491, 543, 602, 978, 979b
- fitness, 758, 765–6

- 5' and 3' untranslated sequences, 221b, 226
- flagella, 86–7, 87f, 88f, 645, 923
origins, 826
- flagellates
euglenoid, 849–50
golden, 838
parasitic, 831, 851–2
with second-hand plastids, 837–8
symbionts, 831
- flame cells, 932
- flamingos, colouration, 195f
- flatworms, 466, 931–2
characteristics, 931–2
nervous system, 626, 626f, 932
reproduction, 932
- fleas, 964
- fleshy finned fishes, 511–12, 513f, 744, 978, 980
- fleshy fruits, 888
- flexor muscles, 633
- flight
powered, 652, 653t
unpowered, 649–52
- flightless birds, 984f, 985, 999, 1016
- florigen, 395
- flower evolution, 883–4
alternative ideas, 884–5
magnolia theory, 884
- flower induction, ethylene role, 392
- flower senescence, ethylene role, 392
- flowering
environmentally induced, 394–5
ethylene role, 392
and photoperiodism, 393–5
and vernalisation, 395b, 396
- flowering plants, 298, 874, 881–9
apomixis, 307–8, 307f
asexual reproduction, 315–19
cell differentiation, 316–17b
classification, 882
double fertilisation, 886
embryogenesis, 311–12, 311f
evolution, 884f
Mesozoic era, 748
organogenesis, 314–15
pollen and embryo sac development, 301f
pollination, 308–10, 875, 886–8
reproductive cycle, 885–6, 885f
seed formation, 311–14
sexual reproduction, 298, 300–10
structure, 325–30, 333b
thermoregulation, 698b
- flowers
actinomorphic, 883
anthers, 301–2, 883
attracting pollinators, 887
carpel, 302–6, 882–3
colour and shape, to attract pollinators, 887
epigynous, 883
evolution, *see* flower evolution
fertilisation, 306–7
hypogynous, 883
shape, 883
structure, 300–1, 301f, 883, 883f, 1013f, 1014f, 1015f
zygomorphic, 883
- fluid mosaic, 69
- fluidity, membranes, 69
- fluorescein, 75
- fluorescence *in situ* hybridisation (FISH), 287
- fluorescence microscope, 75b
- flying fish, 650
- flying foxes, 1023
- FMN/FMNH₂ (flavin mononucleotide), 61, 62
- foliose lichens, 909f, 910
- follicle, 888
- follicle cells, 416
- follicle stimulating hormone (FSH), 605t, 609
- food chains, 1078, 1078f
detritus, 1078
grazing, 1078
length limitations hypotheses, 1083b
shortness of, 1081–2
- food webs, 1078, 1079–80, 1079f
basic patterns, 1078–9
common and uncommon patterns, 1082f
potted web experiments, 1083b
- foraging behaviour, 676–7, 676f
- foraging theory, 677
- foraminiferans, 852
- forebrain, 629
- foregut fermentation, 472f, 473–4
ruminants, 474–5, 474f
- forensic science use of DNA technology, 284–5
determining paternity, 285
- forested ecosystems, detritus food chains, 1078
- fork ferns, 870
- fossil cast, 735
- fossil fuels
burning of, 1114
and greenhouse gas emissions, 1116
- fossil mould, 735
- fossil record, 3, 4, 735–6, 741–8, 768f
- fossils, 735
Cambrian, 919–20
Cenozoic, 748
comparative morphology, 718
Edicaran, 741–3, 919–20
formation and location, 735–6
insects trapped in amber, 736, 736f
Mesozoic, 746–8, 985, 1021
metazoan, 919
Palaeozoic, 743–6
Precambrian, 741
- foxes, 1107
impact on native mammals, 7–8b
- frameshift mutations, 227, 227f
- Frankia*, 343, 344, 1092
- free DNA, gene transfer, 800, 801f
- free energy
and equilibrium constant, 50–1
in exergonic and endergonic reactions, 52
hydrolysis of phosphate compounds, 59t
and spontaneous chemical reactions, 51–2
- freezing temperatures
animals living at, 696
effect on plants, 375
- freshwater crocodile, 983–4
- frogs, 980
adaptive radiation, 1017–18
cleavage, 425f
development, 405
diversity, 1018
ethological isolation, 772, 772f
excretion, 547
fertilisation, 416
gastrulation, 428–30, 430f
heart structure, 513f
- fronds (ferns), 871–2
- frost tolerance, and abscisic acid, 389
- frozen tissue samples, 74b
- fructose, 26, 27
D-fructose, 26f
β-D-fructose, 27
- frugivores, 1056
- fruit development, 312
- fruit eaters, aid seed dispersal, 1056
- fruit pigeons, 1056, 1057f
- fruit ripening, 391
- fruits, 883, 888–9
aggregate and multiple, 889
dry, 888–9, 889f
fleshy, 888, 888f
simple, 888–9
- frustules, 848
- fruticose lichens, 909f, 910
- fucoxanthin, 838
- fuel molecules
breakdown of, 61
energy in, 63
- functional groups, 23t, 24
- fundamental niche, 1032, 1061–2
- fungal cell walls, structure, 896–7
- fungus diseases, 899, 914
- fungus growth
hyphae feeding role, 896–7
specialised hyphae, 897–8
- fungus infections, 899, 914
immune mechanisms, 584
- fungus mutualism, 895, 902, 909–12, *see also*
endophytes; lichens; mycorrhizae
- fungus nuclei, 898–9
- fungus nutrition
digestion of organic carbon, 899–900
mineral requirements, 900
nitrogen requirement, 900
- fungus phyla, 902–9
anamorphs, 909
Ascomycota, 905–6
Basidiomycota, 906–8
characteristics, 902b
chytrids, 903
Zygomycota, 905–6
- fungus plant diseases, 914, 915

- fungus reproduction, 901
 - asexual spores, 901
 - spores for travel and survival, 901
 - fungi, 893–915
 - as biological control agents, 915
 - classification, 894, 902–9
 - as decomposers, 899–900, 903
 - diversity and evolution, 894
 - gravity-sensing mechanisms, 900
 - and humans, 913–15
 - and insects, 913
 - light requirements, 900
 - mitosis, 899
 - names based on sexual and asexual states, 909b
 - and plant disease, 915
 - spore production, 895, 896f, 897, 900, 901
 - temperature requirements, 900
 - tolerance of environmental extremes, 900–1
 - topography, 901
 - use in biotechnology, 915
 - vegetative bodies, 895f
 - water requirements, 900
 - and world affairs, 903b
- Fungi (kingdom), 730, 893
- fungi imperfecti, 909
- fungicides, 912b
- fusiform initials, 334b, 335

- G1 phase (first gap phase), 159–60
- G2 phase (second gap phase), 160
 - checkpoint mechanisms, 167
- gait
 - animals, 654, 655b, 656
 - and oxygen consumption, 656f
- GAL4* gene
 - regulation, 242–3, 256
 - upstream activator sequences, 243
- GAL80* gene, 243, 256
- galactosaemia, 767
- galactose, 26
 - D-galactose, 26f
 - β -D-galactose, 26
- galahs, 674
- gall bladder, 463
- game theory, 680b, 681
- gametangia, 904f
- gamete formation, plants, 299–300
- gametes, 167, 298, 403, 411
 - maturation, 415–16
- gametic isolation, 773
- gametocytes, 847
- gametogenesis, 411–16
 - maturation of gametes, 415–16
 - meiotic division, 413–15
 - migration of germ cells, 413
 - mitotic divisions, 413
- gametophytes, 300, 860, 862–5
 - female, 306, 861, 880
 - male, 861
- gamma-aminobutyric acid (GABA), 624, 624b
- ganglia, 626, 627, 942
- gap genes, 447–8
- gap junctions, 132, 134, 134f
- gas bladders, 491
- gas exchange, 484, *see also* breathing; lungs; respiratory system
 - across the surface of eggs, 485b
 - air and water as respiratory medias, 483–4
 - animals, 482–506
 - aquatic insects, 500–1b
 - arachnids, 502, 958
 - cephalopods, 953
 - crustaceans, 960
 - insects, 962
 - internal convection, 486–7, 487f
 - surface area-to-volume ratio, 486
 - ventilation, 486–7, 487f
- gas-exchange organs
 - air breathing
 - lungs, 493–9
 - tracheae, 499–503
 - transition from water to air breathing, 491–3
 - water breathers, 487–90
- gas-exchange surfaces, diversity in, 482, 483f
- gas transport, 502–5
- gastric brooding frog, 409–10
- gastrin, 461, 612
- gastrointestinal mucosae, 612f
- gastrointestinal mucosa, 612
- Gastrobium*, 7b
- Gastropoda, 947, 950–1
- gastropods, 947, 950–1
 - evolutionary development, 950–1
 - excretion, 951
 - torsion in, 950–1
- gastrovascular cavities, 465–6, 467f, 923
- gastrula, 427
- gastrulation, 427–32
 - amphibians, 439
 - germ layers, 430
 - mechanisms of morphogenesis, 431
 - sea urchin, 427–8
 - Xenopus*, 428–30
- gating, 600
- geckos, 1918
 - parthenogenesis, 402, 775, 776f
- gel electrophoresis, 274f, 281
- gemmae, 863
- gene duplication, 777
- gene expression, 221
 - central dogma, 220–1
 - differentiated, in animal development, 442–3
 - regulation, 236–44
 - terminology, 221b
 - transcription, 221–6
- gene families, 254–6, 777
- gene mapping, 285–6, 287f
- gene numbers in genomes, 248–50
- gene pool, 756, 758, 764
- gene regulatory cascades, 244
- gene sequences, 3
- gene technology, 3
- gene therapy, 292
 - and cystic fibrosis, 287–8b
- gene transfer
 - by bacteriophages, 800, 801f
 - by free molecules of DNA, 800, 801f
 - by plasmids, 800, 801f
 - mechanisms, 800–2
- gene trees, 778, 778f
- generative cell, 302
- generator potentials, 146
- genes, 179, 181b
 - allelic, 179
 - on chromosomes, 187–9
 - combination genes inheritance, 183–5
 - in common ancestors, 256
 - constitutive, 221b, 237
 - epigenetic regulation, 196–8
 - essential and non-essential, 256
 - and genetic programs, 257–8
 - in genomes, 250
 - identifying and isolating individual, 275–9
 - inducible, 221b, 237
 - isolating by sequence similarity, 278
 - isolation using polymerase chain reaction, 279, 279f
 - linkage on autosomes, 190–2
 - non-allelic, 196
 - parts of, 253f
 - pleiotropic, 181
 - in populations, 761–3
 - quantitative characters, 198–9
 - regulating biological processes in different organisms, 256
 - regulatory, 237
 - reintroduction into organisms, 282–3
 - response to various situations, 256
 - sex-linked, 181b, 186, 186–9
 - single gene inheritance, 178–82
- genetic code, 226
 - codons, 226
 - reading frames, 226–7
 - and translation, 228–9
- genetic conjugation, 800, 801f, 849
- genetic disorders
 - autosomal dominant, 185b
 - autosomal recessive, 185b, 767
 - cancer as, 261
 - DNA repair defects, 263t
 - inheritance, 184, 185t
 - X-linked, 185b
- genetic diversity, antibodies and TCR molecules, 570b
- genetic drift, 764, 764f, 1043
 - and conservation genetics, 766b
- examples, 765b
 - population size effect, 764
- genetic engineering, 268–89
 - plants, 320–1

- genetic information, stored in DNA, 207–8
- genetic markers, 761, 763
- genetic modification (GM), 320
- genetic notation, 180b
- genetic recombination, *see* recombination
- genetic regulation of development, 442–4
- genetic stochasticity, 1043
- genetic structure of populations, 763–70
 - genetic drift effects, 764
 - migration effects, 763–4
 - mutation effects, 763
 - natural selection effects, 764–7
 - random mating effects, 763
- genetic transduction, 800, 801f
- genetic transformation, 269, 274b, 290f, 291, 320
 - bacteria, 800, 801f
- genetic variation, 757
 - bacteria, 799–802
 - detecting and measuring in populations, 761–2
 - and genomes, 258
 - identifying, 284
 - and population survival, 1043
 - role of recombination, 761
 - through mutation, 258–9, 760–1
- genetically modified cotton, 320b
- genetically modified organisms (GMOs), 320
 - public debate, 269b
- genetics, 177–99
 - combination genes inheritance, 183–5
 - epigenetic regulation, 196–8
 - and evolution of behaviour, 672–3
 - foundations, 177
 - incomplete dominance, 193
 - Mendelian, 178–84
 - phenotypes and environment, 194–5
 - phenotypes through recombination, 193–4
 - self-incompatibility, 309–10, 309f
 - single gene inheritance, 178–82
 - terminology, 181b
- genome evolution, 248
- genome maps, 251b, 256
- genome organisation, 248
- genome rearrangements, 254
- genome structure, in eukaryotes, 282
- genome transcriptional responses, measuring, 258b
- genomes, 247–56
 - gene numbers, 248–50
 - and genetic variation, 258
 - mutation and cancer, 264
 - organelle, 250
 - and phenotypes, 246
 - relative size, 248, 249t
 - replication, viruses, 812–14
 - tumour suppressor genes as guardians, 263–4
 - viral, 809, 810–11
- genomic clone, 274f
- genomic DNA libraries, 274f, 275–6
 - constructing, 276f
- genomic equivalence, 442–3
- genotype, 179, 181b
 - penetrance, 195
- genotype notation, 180b
- genotypic frequencies, 761
 - Hardy–Weinberg principle, 762–3
- genotypic ratio, 180
- genus, 725, 727, 728
- geographic regions recognised for plants and animals, 749t
- geological eras and evolution, 741–8
 - Cenozoic life, 748
 - Edicaran fauna, 741–3
 - Mesozoic life, 746–8
 - Palaeozoic life, 743–6
 - Precambrian life, 741
- geological time scale, 736, 737f
- geothermal energy, 1116
- Geraldton wax, 350
- germ cells, 413
 - meiotic division, 413–15
 - mitotic divisions, 413
- germ layers, 430
- germination, *see* seed germination
- gestation, 406
- ghost bat, 1023
- giant sensitive plant, 1110b
- Giardia*, 831
- gibberellic acid (GA₁), 384
 - effect on plant growth, 380f
 - structure, 384f
- gibberellins, 312, 384–6
 - mobilisation of seed protein and carbohydrate reserves, 385–6
 - role in breaking seed dormancy and stimulating germination, 384–5
 - and stem elongation, 384
- gibbons, 989
- gills
 - invertebrates, 489, 949–50, 953
 - vertebrates, 490f, 491
- Ginkgo*, 1001b
 - growth habit, 877
 - Mesozoic era, 877
- Ginkgo biloba*, 859, 874, 877, 877f
- ginkgophytes, 877
- Ginkgophyta, 874, 877
- girdle, 844
- glacial periods, 1003, 1004
- glaucophytes, 833, 834
- glial cells, 139, 616, 616t, 622
- gliders (mammals), 650, 651f, 1023
- gliding, 649–52
 - mechanisms, 650–1b
- gliding performance, 649f
- gliding reptiles, 650–2
- gliding speeds, 649–50
- global carbon cycle, 1089f
 - active and storage pools, 1089t
- global cycles, 1086
- global nitrogen cycle, 1091f
 - active and storage pools, 1092t
- global warming
 - animals responses, 709–10
 - and greenhouse effect, 1114–16
 - impact on plant and animal populations, 710
- global water cycle, 1087f
 - active and storage pools, 1087
- Globigerina*, 852
- globin genes, isolating, 278
- globular proteins, 36t, 40
 - tertiary structure, 39, 54f
- glochidium, 950
- glomerular capillaries, 553
- glomerular filtration, 553, 554
- glomerulus, 552, 552f
- glomus cells, 506
- Glossopteris*, 1001b
- glucagon, 610, 612
- (1→3)-β-glucan hydrolase, 54f
- (1→3)-β-D-glucans, 29f, 31
- glucocorticoids, 607–8
- gluconeogenesis, 459, 607
- glucose, 24, 26
 - as carbon source for fungi, 899
 - glycolysis, 107f, 108f, 109
 - oxidation, 63
- D-glucose, 25b, 26f
- α-D-glucose, 26f, 30
- β-D-glucose, 26f
- (1→4)-linked β-D-glucose, 29, 30
- (1→4)-linked α-D-glucose units, 31, 140
- (1→6)-glucosidic linkages, 30
- (1→4)-linked α-D-glucosyl units, 30
- (1→4)-linked β-D-glucosyl units, 31
- glucuronic acid units, 42
- glutamate, 37f, 624b, 796
- glutamine, 37f, 796
- glycemic index (GI), 459
- D-glyceraldehyde, 25b
- L-glyceraldehyde, 25b
- glyceraldehyde 3-phosphate (PGAL), 120–2
- glycine, 37f, 38, 38f
- glyclalanine, 38f
- glycocalyx, 69
- glycogen storage, 31, 900
- glycolipids, 24, 34, 69
 - structure, 34f
- glycolysis, 59, 107, 108f, 109
- glycophytes, 374
- glycoproteins, 36t, 43, 69, 70
 - lipid membrane bilayer, 42f
- N-linked-glycoproteins, 76, 78
- O-linked-glycoproteins, 78
- glycosaminoglycans, 131b
- glycosidases, 59
- glycoside formation, 25b
- glycosidic linkages, 26, 27
- (1→4)-glycosidic linkages, 28f, 29f

- (1→6)-glycosidic linkages, 30f
glyoxysomes, 82
Gnathostomata, 976
Gnetophyta, 874, 880
gnetophytes, 880, 883
Gnetum, 880, 881f
goitre, 606
golden-brown algae, 840
golden flagellates, 838
Golgi apparatus
 cis/trans network, 78, 79
 function, 78, 78f
 vesicle marker proteins, 78, 79
Golgi stacks, polarity, 78
gonadal steroids, 595
gonadotrophin-releasing hormone (GnRH), 605t
gonads, 410
 hormone production, 411, 608–9
gonangia, 928
Gondwana, 740, 741, 1000–1
Gondwana fauna, 1016, 1018–19
Gondwanan forests 878b, 1001b
gorilla, 989
G-protein-linked receptors, 149–51
 second messengers, 150, 151f
G-proteins (guanosine triphosphate [GTP] binding regulatory proteins), 149
gradients, 1069
Gram negative bacteria, 788b
Gram positive bacteria, 788b
Gram stain, 788b
grana, 82
granulocytes, 562b, 565b
grapes, 888f
graptolites, 743
grass flowers, wind pollination, 886, 886f
grass leaves, cell types, 347
grass pollen, hayfever and allergic asthma, 304–5b
grass trees, 1008, 1009f
grasses, 1008, 1009f, 1070b
 polyploidy, 774, 775b
grasshoppers
 external features, 961f
 jumping, 657
 nervous system, 626f
 parthenogenesis, 777
gravid proglottids, 936
gravitropism, 383–4
grazing food chains, 1078
Great Barrier Reef, 1008
Great Dividing Range, 1006
Great Victoria Desert, 1006
green algae, 833, 835–7, 835f, 1007b
 biotechnology use, 836b, 837
 and origins of land plants, 858–9
green bacteria, 119, 796
greenhouse effect, and global warming, 1114–16
greenhouse gas emissions, 1116
greenhouse gases, 1114, 1115
 Grevillea, 1012, 1013f
ground parrot, 1043
ground tissue, 142, 328–30
ground water levels, 1088, 1089f
group living, 678–9, 686–7
growth, 298
growth hormone (GH), 605t
growth-hormone inhibiting hormone (GHRH), 605t
growth-hormone releasing hormone (GHRH), 605t
guanine, 43, 44, 208, 545, 546
guanosine triphosphate (GTP), 222, 225
guantotely, 545
guard cells, 142, 346, 347, 364
gullet, 849
gut, nutrient absorption, 464
guttation, 349
Gymnodinium, 846
gymnosperms, 874, 1008
gynoecium, 301
habitat corridors, 1106
habitat fragmentation, 1105–6
habitat selection theory, 1032–3
habitat variability, fire effects, 1064–5
habituation, 675
haemagglutinin, 816b
haematocrit, 531
haematopoiesis, 437
haematopoietic stem cells, 436, 437f, 562b, 567, 567f
haemocoel, 957
haemocyanin, 958
haemoglobin, 502, 532
 affinity for oxygen, 503f, 504fg, 532, 706f
 quaternary structure, 40f
haemolymph, 502
haemolymph flow, and water flow, crustaceans, 489
haemophilia, 533
haemproteins, 36t
hagfishes, 541, 552, 974, 976
hair, 985
Hakea, 350
 leaf structure, 1010f
Haldene effect, 505
hallucinogenic mushrooms, 913, 914, 914f
halophiles, 792
halophytes, 337, 361, 374
handedness in biological systems, 25
haplodiplontic life cycle, 299
haploid cells, 168, 402
haploid chromosomes, 171
haploid gametes, 298, 860
haploid generation, 860, 862–5
haploid number, 158
Haplorhini, 988
haptonema, 839
haptophytes, 839
hard corals, 929f, 930f
hardening, 695
Hardy–Weinberg frequencies, 762, 763
Hardy–Weinberg principle, 762–3
Hartig net, 912
harvesting
 chemical energy, 107–8
 light energy, 114–16
haustoria, 876, 876f, 898, 911
hayfever, and grass pollen, 304–5b
hearing, 636
 mechanism of, 147–8, 147f, 148f
heart, *see* human heart; mammalian heart
heart sounds, 517–18
heart structure
 Australian lungfish, 513f
 crocodile, 514f
 fish, 511
 frogs, 513f
 human, 515f
 turtle, 513f
heart urchins, 969, 973
heartbeat, 518
heartwood, 335
heat energy, 49
heat of fusion, water, 20b
heat pain receptors, 637
heat of vapourisation, water, 20b
heath family, 1012–13
 α -helical proteins, 38, 39f, 40f, 41, 42
helper cells (TH cells), 572, 580–1
helper virus, 818
Hemichordata, 974
hemidesmosomes, 133
Hemiptera, 963f
hemizygous individual, 188
Hepatophyta, 862
herbicides, 382
herbivores, 458, 986, 1055, 1076
 cellulose digestion, 472
 coping with plant defences, 1058
 dealing with plant cell walls, 471–6
 foregut fermentation, 472f, 473–5
 hindgut fermentation, 475–6
 and quality of available food, 1056
 teeth, 470
herbivorous snails, 1068f, 1069
herbivory, 1055f
hermaphroditism, 403, 932, 935, 945, 946, 961
 changing sex, 404
 preventing self-fertilisation, 403–4
herpes simplex viruses, 815
herpesviruses, 817b
heterochromatin, 72
heterocyst, 789
heterokaryons, 898, 901
heterosporous sporophyte, 861t
heterospory, 299b, 300, 860–1, 874, 875
heterothallic zygomycetes, 905

- heterotrophs, 106, 455, 794, 824, 919, 1076–7
- heterozygous genotypes, and mode of selection, 766, 767
- heterozygous individual, 179, 181b
- hexacanth, 936
- hexaploidy, 774
- hexoses, 26
- hibernation, 697
- high altitude
 - animal responses, 708
 - human responses, 706–7
- high-altitude physiology, milestones, 707t
- high-energy bonds, ATP, 59
- high temperatures, effect on plants, 375
- Himalayan thar, 1041f, 1041t
- hindbrain, 629
- hindgut fermentation, 475–6
- hirudin, 947
- Hirudinea, 946–7
- Hirudo*, 946, 947
- histidine, 37f
- histidine kinase, 390
- histones, 72, 73f, 206
 - role in eukaryotic gene regulation, 144
 - role in replication, 216
- holdfast, 840–1
- Holocephali, 977
- holomorphs, 909
- Holothuroidea, 969, 973
- homeostasis, 92
- homeotic (*Hox*) genes, 448–50
 - genetic regulation and intercellular signalling control development, 450
 - as master regulators of segment identity, 450
- Hominidae, 989
- hominids, 748
 - evolution, 989–93
 - Homo*, 992
 - Paranthropus*, 992
 - phylogeny, 990f
 - upright apes, 990–1
- hominoids, evolution, 988–9
- Homo*, 992
 - increase in brain size, 992
 - tool making skills, 992
 - use of language, 993
- Homo erectus*, 991f
- Homo neanderthalensis*, 993
- Homo sapiens*
 - evolution, 992–3, 993f
 - multiregional theory, 993
 - out-of-Africa theory, 993
- homokaryons, 898
- homologous chromosomes, 158, 170, 171, 180, 187, 190
 - segregation, 190
- homologous features, as evidence of relationship between divergent forms, 718, 719f
- homologous genes, 777, 778f
- homologous molecules, 720–1
- homologues, *see* homologous chromosomes
- homology, concept of, 718f
- homosporous fern, life cycle, 873f
- homosporous sporophyte, 861t
- homospory, 299b, 300, 861
- homothallic zygomycetes, 905
- homozygous genotype, and mode of selection, 766–7
- homozygous individual, 179, 181b
- honey-pot ants, 688, 689f
- honeybees, 1058
 - communication, 689f
 - foraging, 677
- Hooke, Robert, 3
- hookworms, 955
- hormonal control in animals, 592–612
- hormones, 36t, 592
 - animals, 593–5
 - cardiovascular effects, 529, 531
 - plants, 379–92
- Hormosira banksii*, 841–3
 - regeneration, 1067, 1067f
 - reproductive structures, 842f, 843
- hornworts, 862, 864, 864f, 865, 866
- horses, movement, 656
- horseshoe crabs, 956, 958, 958f
- horsetails, 870–1
- host cell, 274f
- hot spots, 739
- hour-glass mechanism, 395
- Hox* genes, 448–9
 - and evolution of body patterns, 449–50
 - mouse and *Drosophila* comparison, 449f
 - as transcriptional regulators, 449
- human activities, as novel disturbances, 1066–7
- human brain, 628f
- human chromosomes, 205f
 - DNA sequences, 252f
- human digestive system, 463f
 - control of digestive secretions, 461–4
 - enzymes and sites of action, 462t
- human evolution, 989–93
- human female reproductive system, 409b
- human gene
 - amplification by PCR, 279f
 - cloning, 273f
- human genome, 250
- human heart
 - electrical activity, 518–19, 518f
 - electrocardiogram, 519
 - function, 516–19
 - structure, 515f
- human immune system, 578f
- human immunodeficiency lentivirus (HIV), 817b
- human impacts, 1099–119
- human male reproductive system, 408b
- human pedigrees, 184, 185f, 189f
- human population dynamics, Australia, 1040b
- human reproduction, 408–9b
- human sensory receptors, 635f
- human sex-determining gene, finding and isolating, 289b
- human sperm cell, structure, 415b
- human viral infections, 816–17
- human X chromosome, physical map, 286f
- humans, 988
 - arrival in Australia, 992b, 1004–5, 1100
 - in Australia, 1100–1
 - body weight regulation, 476–8
 - responses to high altitude, 706–7
- hummock grasses, 1008, 1009f, 1070f
- humoral immunity, 568, 568f, 587
- humoral responses, 580–1
- hunchback* gene, *Drosophila*, 447
- Huntington disease, 184
 - pedigree, 185f
 - penetrance, 195–6
- hyaluronan, structure, 42
- hybridisation, 274f, 277–8, 278f
 - and asexual reproduction, 775–8
- hydathodes, 349
- hydatid cyst tapeworm, 936, 936f
- Hydra*
 - budding, 401
 - gastrovascular cavity, 467f
 - structure, 927
- hydrangeas, flower colour, 194, 195f
- hydranths, 928
- hydras, 927–8, 929f
 - life cycle, 928f
- hydrated ions, ionic compounds, 17, 18f
- hydrocarbons, utilisation by fungi, 900
- hydrochloric acid, 22
- hydrofoils, 645
- hydrogen, in organisms, 13
- hydrogen atom, 14f
- hydrogen bonds, 18, 18f
 - base pairs, 44
- hydrogen ions, 22
- hydrogen molecule, 16f
- hydroid polyp, 924, 925b
- hydrolases, 59, 60b
- hydronium ions, 22
- hydrophilic regions, 19, 34
- hydrophobic regions, 19, 34
- hydrophobins, 900
- hydroponics, 355
- hydrostatic pressure, 359–60, 524
- hydrostatic skeletons, 657
- hydroxyapatite, 658
- hydroxyl group, 23t
- hydroxyl ions, 22
- hydrozoans, 927–8
- Hylidae, 1017, 1018
- hyoscine, 625b
- hyperglycaemia, 611
- hyperosmotic solution, 99
- hyperpolarised neurons, 622
- hypersaline water, 542
- hypersensitivity, 585
- hyperventilation, 706
- hyphae, 895
 - feeding role, 896–7

- hypocotyl, 314
 hypodermic impregnation, 945
 hypogeal germination, 314
 hypoglycaemia, 611
 hypogynous flowers, 883
 hypo-osmotic solution, 99
 hypopharynx, 961
 hypophysis, 601
 hypostome, 923
 hypothalamic hormones, 605t
 hypothalamo-hypophyseal portal system, 602, 609
 hypothalamus, 600–1, 629
 hypothermia, 700
 hypothesis, 5
 hypoxia, 702, 704, 706, 707, 708–9
- ice, 21b
 ichthyosaurs, 747, 748f
 icosahedron, 810
 ideal population, characteristics, 762
 illegal trade in endangered species, 1116–17
 imago, 964
 immigration, 1033
 immune defence mechanism, parasites, 254, 255b
 immune repertoire, clonal selection, 569b, 571b
 immune responses
 - allergies, hypersensitivity and immunopathology, 585–6
 - cellular responses, 581
 - evolution, 586–7
 - humoral responses, 580–1
 - immunity to infection, 581–4
 - nature of, 578–86
- immune system, 561
 - cells, 556–7, 565f, 568–73
 - humans, 578f
 - molecules, 573–8
 - secondary lymphoid tissues and the lymphatic network, 578–80
- immunity
 - in animals, evolution, 586–7, 586f, 587f
 - in plants, evolution, 587
- immunity to infection, 581–4
 - defence against bacteria, 584, 584t
 - defence against fungi, 584
 - defence against protozoa and parasitic worms, 254, 255b, 584
 - defence against tumours, 584
 - defence against viruses, 582
- immunodeficiency, 571
 - and AIDS, 582–3b
- immunogen, 562b
 immunoglobulins (Ig), 562b, 572, 575
 - classes (isotypes), 575
 - generation of diversity and gene rearrangement, 570b
 - IgE, 585
- immunological memory, 562b, 566
 immunological tolerance, 562b, 578
- immunology, terminology, 562b
 immunopathology, 586
 immunosuppression, 582b
 implantation, 409b
 imprinting, 197–8, 673–4
 inbreeding, 763
 inclusive fitness, 690b
 incomplete dominance, 193
 incomplete metamorphosis, 964
 independent assortment, 184, 190
 indeterminate development, 921
 indirect development, animals, 405
 indole-3-acetic acid (IAA), 381–2
 - and apical dominance, 383
- induced fit, 55
 inducible genes, 221b, 237
 induction, embryonic, 439–40
 indusium, 872
 inferior ovary, 883f
 inflammation, 562b, 566
 inflammatory response, 566
 inflorescence, 887
 influenza orthomyxovirus, 816f
 influenza viruses, 815, 816b
 inheritance, 176, 177
 - combinations of genes, 183–5
 - genetic disorders, 184, 185b
 - single gene, 178–82
- inhibitory post-synaptic potential, 623
 initiation
 - prokaryotic DNA replication, 212, 214f
 - protein synthesis, 230
 - transcription, 222–3
- initiator codon, 227
 inland lakes, Australia, 1002
 innate defence mechanisms, 563
 - cells that kill, 564
 - defensive molecules, 565–6
 - external barriers, 563, 563f
 - identifying an invader, 563–4
 - inflammatory response, 566
- inositol triphosphate, 150
 insect diversity, and metamorphosis, 962–4
 insect moult, hormonal control, 598f, 599–600
 insect pests, 964, 964f
 insect societies, 688–9
 Insecta, 961–4
 insecticide resistance, sheep blowfly, 767–8
 insectivores, teeth, 470
 insects, 956, 961–4
 - aquatic, gas exchange, 500–1b
 - association with early plants, 1017
 - body structure, 961, 961f
 - brain, 630, 630f
 - breathing, 499–502
 - compound eyes, 636f
 - courtship behaviour, 684
 - evolutionary history, 1017
 - excretory system, 550, 962
 - fossils trapped in amber, 736
 - and fungi, 913
 - gait, 655f
 - gas exchange, 962
 - hormones, 599
 - and humans, 964
 - at low temperatures, 696
 - mouthparts, 467–8, 961, 962f
 - neuroendocrine and endocrine organs, 598f, 599
 - orders, 962t, 1017
 - as pollinators, 887
 - reproduction, 962
 - sensory organs, 961–2
 - tracheal system, 500, 501f
- insertions (DNA sequences), 259
 inspiration (breathing), 496
 instars, 962, 964
 insulin, 477, 595, 610–11
 - commercial production, 915
 - primary structure, 38f
- insulin-dependent diabetes mellitus, 611
 integrated pest management, 1107
 integration (neurons), 624
 integrins, 133
 integument, 304, 874
 - structure, 658f
- interactions within communities, 1052–61
 - symbiosis, 1052–5
- intercellular connections, 131–4
 intercellular signalling, 441b, 450
 interferons, 565–6, 582
 intergenerational equity, 1119
 interglacial periods, 1003, 1004
 Intergovernmental Panel on Climate Change, 1115
 intermediate disturbance hypothesis, 1066
 intermediate filaments, 86, 86f
 internal skeletons, 658–9
 interneurons, 618
 internodes, 332
 interphase, 159, 160
 interspecific comparisons (behaviour experiments), 676
 interspecific competition, 1060
 interstitial fluid, net fluid movement with capillaries, 524
 interstitial matrix, 130
 intervertebral discs, 981
 intracellular compartment, 539
 intracellular digestion, 465
 intracellular environments, 539–40
 intracellular fluid, solute composition, 539
 intracellular messengers, 150, 150f, 151f
 intracellular processing of signals, 149–52
 intraspecific comparisons (behaviour experiments), 675
 intraspecific competition, 1060
 introduced animal pests, 1017, 1019, 1057, 1107, 1108
 - integrated pest management, 1107
- introduced mammals, 1019
 introduced marine pests, 1007b, 1107

- introduced new species, 1106–8
introduced plants, 1016, 1106f, 1110b
introns, 221b, 226
inulins, 31
invertebrate animals, *see also* specific groups, e.g.
 crustacea
 budding, 401
 excretory organs, 549–50
 nervous system, 626–7
 neural circuits, 631
 parthenogenesis, 402, 777
 rapid escape responses, 632–3b
 regeneration, 401
 tubular excretory organs, 550–1
invertebrate gills, 489
invertebrate hormones, 599, 600
 control of development, 599–600
involutal bracts, 1015
involution, 429, 430, 431f
ion channels, 95, 95f
 revealed by patch clamping, 96b
 working with osmosis, 100b
ion diffusion
 electrical gradient, 93, 93f
 electrochemical gradient, 93
ionic bonds, 17, 17f
ionic compounds, 17
ionic and osmotic balance, 540–5
 living on land, 544–5
 living in salt lakes, 542
 living in sea water, 540–2
 moving between sea and fresh water, 453
ionoconformer, 540
ionoregulation, 540–5
ions, 17, 538
iron, as electron carrier, 62
iron deficiency, 6
irrigation salinity, 1112
Islets of Langerhans, 610–12, 610f
isobilateral leaves, 345, 348
Isoetes, 869
isogamous gametes, 403, 403f
isoleucine, 37f
isomerases, 59, 60b
isomers, 26
isometric virions, 810, 810f
iso-osmotic solutions, 539, 540
isotonic solutions, 540
- Jaccard's coefficient, 1051–2b
jarrah trees, dieback disease, 843b, 1094b, 1106
jawless craniates, 976
jaws
 evolution, 976f, 977
 vertebrates, 468–9, 977
jellyfish, 923, 926–7
 life cycle, 926f
 structure, 927f
 stings, 924
jet propulsion, 646–7, 952
- joint territoriality, 679
joints, 660–2
jumping, 656–7
‘jumping genes’, 254
Jurassic period, 737f, 741, 747, 1001b
juvenile hormones, 599, 599f
juxtglomerular apparatus, 556
juxtamedullary nephrons, 555
- K* strategists, 1064
kangaroo grass, polyploidy, 774, 775b
kangaroo paws
 ethological isolation, 772, 772f
 mechanical isolation, 772–3
kangaroos, 20f, 1023
 adaptive evolution and divergence, 768–9
 allopatric speciation, 774
 avoidance of heat of the day, 694, 695f
 breathing and running, 497
 fighting between males, 407, 680, 681f
 foregut fermentation, 472f, 473–5, 474f
 gut microorganisms, 471b
 locomotion, 656
 phylogenetic tree, 768f
 reproduction, 410–11b
karyogamy, 898, 906
kelps, 840
 thallus, 840–1, 841f
keratinolytic fungi, 899, 914
keratins, 41
 structure, 40f
ketohehexose, 26
ketone function, 23t
keystone predators, 1059
keystone species, 1103f
kidney function, control, 556
kidneys, 551–2
 filtration, 553
 osmotic dilution and osmoconcentration, 554–6
 reabsorption, 554
 salt glands, 557
 secretion, 554
 structure, 552–3
 structure and urine concentrating capacity,
 mammal, 557b
 tubular function, 552–7
kin selection, 690b
kinesis, 468
kinetic energy, 49
kinetochore fibres, 163
kinetochores, 163, 170, 171f, 899
kinetoplasts, 850–1
kingdoms, 725
 classification schemes, 729–30, 729f
Kingia, 1008, 1009f
kiwi, 1016, 1016f
Klebsormidium, 836
koala, 1023
 hindgut fermentation, 475–6
‘Kranz’ anatomy, C₄ plants, 122, 123f
- Krebs cycle, *see* citric acid cycle
kuru, 819
Kyoto Protocol, 1115–16
- La Niña, 1006
labellum, 1015
labium, 961
labrum, 961
lac mutant phenotypes, accounting for, 239–40
lac operon
 expression, 240, 241f
 glucose repression and positive regulation,
 240–1, 240f
 regulation, 238
 repression in the absence of lactose, 238–40
lac repressor–allolactose interaction, 239
lacI repressor gene, 238–9
lacO operator, 239
Lacocephalum mylittae, 31f
lactate dehydrogenase, structure, 39f
lactate fermentation, 107f
lactic acid, 798
lactic acid fermentation, 798
Lactobacillus, 798
lactose, 26
 α -lactose, 26f
lacZ gene, 275
lagging strand, 210b, 212, 214
lamellar collenchyma, 329
lamellibranchs, 949
lamellipodia, 432
lamina, 345
laminarin, 31, 841
laminin, 131b
lampreys, 974, 976, 976f, 1054
lancelets, 974, 975
 structure, 975f
land clearance
 and dryland salinity, 1113
 and habitat fragmentation, 1105–6
land degradation, 1088, 1109, 1111–13, *see also*
 salinity
land plants, *see* terrestrial plants
land snails, 951
landforms, climatic change effects, Australia,
 1002
Lantana, 1016
large molecules, transport across membranes,
 101–2
larva (polychaetes), 945
laterites, 1002f
Latimeria, 980, 980f
Latinised names, 724
Laurasia, 740, 741
law of constant yield, 1038b
laws of thermodynamics, 50
Leadbeater's possum, conservation strategy,
 1042b
leading strand, 210b, 212, 214
leaf abscission, 390

- leaf adaptations, 349–50, 349f
- leaf arrangement, and life span, 345
- leaf boundary layer, 363–4, 363f
- leaf characteristics, and water conservation, 371–2
- leaf epidermis, 346
- leaf hairs, 347
- leaf orientation, 345–6
 - and water conservation, 372
- leaf shape, 345–6
- leaf structure, 345–50
 - environmental effects, 348–9
 - juvenile and adult, 346
 - modifications, 348–50
 - and organisation, 346–8
- learning and development of behaviour, 673–5
- leaves, 332
 - avoidance of dehydration, 371–2
 - vascular system, 348
 - water movement from, 363–6
- leeches, 945, 946–7, 946f
 - jaws, 946f, 947
 - structure, 947
- legged animals
 - gait, 655b
 - stability, 654
- legislative and policy frameworks, 1117
- legless lizards, 770f
- leishmaniasis, 850, 851
- lemurs, 988, 988f
- lenticels, 335b, 336
- Lepidosauria, 981
- leptin, 477–8
- Leptospermum*, 1011, 1011f
- leptosporangiate ferns, 871, 872–3
- leucine, 37f
- levans, 31
- lice, 964
- lichens, 895, 902, 909–10, 1053
 - distribution, 910
 - morphological forms, 909f, 910
 - photosynthetic partner, 910
 - reproduction, 910
 - structure, 910f
- life cycles
 - Ascomycota, 905
 - Basidiomycota, 907f
 - blood flukes, 934f
 - bryophytes, 862f
 - cellular slime moulds, 828f
 - chytrids, 903f
 - clubmosses, 869f
 - conifers, 879–80, 879f
 - ferns, 873f
 - hydras, 928f
 - jellyfish, 926f
 - liver fluke, 934f
 - mosses, 862f
 - Obelia*, 928, 928f
 - plants, 299, 299f, 300
 - Plasmodium*, 847f
 - Puccinia graminis tritici*, 908f
 - retroviruses, 813f
 - Schistosoma*, 934f
 - Selaginella*, 869f
 - sexually reproducing organisms, 402f
 - stem rust, 908f
 - viruses, 813f
 - Zygomycota, 904f
- life tables, 1040, 1041t
- ligaments, 661–2
- ligand-gated channels, 95, 149
- ligand-receptor complexes, 144–5
- ligands, 38–40, 144
- ligases, 60b
- ligation, 215, 272, 275
- light, as physical stimuli, 145–6
- light-dependent reactions of photosynthesis, 115, 117–19
- light energy, 115–16
 - harvesting, 114–16
- light-harvesting complexes, 117–18
 - model, 118f
- light-independent reactions of photosynthesis, 120–5
- light intensity, and stomatal opening, 366
- light microscopes, 74b
- light reception, 35
- lignification, 141
- lignin, 141, 328
 - digestion by fungi, 899
 - importance for terrestrial plants, 860
- ligotubers, 1009, 1010f
- ligulate florets, 1015
- lilly pillly, 1011
- limb formation, 435–6
- limb movements, 633
- limiting resource, 1036
- limpets, 950f, 951, 1067f, 1068
- linkage
 - on autosomes, 190–2
 - and recombination, 190–1
- linkage maps, 192f
- Linnaean system of classification, 724–5, 727, 729
- lipid bilayers, *see also* phospholipid bilayers
 - permeability, 94f
- lipid-soluble chemical signals, 144–5
- lipids, 455
 - β -oxidation of fatty acids from, 109–10, 109f
 - energy value, 63
 - functions, 32, 33t
 - glycolipids, 34
 - phospholipids, 34
 - polyisoprenoid, 34–5
 - simple, 32–4
- lipogenesis, 611
- lipoproteins, 36t
- Lissamphibia, 980
- lithophytes, 1015
- lithosphere, 739, 740
- liver flukes, 934
 - life cycle, 934f
- liverworts, 862, 868b
 - gametophytes, 863–4, 863f
 - sporophytes, 865–6, 866f
- living in groups, 678–9, 686–7
- lizards, 982, 983f
 - features, 982
 - thermoregulation, 699, 699f
- lobe-finned fishes, *see* fleshy finned fishes
- local cycles, 1086
- local nitrogen cycle, terrestrial ecosystem, 1091f
- local phosphorus cycle, 1093f
- locomotion, 644
 - annelids, 943–4
 - and force, 644
 - on land, 653–7
 - muscular, 644
 - non-muscular, 644
 - through air, 649–52
 - through water, 644–9
- locus, 181b, 190
- logistic growth model, 1036–7
- long-day plants, 393–4, 395b
- loop of Henle, 553
 - chloride pumping, 555, 555f, 556
- loose connective tissue, 137f
- lophophore, 953
- lorica, 827
- lorises, 988
- loss of structures, natural selection, 769–70, 770f
- low-carbohydrate diets, 477
- low temperatures, animals living at, 696
- Lucilia cuprina*
 - insecticide resistance, 767–8
 - linked genes, 190, 191f
- lungfishes, 978, 980
 - circulatory system, 511–12, 513f
 - embryonic forms similar to amphibians, 980
 - similarities to tetrapods, 978f, 980
- lungs, 493–9
 - amphibians, 493–4
 - birds, 498f, 499
 - mammals, 494–9
 - reptiles, 494
- luteinising hormone (LH), 605t, 609
- luteoviruses, 814b
- lyases, 59, 60b
- Lycophyta, 868
- lycophytes, 868–70
- Lycopodium*, 868–9
- lymph, 525
- lymph nodes, 579
 - structure, 579f, 580f
- lymphatic capillaries, 525
- lymphatic system, 525
- lymphatic vessels, 578
 - role, 579
- lymphocyte recirculation, 579f

- lymphocytes, 562b, 567f, 569
 - clonal selection, 569, 569f
 - and specificity, 569–71
- lymphoid organs, 562b
- lymphokines, 564b
- lysine, 37f
- lysosomes, 79, 82

- M phase (mitosis), 159, 160
 - Cdk–kinase complex regulation, 167
 - completion, 167
- M-phase-promoting factor (MPF), 167
- Macadamia*, 1012
- macroevolution, 756–7, 758–9
 - evolutionary trees, 758
 - speciation, 759
- macromolecules, 24
- macronucleus, 849
- macronutrients, 355
- macrophages, 565, 566, 573
- Macropus rufogriseus*, 68f
- Macrozamia*, 876f, 877, 1092
- mad cow disease, 819
- madreporite, 971
- magnetic reversals, 738b
- magnetotactic bacteria, 149
- magnolia theory, 884
- Magnoliophyta, 874, 881
- magnoliophytes, 881–9, *see also* flowering plants
- major histocompatibility complex (MHC)
 - molecules, 562b, 573, 576–7
 - interaction with TCR, 577f
 - restriction and specificity of TCR, 577t
 - structure, 577f
- malaria, 846, 847b
- male reproductive organs
 - animals, 410
 - plants, 301–2
- male reproductive system, human, 408b
- male satin bowerbirds, bower building
 - behaviour, 672
- male–male competition, 683
- males, competition between, 406–7, 680–1, 683
- mallee, 1070b
- mallee woodland, productivity and biomass
 - changes, 1085, 1085f
- Malpighian tubules, 548, 549f, 550, 551, 958
- Mammalia, 978, 981, 985
 - subclasses, 1019
- mammalian brains, 627–30
 - structural differences, 628f
 - structure, 627f
- mammalian ear, sound detection, 637f
- mammalian heart
 - circulation, 514f, 515
 - function, 516–19
- mammalian kidney, structure and urine
 - concentrating capacity, 557b
- mammals, 985, *see also* eutherian mammals; marsupial mammals; monotremes
 - adaptive radiation, 1019–24
 - breathing through the skin, 496–7b
 - Cenozoic era, 748
 - characteristics, 985
 - circulatory system, 511f, 514f, 515, 526f, 985
 - cleavage, 426
 - co-operative breeding, 687–8
 - countercurrent heat exchange, 522–3b
 - development, 406
 - diving, 704–5b
 - double circulation, 526f
 - fossils, 1020f
 - high altitude adaptation, 708
 - immune system, 586
 - jaws and teeth, 469–70
 - lungs, 494–9
 - Mesozoic era, 747–8, 985
 - Oligocene period, 988
 - thoracic cavity, 496f
 - torpor, 701–2
- mammary glands, 985
- mandibles, 959
- Mandibulata, 957
- mandibulate arthropods, 959–64
- mangroves, 342, 374, 1008
 - salinity gradients, 1068f, 1069
 - spread, New Zealand, 1035, 1035f
- manipulative experiments (behaviour), 675–6
- β -D-mannose, 29
- mantle, 912, 948
- mantle cavity, 948
- manubrium, 923, 926
- Marchantia*, 863f, 864, 866f
- marine animals
 - fertilisation, 418
 - ionic and osmotic balance, 540–1
 - urea-osmoconformers, 542b
- marine biodiversity, 1007b
- marine biogeographic regions, 749f
- marine bristle worms, 944–5
- marine chelicerates, 958
- marine ecosystems
 - food chain, 1078f
 - productivity, 1084–5
- marine environments, 1006–8
- marine fauna, 1007b
- marine flora, 1007b
- mark–release–recapture method, 1030b
- marsh plants, stems, 337
- Marsilea*, 872b
- marsupial mammals, 985, 986, 987, 1019, 1020–3
 - centres of diversity, 1020–1
 - cleavage, 429b
 - development, 406, 986
 - Eocene era, 1020
 - fossil record, 986, 1020–1
 - gliding, 650, 651f
 - Mesozoic era, 1021
 - orders, 1021–3
 - reproduction, 410–11b, 986
- marsupial moles, 1023
- marsupial wolf, *see* thylacine
- mass extinction, 746
- mass-flow transport, 359
 - of phloem sap, 368–9
- mass number, 14
- mass-specific food intake, 460–1
- mass-specific metabolic rates, 464
- mast cells, 565f, 573
- mate guarding, 684
- maternal-effect genes, 444
- mating behaviour, 684
- mating systems, and parental care, 685, 685t
- maturational effects, 673
- maxillae, 960, 961
- maxillary glands, 961
- maximum sustainable yield (MSY), 1041–2
- mayflies, phylogeny, 1017
- mechanical isolation, 772–3
- mechanical pain receptors, 637
- mechanical stimuli, 146–8
- mechanically good channels, 95
- mechanoreceptors, 144, 147, 636–7, 961
- median eminence, 601, 602
- medulla, 629
- medusa, 923
 - hydras, 928
 - structure, 923f
- megafauna, 1022b
- megagametophytes, 870, 874, 877, 886
- megakaryocytes, 531
- megaphylls, 871
- megasporangia, 860, 874
- megaspores, 860–1, 874
- megasporocyte, 306
- meiosis, 167–71
 - animal cells, 168f
 - comparison with mitosis, 169f
 - divisions, 168–71
 - genetic consequences, 171
- meiosis I, 169–71
 - anaphase I, 171
 - metaphase I, 170–1
 - prophase I, 168–70
 - S phase, 168
- meiosis II, 171
- meiotic division, germ cells, 413–15
- Melaleuca*, 1011
- melanophore stimulating hormone (MSH), 605t
- melatonin, 602–3
- membrane carbohydrates, 69
- membrane lipids, 69, 71f
- membrane potential, 98
- membrane proteins, 36t, 69–70
- membrane transporters, 94–7
- membranes (eukaryotic cells), 69–70, *see also* endomembrane system; plasma membranes
 - asymmetry, 69, 72f
 - diffusion, 93
 - fluidity, 69
 - lipid bilayer, 69, 71f

- movement via transport vesicles, 79
- osmosis, 98–100
- permeability, 69–70, 149
- transport of large molecules across, 101–2
- voltage differences, 98
- memnospores, 901
- memory cells, 572
- Mendel, Gregor, 177, 177f, 184
 - Principle of Independent Assortment, 184, 190
 - Principle of Segregation, 180, 190
- Mendelian genetics, 178–81
 - backcrosses and testcrosses, 184
 - dihybrid cross, 183–4
 - in humans, 184
 - Mendel's experiments, 178
 - monohybrid cross, 178–80
- menstrual cycle, hormonal changes, 608f
- meristematic cells, 142, 142f, 312
- meroblastic cleavage, 981
- merozoites, 847
- mesocarp, 888
- mesoderm, 430
- mesoderm induction, amphibia, 440, 440f
- mesoglea, 924
- mesohyl, 922
- mesophiles, 900
- mesophyll (leaves), 348
- mesophyll cells, 368, 369
- mesophytes, 1010
- Mesozoic era, 736, 737f, 741
- Mesozoic life, 746–8, 985, 1021
- messenger RNA (mRNA), 44, 72, 76, 80, 221b, 223, 225, 825
 - conversion to complementary DNA, 250, 258b
 - in protein synthesis, 230
- messenger RNA (mRNA) transcripts, stability, 237
- metabolic depression in animals, 700, 701t
 - hypothermia and concept of torpor, 700–1
- metabolic pathways, 49
- metabolic rate, and body mass, 460–1
- metabolism, 49, 58
- metabolically, 850
- metacercaria, 934
- metalloproteins, 36t
- metameric segmentation, 942
- metamorphosis, 962
 - complete, 964
 - incomplete, 964
 - and insect diversity, 962–4
- metanephridia, 548, 549f, 550
- metaphase, 161, 163
- metaphase I, 170–1
- metaphase plate, 163
- metaphytes, 743
- metarterioles, 521
- Metatheria, 985, 986, 1019, 1020–3
- metaxylem, 332, 339
- Metazoa, 919
- methane
 - biospheric production, 798
 - molecular structure, 17
- methanogenic bacteria, 793, 798–9
- methionine, 37f
- micelles, 34
- Micrasterias*, 115f
- microbes, relative size, 783
- microbial fermentation, 473
 - foregut, 473–5
 - hindgut, 475–6
- microbial symbionts, 473
- microbodies, 82
- microcirculation, 521, 521f
- microevolution, 756, 758
- microevolutionary change, 763–4
- microfilaments, 83–4, 432, 432f
- microgametophytes, 870, 875, 877, 885–6
- Microhylidae, 1018
- micronucleus, 849
- micronutrients, 355
- microphylls, 868
- microRNA, control of gene expression, 244, 244f
- microsatellites, 284
- microscopes, 2, 74–5b, 783, 808
- microsporangia, 860, 879
- microspores, 302, 860, 885
- microsporocytes, 302
- microtubule-associated proteins (MAPs), 85
- microtubule nucleating sites (MTNSs), 85
- microtubules, 84–5f, 85–6, 163
- mid-ocean ridges, 740
- midbody, 164
- middle lamella, 141, 326–7
- migration, effect on genetic structure of populations, 763–4
- migratory birds, and global warming, 709–10
- millipedes, 942f, 956, 959
- mimicry, 677–8, 678f, 887–8, 887f, 1052, 1059–60
 - Batesian, 1059
- Mimosa pigra*, 1110b
- Mimosa pudica*
 - rapid plant movements, 100b
 - response to touch, 146
- Mimosaceae, 1013–14
- mineral deficiencies, 374, 457t
- mineral elements, 457–8
 - essential for plant growth, 355–7, 355t
 - functions in plants, 356
 - sources and actions, 457t
- mineralocorticoids, 607
- minimum viable population size (MVP), 1043
- Minmi paravertebra*, 4f
- Miocene epoch, 748, 1002
- miracidium, 934, 935
- miropyle, 304
- missense mutations, 227
- mites, 1078
- mitochondria, 79–80, 80f
 - ATP synthase complex, 112, 113b
 - origins, 825–6
 - utilisation of oxygen, 484
- mitochondrial DNA, 80
 - phylogeny, 721–3
- mitochondrial genomes, 250, 250f
- mitochondrial membrane, 80
- mitogens, 612
- mitosis, 158, 159, 160, 161–5
 - animal cells, 161–4
 - comparison with meiosis, 169f
 - drugs that block, 166b
 - fungi, 899
 - plant cells, 164–6, 165f
 - stages, 161, 161f, 162f
- mitotic divisions, germ cells, 413
- mitotic spindle, 160, 160f, 161–2
- mitral valve, 517
- Mixotricha*, 831
- mobbing, 678
- mode of selection, 766–7
- modification of structures, natural selection, 769–70
- mole, definition, 22b
- molecular biology, development, 807
- molecular cloning, 600
- molecular evolution, 777–8
- molecular hydrogen, 16f
- molecular oxygen, 16f
- molecules
 - covalent bonds, 16–17
 - non-covalent bonds, 17–18
 - through chemical bonding of atoms, 15
- Mollusca, 941, 942, 947–54
- molluscs, 942
 - ancestral, 948
 - body plan, 947–8
 - general structure, 948, 948f
 - jet propulsion, 646–7, 647f
 - Mesozoic era, 748
 - pedal waves, 654
 - phylogeny, 947f
- monarch butterflies, accumulation of cardiac glycosides, 1058, 1059f
- Monera, 730, 786
- monkeys, 988, 988f
- monocarpic senescence, 396
- monocistronic codes, 227
- monocistronic genes, 244
- monocotyledons, 882
 - characteristics, 882f
 - embryogenesis, 311b
 - monosulcate pollen, 886
 - seed and fruit development, 312
 - seed structure, germination and development, 313b
 - vascular bundles, 333–4
- monocytes, 564, 565f, 573

- monoecious species, 309, 932
- monogamy, 685
- Monogenea, 933
- monogeneans, 933
- monohybrid cross, 178–80, 181b
- monophyletic taxa, 725–6, 725f
- monosaccharides
- function and occurrence, 24t
 - solubility, 26
 - structure, 26
- monosulcate pollen, 886
- monosynaptic reflexes, 632
- Monotremata, 985
- monotremes, 985–6, 1019
- development, 406
 - fossil, 985
 - reproduction and development, 986
- Montreal Protocol, 1114
- morphogenesis, 424
- cytoskeleton and cell shape, 432
 - mechanisms during gastrulation, 431
- morphogens, *Drosophila*, 446–7
- morphological species' concept, 770
- mosaic development, 438
- mosquitos
- and malaria transmission, 847b, 964
 - mouthparts, 467
- mosses, 862
- gametophytes, 862, 863f, 864, 864f, 865
 - leaf structure, 864–5, 865f
 - life cycle, 862f
 - Mesozoic era, 748
 - sporophytes, 865, 866
- moths
- distribution, 999f
 - neurobiology, 638b
- motor control systems, 632
- motor neurons, 618–19
- motor unit, 668
- moulds, 904
- moulting (insects), hormonal control, 598f, 599–600
- mountain ash, 881, 881f
- mountain sickness, 706
- mouse, cleavage, 427f
- mouthparts, arthropods, 467–8, 961, 962f
- movement, *see also* animal movement
- muscular, 644
 - nervous system control, 632–4
- mucopolysaccharidosis, 184
- mulga rangelands, productivity changes, 1085–6
- multicellular organisms, 68, 842
- origins, 919
- multiflagellated sperm, 877
- multiple alleles, 762
- multiple fruits, 889
- Mungo Man, 992b, 1004
- Muridae, 1023
- Murray–Darling basin, dryland salinity, 1113, 1113f
- Murray River
- environmental degradation, 1110
 - salinity levels, 1112
 - as series of aquatic ecosystems, 1077
- Murray Valley encephalitis flavivirus (MVEV), 817b
- muscle fibres, 663–4
- contraction, 665–7
- muscle receptors, 635f
- muscle tissue, 138, 138f, 662–8
- structure, 663–5
- muscles, nervous system control, 632–4
- muscular gut wall, coelomates, 466–7
- muscular locomotion, 644
- aquatic animals, 646–9
- muscular movement, 644
- mushrooms, 897, 906
- cultivated, 913
- mutagenesis, site-directed, 282, 283f
- mutagens
- environmental, 259–60
 - using, 260
- mutant alleles, identifying lesions in, 284
- mutation rate, and cancer, 264
- mutations
- advantageous, 760–1
 - disadvantageous, 760
 - in dominant oncogenes, 261–2, 262f
 - effect on genetic structure of populations, 763
 - effect of, 760
 - and genetic variation, 760–1
 - as means of identifying developmental pattern genes, 444
 - neutral, 760
 - point, 259
 - reading frames, 227
 - as source of genetic variation, 258–9
 - spontaneous, 259
 - that change pattern of body structures, 444
 - types of, 760f
- mutualism, 678, 1052, 1053–4
- fungal, 895, 902, 909–12
- Mycelia Sterilia, 901
- mycelium, 895, 896
- mycolaminarin, 31
- Mycophycota, 894, 909
- Mycoplasma genitalium*, genome size, 248
- mycorrhizae, 344, 344f, 356b, 904, 911–12, 1053
- role in phosphorus cycling, 1093–4
- mycotoxins, 912f
- myelin, 621–2
- myelin sheath, 139
- myobatrachids, 1017, 1018
- myocardium, 518
- myofibrils, 663
- myogenic heartbeat, 518
- myoglobin, structure, 39f
- myoplasm, 438
- myosin, 138, 663, 666
- myotomes, 975
- myotonic dystrophy, 184
- Myriapoda, 956, 959
- myriapods, 959
- Myrmecodia*, 1054, 1054f
- myrmecotrophy, 1054
- Myrtaceae, 1011–12
- characteristics, 1011
 - distribution, 1011f
- myrtle beech, distribution, 1032f
- myxoedema, 606
- myxomatosis of rabbits, 807, 807f
- myxomycetes, 830
- N-terminal signal sequence, 233
- NAD⁺/NADH, 61, 62, 108, 109, 111
- NAD (nicotinamide adenine dinucleotide), 63
- NADP⁺/NADPH, 118–19, 120
- naked mole-rat, 687–8
- nanofibrils, 42
- nasal receptors, 635f
- nasal region, primates, 988, 989, 989f
- national parks and reserves
- Australia, 1101b, 1117
 - patch-burning, 1118
- National Strategy for Ecologically Sustainable Development (NSESD), 1119
- objectives, 1119
- Native Flora and Fauna Conservation Act 1987* (Vic), 1117
- native mammals, impact of foxes on, 7–8b
- natural communities, managed for conservation, 1117
- natural disturbance
- affect on communities, 1064
 - promoting diversity, 1065–6
- natural killer (NK) cells, 564, 565f, 566, 573, 582
- natural resources, bioeconomics, 1041–2
- natural selection, 4, 672, 756, 757–8
- adaptive evolution and divergence in kangaroos, 768–9
 - effect on genetic structure of populations, 764–7
 - examples, 767–8
 - fitness, 765–6
 - mode of selection, 766–7
 - modification or loss of structures, 769–70
 - relative fitness, 766
- natural variation, 757
- nauplius larva, 960f, 961
- nautiloids, 743, 953
- Nautilus*, 2f, 952, 952f
- head, 953
 - neutral buoyancy, 645, 645f, 952
 - simple eye, 634, 636f
- Neanderthals, 993
- negative buoyancy, 644
- negative density-dependent population growth, 1036
- based on idea of a limiting resource, 1036

- negative feedback control, 597
 negative regulation (transcription), 237
 Nematoda, 941, 954–5
 nematodes, 466, 954–5
 affecting humans, 955
 fixed number of mitotic divisions, 955
 nervous system, 954–5
 structure, 954f, 955f
 Nemertea, 936–7, 937f
 nemerteans, 466, 936–7
 characteristics, 936
 nervous system, 936
 nematocysts, 923–4, 926b, 930
 neo-Darwinian theory of evolution, 758
 Neogene period, 737f, 748
 Neotropical region, 749
 nephridia, 548, 944, 950
 nephrons, 552
 function, 553f
 mammals, 555
 structure, 553f
 Neptune's necklace, 841–3
 regeneration, 1067, 1067f
 reproductive structures, 842f, 843
 nerve cells, 138
 nerve growth factor, 612
 nervous systems, 615
 arthropods, 627, 957
 cell types, 616t
 cephalopods, 953
 controlling muscles and movements, 632–4
 crustaceans, 961
 evolution, 626–30
 flatworms, 932
 functional divisions, 632–40
 invertebrates, 626–7
 monitoring the external world, 635–9
 nematodes, 954–5
 nemerteans, 936
 vertebrates, 627–30
 nervous tissue, 138–9
 net primary productivity, 1082b, 1084
 world ecosystems, 1084f
 neural circuits
 and behaviour, 631
 and light reflex, mammals, 631, 631f
 neural crest cells, 433, 977
 epithelial to mesenchymal transition, 433–4
 mechanism of migration, 435
 neural folds, 433
 neural groove, 433
 neural stem cells, 436
 neural tube, 433
 development, 442
 neuraminidase, 816b
 neuroendocrine cascade, 600
 neuroendocrine control system, 597f
 neurogenic heartbeat, 518
 neurohaemal organs, 596, 600–4, 601f
 neurohypophysis, 601
 neuron membrane potential, physico-chemical
 basis, 618–19b
 neuronal action potentials, 620f, 621, 667–8
 conduction, 621–2
 neuronal control, blood pressure, 528, 528f
 neuronal membranes
 active responses, 619–21
 passive electrical properties, 617b
 neurons, 138, 616–25, 616t
 and glial cells, 139
 integration of information, 624
 structure, 616f
 transference of information as electrical
 signals, 619
 transmission of electrical information to
 other cells, 622
 types of, 617–19
 neurosecretions, 593, 596, 597f
Neurospora crassa, single gene mutations, 220
 neurotoxins, 625b
 neurotransmitters, 145, 623f, 624b
 function, 622–3
 neurula, 433
 neurulation, 433
 neutral buoyancy, 644, 645f
 neutral mutations, 760
 neutrons, 14
 neutrophils, 573
 New World monkeys, 988
 New Zealand fauna, 982, 983f, 1016–17, 1018
 niacin, 63f
 niche,
 ecological, 1061–3
 breadth, 1062
 overlap, 1062–3
 space, 1062, 1062f
 nicotinamide adenine dinucleotide, *see* NAD
 nitric oxide, 624b
 nitrifying bacteria, 797, 1092
Nitrobacter, 797
 nitrogen
 in organisms, 13
 and tree dieback, 1094–5b
 use by fungi, 900
 nitrogen atom, 15f
 nitrogen cycle, 1091–2
 bacteria role, 796–7, 797b
 microorganisms role, 1091–2
 nitrogen fixation, 357, 1091–2
 nitrogen-fixing bacteria, 343, 357, 797, 1091–2
 nitrogen metabolism, 545
 nitrogen mineralisation, 1092
 nitrogenase, 796
 nitrogenous bases, 24, 43, 58
 nitrogenous waste excretion
 evolutionary pathway, 546f
 phylogenetic and environmental patterns,
 546–7
 nitrogenous wastes, 545–7
 metabolic pathways for formation, 545f
Nitrosomonas, 797
Noctiluca, 844, 846
 nodes, 332
 Nodes of Ranvier, 622
 non-allelic genes, 196
 non-associative learning, 674
 non-cellulosic polysaccharides, 140, 141b
 non-coding DNA, 252
 non-covalent bonds, 17–18
 hydrogen bonds, 18
 ionic bonds, 17
 van der Waals forces, 17–18
 non-cyclic photophosphorylation, 118
 non-essential genes, 256
 non-insulin dependent diabetes mellitus
 (type II), 611
 non-muscular locomotion, 644
 aquatic animals, 645–6
 non-neural endocrine glands, 604–12
 origins, 604f
 non-neural hormonal secretion, 596–7
 non-polar regions, 34
 non-vascular plants, 862–6
 nonsense mutations, 227
 noradrenaline, 529, 531
 Northern blot, 274f
 nose, 988
 nose pad, primates, 988, 989f
 nostrils, 988
Nothofagus, 1001f
 distribution, 999, 999f, 1000
Nothofagus cunninghamii, distribution, 1032f
 notochord, 429, 442, 973
 Notoryctemorphia, 1023
 nuclear division, 159
 nuclear envelope, 70, 160
 extension of, 824–5
 nuclear fusion, 416, 898
 nuclear genomes, 250, 250f
 nuclear pores, 70–2, 73f
 nucleic acids, 43–4
 nucleoid, 211, 211f
 nucleolus, 70, 72, 73f, 224
 nucleomorph, 837
 nucleoproteins, 36t
 nucleosome core particle, 206
 nucleosomes, 72, 73f, 206, 206f
 and eukaryotic gene regulation, 244
 nucleotide sequence analysis, 280f, 281
 nucleotides, 208
 attachment to the chain by DNA
 polymerases, 213
 in DNA, 208, 210
 structure, 43, 43f
 nucleus (eukaryotic cells), 69, 70–3
 chromosomes, 72
 DNA in, 70, 72
 nucleolus, 72
 origins, 824
 RNA in, 70
 structure, 70–2, 70f, 71f, 73f

- nudibranchs, 947, 951, 951f
- Nullarbor Plain, 1006
- numbats, 766b, 1023
- numbers, ecological pyramids, 1080–1, 1080f
- nummulites, 852f
- nuptial gift, 684
- nutrient absorption from gut lumen, 464
- nutrient composition
- animal tissues, 459
 - plant tissues, 458–9
- nutrient cycling, 357f
- nutrient deficiencies, 374
- nutrient requirements, animals, 455–8, 460–1
- nutrient transport, plants, 358
- nutrient uptake, and root adaptations, 343–4
- nutrition
- animal, 455–76
 - plant, 355–9
- nymphs, 962
- Obelia*, life cycle, 928, 928f
- obesity, 476, 477–8
- obligate symbiont, 902
- observations, 5
- occluding junctions, 131f, 132, 132f
- oceanic ridges, 739
- ocelli, 947
- octopuses, 947, 952–4, 952f
- brain functions, 630
 - jet propulsion, 952
- oedema, 525
- oestrogens, 608–9, 610
- oil glands, leaves, 348
- Okazaki fragments, 214, 215
- Old World monkeys, 988
- oleic acid, 32f
- Oligocene period, 988, 1000, 1002
- Oligochaeta, 946
- oligochaetes, 946, *see also* earthworms
- cutaneous exchange, 468
- omnivores, 960, 986, 1077
- onchosphere, 936
- oncogenes, 261–2
- one gene–many proteins, 224b
- one gene–one enzyme hypothesis, 220
- one gene–one polypeptide hypothesis, 220, 224b
- one-way digestive tract, 466
- onychophorans, 956b
- oocytes, 413, 414–15, 414b
- maturation, 416
- oogenesis, 411, 414b
- oogonia, 413, 843, 844
- oomycetes, 843–4
- open circulatory systems, 510, 510f
- open forests, 1069b, 1071b
- open populations, 1033
- open reading frames, 221b, 227
- operator, 221b
- operculum, 866
- operons, 221b, 238, *see also lac* operon; *trp* operon
- Ophiuroidea, 969, 972
- opportunist strategies, 1063–4
- Opuntia*, 125, 371, 1016, 1057
- oral arms (jellyfish), 927f
- oral disc, 930
- orang-utans, 988–9, 988f
- orbitals, 14–15
- orchid mycorrhizae, 911
- Orchidaceae, 1015–16
- orchids, 1015–16
- aerial roots, 342–3
 - epiphytic, 342–3, 1015
 - flower structure, 1015, 1015f
 - pollination through mimicry, 887–8, 887f, 1052
 - terrestrial, 1016
- orders, 725
- Ordovician period, 737f, 743, 745b
- organelle genomes, 250
- organelles, 69
- organic molecules, 23–4
- organiser, 440
- organisms
- elemental composition, 13
 - structure, 3
- organogenesis
- animals, 433–6
 - flowering plants, 314–15
- origin (DNA replication), 210b, 212
- orphan receptors, 600
- orthologous genes, 777–8
- Orthoptera, 963f
- oscula, 923
- osmoconcentration of urine, 548, 551
- kidneys, 554–6
- osmoconformers, 540, 542b
- osmodilution of urine, 551
- kidneys, 554–6
- osmoregulation, 540–5
- osmosis, 98–100, 539
- and cells, 99–100
 - working with ion channels, 100b
- osmotic adjustment, 361
- osmotic and ionic balance, 540–5
- osmotic potential, 98, 360, 361
- ossicles, 969
- Ostariophysans, 979b
- Osteoglossidae, 999, 999f
- osteoporosis, 610
- ostracoderms, 743, 976
- ovaries (animals), hormone production, 608–9
- ovaries (plants), 301, 302, 410, 883
- inferior, 883f
 - superior, 883f
- over-exploitation of natural resources, 1041–2
- oviparity, 932
- oviviparity, 932
- ovulation, 409b, 414
- ovule development, 304–6
- ovules, 302, 874–5, 886
- ovuliferous scales, 880
- ovum, 414b
- oxidation, 61, 61f
- β -oxidation, 107, 109–10
- oxidation reactions, 63
- oxidation–reduction potential, 61, 62t
- oxidation–reduction reactions, 61–2
- standard reduction potentials, 61, 62t
- oxidative phosphorylation, 111f
- oxidative respiration, 109
- oxidoreductases, 59, 60b
- oxygen
- adaptations to low levels of, 704–6
 - in organisms, 13
- oxygen affinity, 503–4
- oxygen atom, 15f
- oxygen-carrying capacity, 502, 503
- oxygen diffusion, 484
- oxygen equilibrium curve, 503, 503f, 504f
- oxygen molecule, 16f
- oxygen stress
- environmental, 702–8
 - and temperature, 708–9
- oxygen transport, 502–3
- oxygenic bacteria, 119, 785
- oxygenic photosynthesis, 785
- Oxylobium*, 7
- oxytocin, 602
- ozone ‘hole’, 1114
- ozone layer, 1113–14
- pacemaker, 518
- pachyman, 31
- pain, and nervous system function, 637–9
- pain receptors, 637
- pair-rule genes, 449
- paired mouthparts, 467
- Palaeozoic era, 736, 737f, 740, 741
- Palaeozoic life, 743–6
- Australia, 745b
 - marine organisms, 743–4
 - terrestrial organisms, 744–6
- Paleogene period, 737f, 748, 1001b
- Paleotropical region, 749
- palisade mesophyll, 348, 350
- palms, growth, 341b
- pancreas, 610
- pancreozymin, 612
- Pangaea, 740f, 741, 1000
- paperbarks, 1011
- papillae, 302
- parabasalids, 831
- parabronchi, 498f, 499
- paracrine hormones, 594, 594f, 611b
- paradise parrot, 1102f
- parallel evolution, 719
- paralogous genes, 778
- paralytic shellfish poisoning, 846

- Paramecium*, 87f, 465f, 626
 sexual reproduction, 848f
- paramylon, 31, 850
- Paranthropus*, 992
- paraphyletic group, 725f, 726, 726f
- paraphyses, 865
- parapodia, 944
- parasites, 933, 1054–5
- parasitic flagellates, 831, 850–1
- parasitic fungi, 895, 898, 900
- parasitic infections, immune mechanisms, 254, 255b, 585
- parasitism, 1052, 1054–5
- parasitoids, 1055
- parasympathetic nervous system, 639f, 640
 blood flow control, 528
- parathyroid glands, 609–10
 location, 609f
- parathyroid hormone, 609, 610
- paratric speciation, 775
- Parazoa, 920
- parenchyma cells, 327b, 329, 329b, 348
- parental care, 408–10, 685–6
 and mating systems, 685, 685t
- parthenogenesis, 402, 775–7, 961
- partial pressure, 483
- partial pressure gradients, via ventilation and convection, 486–7, 487f
- passeriformes, 984f, 985
- Pasteur, Louis, 6b
- patch clamping, 96b
- patched* gene, 256, 257f
- paternity determination, 285
- pathogen-associated molecular patterns (PAMPs), 564, 580
- pathogens, 561
 and immunity to infection, 581–4
- pattern formation, 443
- Pavlov's conditioning experiments, 674–5
- pea family, 1014
- pea flowers, structure, 1014f
- pea plants
 dihybrid cross, 183–4
 monohybrid cross, 178–81
 traits, 178f
- peat moss, leaf cells, 864f, 865
- pectins, 29, 140, 141b
- pedal waves, 654
- pedicellariae, 972
- pedigrees, 184, 185f, 189f
- pelagic realm, 750–1
- pellicle, 850
- penetrance, genes, 195–6
- penguins
 breeding, Heard Island, 1035f
 responses to global warming, 709
 underwater motion, 647
- penis, 418, 419, 987
 bifurcate, 986
- penis worms, distribution, 750, 751f
- pennate diatoms, 840
- pentose monosaccharides, 43
- pepsinogen, 462
- peptidases, 60
- peptide bonds, 37–8
- peptide formation, 25b
- peptides, 624b
- peptidyl-tRNA, 232
- Peramelemorphia, 1021, 1023
- Percomorpha, 979b
- perfusion, 486
- pericarp, 312, 888
- pericycle, 339–40
- periderm, 335, 335f
- peridin, 844
- perimysium, 664
- Periodic Table, 13f
- peripheral chemoreceptors, 506
- peripheral nerves, 640
- peripheral nervous system, 627
- peristalsis, 466, 653–4
- peristaltic locomotion, 944
- peristome, 866
- peristomium, 943
- permeability
 membranes, 69–70
 plasma membrane, 92
- Permian extinction, 736, 746
- Permian period, 737f, 740f, 745–6, 1001b
- peroxisomes, 82
- petals, 300–1, 883
- petiole, 345, 368
- Petrogale*, 7f
 allopatric speciation, 774
 chromosomal rearrangement, 775
- pH, 22–3
 enzyme activity effects, 56–7
- pH scale, 22–3, 22f
- phaeophytes, 840–3
- phages, *see* bacteriophages
- phagocytic cells, 562b, 564, 566, 567f, 573, 581, 586
- phagocytosis, 101, 465, 573, 581f
- pharmaceutical products, biotechnology use, 289–90
- pharyngeal slits, 973, 974, 975
- phase contrast microscopy, 74
- Phasmdia, 963f
- phellogen, 335
- phenotypes, 179, 181b
 and environment, 194–5
 and genomes, 246
 through recombination, 193–4
- phenotypic frequency, 761
- phenotypic plasticity, 694
- phenotypic ratio, 179–80, 183–4
- phenylalanine, 37f, 194–5
- phenylketonuria, 194
- pheromones, 594f, 595, 681, 689, 888
- phloem, 143, 331f, 332, 860, 868, *see also*
 secondary phloem
 assimilate transport, 366–7
 sieve elements, 883f
 substances transported, 367–8
- phloem sap, 368
 mass-flow transport, 368–9
- phloem transport, rate of, 369
- phosphate function, 23t
- phosphoenolpyruvate (PEP) carboxylase, 122, 123f
- phosphocreatine, 59
- phosphodiesterase, 153b
- phosphoglyceric acid, 120
- phospholipid bilayers, 34, 35f, 69
- phospholipids, 24, 34
 structure, 34f
- phosphorus, 13
- phosphorus cycle, 1093–5
- phosphoryl group, 23t
- phosphorylation, 58
- phospholipase C, 150
- photoautotrophs, 794f, 795, 796
- photodormancy, 389
- photoheterotrophs, 795b, 796
- photons, 115
- photoperiod, detection of, 395
- photoperiodism, and control of flowering, 393–5
- photoreceptors, 35, 144
 animal, 146, 602, 631
 plant, 145
- photorespiration, 122
- photosynthesis, 107f, 114–16
 C₃ pathway, 122, 124
 C₄ pathway, 122–4
 chemical processes in eukaryotes, 114
 crassulacean acid metabolism (CAM), 124–5, 373
 light-dependent reactions, 115, 117–19
 light-independent reactions, 120–5
 photosystems I and II, 117–19
 reaction overview, 114f
 and water stress, 373
- photosynthetic bacteria, 789–90
 early, 785
- photosynthetic prokaryotes, 119
- photosystem I, 115, 117–19
- photosystem II, 115, 117–19
 in cyanobacteria, 119
- phototrophs, 795
- phototropism, and auxins, 380–1
- Phragmites australis*, 1016
- phragmoplast, 164, 836, 858
- phycobilins, 789, 834
- phycocyanin, 835
- phycoerythrin, 835
- phycoplast, 836, 858
- phyla, 725
- phyllodes, 345, 348, 1013, 1014

- phyllotaxy, 345
- phylogenetic trees, 715, 721, 758
 - animal phyla, 920, 920f
 - cladistic analysis, 715–16
- phylogeny, 4, 714–24, 758, *see also* evolutionary relationships
 - amniotes, 981–2, 981f
 - arthropods, 956
 - deuterostomes, 969f
 - eucalypts, 1012b
 - eutherian mammals, 987f
 - fungi, 894
 - hominids, 990f
 - kangaroos, 768f
 - mayflies, 1017
 - molluscs, 947f
 - pinnipeds, 722b
 - primates, 989f
 - teleost fishes, 979b
 - terrestrial plants, 861f
 - use in classification, 724–9
- physical digestion, 461
- physical stimuli, 145–9
 - electric and magnetic fields, 148–9
 - light, 145–6
 - mechanical, 146–8
- phytochrome, 145, 395
- Phytophthora cinnamomi*, 73f, 843b, 1094f, 1106
- Phytophthora infestans*, 844
- phytoplankton fossils, 743
- pigface, 350, 1010
- pigments, light absorption, 116
- pilchards, distribution, 750, 751f
- pinacocytes, 922
- pinacoderm, 922
- pineal gland, 601, 602–3
- pineal–parapineal complex, arrangement, 603f
- pinealocytes, 602
- pineapple, 889, 889f
- pink cockatoos, 674
- pinnae, 872
- pinnipeds, phylogeny, 722b
- pinnules, 872
- pinocytosis, 101, 522
- Pinus*, 878b
- pinworms, 955
- pit connections, 835
- pitcher plant, 1055f
- pith, 332, 333
- pituitary gland, 601
- placenta, 406, 409b, 987
- placental mammals, *see* eutherian mammals
- placoderms, 744, 977
- planarian, gastrovascular cavity, 467f
- plant alkaloids, 724, 726b, 914, 1057
- plant cell wall polysaccharides, 141b
- plant cell walls, 139–40, 140f, 326–8
 - components, 141b
 - development, 140–1, 140f
 - digestion by herbivores, 471–6
 - middle lamella, 326–7
 - primary wall, 327–8
 - secondary cell walls, 328
 - structure, 140
- plant cells
 - cytokinesis, 164, 165f
 - mitosis, 164–6, 165f
 - osmosis, 99f
 - osmotic adjustment, 361
 - structure, 71f
 - use of turgor, 100
 - water potential, 360
 - water uptake, 360–1
- plant communities
 - classified on the basis of structure, 1050f
 - structural diversity, 1049–50
- plant cuticle, *see* cuticle
- plant defence mechanisms, 1057–8
- plant diseases, fungal causes, 914, 915
- plant hormones
 - abscisic acid, 386, 388–90
 - auxins, 319, 380–4
 - brassinosteroids, 392
 - cytokinins, 319, 386–8
 - ethylene, 390–2
 - gibberellins, 312, 380, 384–6
 - and growth responses, 379–96
- plant immunity, evolution, 587
- plant neurotoxins, 625b
- plant nutrition, 355–8
 - essential minerals, 355–7
 - nutrient transport, 358
- plant photoreceptors, 145
- plant populations, self-thinning and the law of constant yields, 1038b
- plant tissue systems, 142–3, 328–32
 - dermal tissue, 328
 - ground tissue, 328–30
 - vascular tissue, 330–2
- plant viruses, 814b
 - spread, 814
- Plantae, 730, 856
- plants, 856–89
 - adaptations to living on land, 859–61
 - adaptations to stress, 369–75
 - alternation of generations, 299, 860
 - asexual reproduction, 315–19
 - and biotechnology, 320–1
 - defence mechanisms against predators, 1057–8
 - disease resistance, 290
 - evolution, 857–9
 - fossil, 744–5, 746, 748
 - gametes, 298, 299–300
 - genetic engineering, 320–1
 - leaf structure, 345–50
 - life cycles, 299, 299f, 300
 - non-vascular, 862–6
 - nutrient composition, 458–9
 - organogenesis, 314–15
 - pollination, 308–11
 - reproduction without fertilisation, 307–8
 - seed formation, 311–14
 - sexual reproduction, 298, 300–10
 - stem structure, 332–7
 - structure, 325–50, 332b
 - tissue culture, 320
 - translocation of assimilates, 366–9
 - transpiration, 361–2, 363f
 - transport mechanisms, 358–66
 - water transport, 359–66
- planula larva, 927
- plaque, 275
- plasma, 531
- plasma cells, 565f, 566, 572, 580
- plasma membrane, 69
 - importance, 92
 - permeability, 92, 540
 - structure, 71–2f
- plasmid vectors, 273, 289
 - structure, 275f
- plasmids, 273
 - gene transfer, 800, 801f
 - importance to bacterial populations, 802
- plasmodesmata, 141–2, 141f
- Plasmodium*, 830, 837, 846, 847b, 964
 - life cycle, 847f
- plasmogamy, 898
- plastids, 80–2, 81f
 - origins, 825–6
 - in protists, 833–44
- plastron, 982
- plate tectonics, 739, 739f
 - explains continental drift, 739–40
- platelets, 531, 532, 533
- Platyhelminthes, 931–2
 - cestodes, 935–6
 - flatworms, 931–2
 - monogeneans, 933
 - trematodes, 933–5
 - turbellarians, 932–3
- platyhelminths, 918, 931–2
 - excretory system, 932, 932f
 - nervous system, 626, 932
 - structure, 931, 931f
- platypus, 985, 1020
- platyrrhines, 988
- pleiotropy, 181
- Pleistocene epoch, 748
- plesiomorphic characters, 715
- plesiosaurs, 747
 - rowing motion, 647
- Plectrache*, 1008, 1009f, 1070b
- pleural cavity, 497, 497f
- Pliocene epoch, 748
- pluripotent stem cells, 436
- pneumatophores, 342, 342f
- Podocarpaceae, 878b, 1001b
- Podocarpus*, 878b, 879, 880f, 1001b

- point mutations, 259
- poisonous animals, 625b, 950f, 953, 958, 959, 982
- poisonous fungi, 912b, 913–14
- polar bodies, 171, 414f
- polar nuclei, 306, 886
- polar regions, 19, 34
- polar transport, 382
- pole cells, 444
- pollen, 302, 875
- pollen development, 301f
- pollen grains, 301, 302
size, 302
- pollen sacs, 301, 885
- pollen transport of male gametes, 875
- pollen tubes, 302, 304, 307, 884
- pollination, 308–10, 886–8
agents, 886
animals, 886–8, 886f
attracting pollinators, 887
by deceit, 887–8
cross-pollination, 308–9
self-incompatibility, 309–10
self-pollination, 310
stigma and style recognise pollen, 308
wind-pollination, 886, 886f
- pollinators, attracting, 887
- polyadenylation, 225, 225f
- polyandry, 685
- Polychaeta, 944–5
- polychaetes, 945
feeding, gas exchange and reproduction, 945
structure, 944, 945f
- polycistronic codes, 227
- polycistronic mRNAs, 238
- polycistronic transcription units, 224
- polydactyly, 184
- polygenic characters, 198
- polygyny, 685
- polyisoprenoid lipids, 34–5
structure, 35f
- polymerase chain reaction (PCR), 274f, 279, 279f, 762
- polymodal pain receptors, 637
- polymorphic locus, 761
- polymorphisms, 761
DNA sequences, 762
- polymorphonuclear granulocytes, 573
- polymorphs, 564, 565b, 566
- polypeptide chains, 25b, 38, 230
- polypeptide growth factors, 612
- polypeptide synthesis, 230
elongation, 230–2
initiation, 230
targeting and processing during, 232–3
termination, 232
translocation reaction, 232
- polyphyletic group, 725f, 726
- Polyplacophora, 947, 948–9
- polyploidy, 774
- polyproteins, 814
- polyprotodont marsupials, 1021
- polyps, 923, 928
structure, 923f
- polysaccharides, 27
storage, 24t, 30–1
structural, 24t, 27–9
- polysomes, 76
- Polystoma*, 933
- polyviruses, 814b
- pomes, 888, 888f
- Pongidae, 989
classification, 726f
- pons, 629
- population dynamics
age- and size-structured populations, 1039–41
Australian human population, prediction, 1040b
density-dependent, 1033, 1035–41
density-independent, 1033–5
density-vague, 1037
and level of stochasticity, 1043
self-thinning and the law of constant yield, 1038b
space-limited populations, 1037–8
- population ecology, 1028–43
- population growth
exponential
in continuous time, 1034–5
in discrete time, 1033
and environmental variability, 1034
logistic, 1036–7
space-limited populations, 1037–8
- population size
factors affecting, 1033
and genetic drift, 764
measuring using mark–release–recapture method, 1030b
viable, for conservation, 1043
- populations, 1028
definition, 756, 1029
distribution and abundance, 1029–33
factors changing genetic structure of, 763–70
genes in, 761–3
measuring genetic variation in, 761–2
potential and realised distributions, 1031–3
sustainable economic management, 1041–2
- Porifera, 921–3
- pork tapeworm, 936
- porphyrin ring, 116
- Portuguese man o’war, 924
- positive buoyancy, 644
- positive regulation (transcription), 237
- possums, 41f, 475–6, 1023, 1042b
- post-synaptic neuron, 622, 623, 624
- post-synaptic potentials, 622, 623f
- posterior pituitary gland, 601–2
- posterior pituitary hormones, 602
- postganglionic neurons, 640
- postzygotic isolation, 773
- potential distribution, 1031
estimation, 1031–2
- potential energy, 49
- potoroos, 1023
- power, and buoyancy, 644
- powered flight, 652, 653t
- Prader–Willi syndrome, 197, 198f
- Precambrian era, 736, 737f
- Precambrian life, 741
- precapillary sphincters, 521, 529, 531
- predation, 676, 1055–9
abundance of predators and prey, 1055–6
animal defences, 1058–9
and biological control, 1056–7
fruit eaters aid seed dispersal, 1056
keystone predators, 1059
plant defences, 1057–8
reducing risk of, 677–9
- predator–prey abundance, 1055–6, 1056f
- predator–prey cycles, 1055–6
- predators, 1055
preferential channels, 530
- preganglionic neurons, 640
- preprophase band, 164
- pressure potential, 98, 360
- prickly pear, 125, 1057
- primary antibody responses, 581f
- primary cell walls, 141, 327–8, 327b
- primary consumers, 1076, 1080f
- primary endosymbiosis, 833, 833f
- primary induction, amphibia, 439–40
- primary lymphoid organs, 578
- primary pit-fields, 327–8, 328f
- primary response, 566
- primary root growth, 338–41
endodermis, 340–1
epidermis and root hairs, 339
pericycle, 339–40
root cap, 338–9
vascular cylinder, 339
- primary sex organs, animals, 410
- primary stem growth, 332–4
- primary structure, proteins, 38
- primary succession, 1063
- primary transcript, 221b, 223, 223f, 225–6
- primase, 214
- primates, 987–9
bicuspid teeth, 987
Cenozoic era, 748
characteristics, 987–8
nasal region, 988, 989, 989f
phylogeny, 989f
- primer (DNA replication), 210b, 214, 274f
- primitive characteristics, 715
- primordial germ cells, 413
- Principle of Independent Assortment, 184, 190
- Principle of Segregation, 180, 190
- probes, 274f, 277, 278
- proboscis worms, 936–7, 937f

- Prochloron*, 115f
- productivity, 1081
 - biomass and energy, 1082b
 - of different ecosystems, 1084–6
 - in ecosystems may change through time, 1085–6
- proglottids, 935, 935f
 - gravid, 936
- programmed cell death, 260, 262, 424
- prokaryotes, 3, 730, 782
 - cell division, 158–9
 - gene expression regulation, 238–41
 - photosynthetic, 119
 - phylogeny, 786
 - Precambrian, 741, 742b
 - protein synthesis, 231f
 - transcription, 224
 - translation, 224
- prokaryotic cells, 68
 - comparison with eukaryotic cells, 88
 - internal pH, 23
 - ribosomes, 230
 - structure, 68f
- prokaryotic DNA replication, 211–14
 - DNA synthesis at the replication fork, 214
 - enzymes needed for replication, 212–14
 - initiation, 212, 214f
- prolactin (PRL), 605t
- proline, 37f, 38
- prometaphase, 161, 163
- promiscuity, 685
- promoter, 221b, 222, 238
- prophase, 161
- prophase I, 168–70
- proplastids, 81–2
- prostomium, 942
- protandry, 309, 404
- Proteaceae, 1012
 - distribution, 1011f
 - flower structure, 1013f
- protein antigens, 573–4
- protein degradation, regulation, 237
- protein kinases, 150–1
- protein phosphorylation, 150–1
- protein synthesis, 229–32
 - elongation, 230–2
 - initiation, 230
 - ribosomes role, 229–30
 - termination, 232
 - translocation reaction, 232
- protein targeting and processing, 232–3
- proteins, 36–8, 207
 - classification by biological function, composition or solubility, 36t
 - primary structure, 38
 - quaternary structure, 40
 - secondary structure, 38, 39f
 - tertiary structure, 38–40, 39f
- proteoglycans, 36t
 - structure, 42, 42f
- proteoid roots, 344, 356b
- Proterozoic era, 741
- prothoracic glands, 599
- prothoracicotropic hormone (PTTH), 600
- Protista, 730, 824
- protists, 822–52
 - characteristics, 828–9t
 - classification, 827–52
 - as eukaryotes, 824
 - excretion, 547, 549
 - with plastids, 833–7
 - polyphyletic nature, 823
 - with second-hand plastids, 837–44
 - sponge-like, 827
 - storage polysaccharides, 31
- protofibrils, 41
- protogyny, 308, 309f, 404
- protonema, 866
- protonephridia, 548, 549, 549f, 550, 932
- protons, 14
- proto-oncogenes, 261
- protoplasm, 69
- protostomes, 627, 920, 921, 921f, 931–2, 941
 - annelids, 942
 - coelomate, 942
- Prototheria, 985, 1019, 1020
- protoxylem, 332, 333, 339
- protozoal infections, immune mechanisms, 585
- proximal convoluted tubule, 552
- proximate explanations of behaviour, 672
- pseudocoel, 941, 954
- pseudocoelomates, 954
- pseudoplasmodium, 827
- pseudopodia, 653
- pseudostratified columnar cells, 136t
- Psilophyta, 868, 870
- psilophytes, 870
- Ptilotum*, 870, 870f
- psychrophiles, 900
- Pteridium esculentum*, 871
- pterobranches, 974
- pterosaurs, 746f, 747
- Pterygota, 962, 962t
- Puccinia graminis tritici*, 907–8
 - life cycle, 908f
- puffballs, 897f, 906
- pulmonary circuit, 511
- pulmonary circulation, blood pressure and volume, 520f
- pulvinus, 345
- Punnett square, 180f
- pupa, 964
- pure-breeding, 178
- purines, 43, 208, 545
 - metabolism, 546
- purinotely, 545
- Purkinje fibres, 519
- purple bacteria, 119, 796
- pycnogonids, 958, 958f
- pygidium, 943
- pygostyle, 984
- pyrimidines, 43, 208, 221
 - metabolism, 546
- pyruvate, 107f, 108f, 109, 797–8
- Q₁₀ concept, 697, 708
- qualitative observations, 5
- quantitative characters, genes, 198–9
- quantitative observations, 5
- quantitative trait loci, 199b
- Quaternary period, 737f
 - ice ages, 1003–4
- quaternary structure, proteins, 40
- queen bee, 688, 690
- quillworts, 869–70
- quinone, 1057f
- quolls, 1021
- r* strategists, 1064
- rabbits
 - biological control, 1107
 - brain, 628f
 - calicivirus, 1107
 - myxomatosis, 807, 807f, 1107
 - as pests, 1107
- radial canals, 927
- radial cleavage, 921
- radial symmetry, 923, 924b
- radially symmetrical animals, 923–31
- radiant energy, 49
- radicle, 314
- radiolarians, 743, 832f
- radiometric dating, 736, 738b
- radula, 948
- rainforests, 1069b, *see also* tropical rainforests
 - Cenozoic era, 1000
 - foliage cover, 1049f
 - productivity and biomass changes, 1085
 - structure, 1071b
- ram ventilation, 491
- random genetic drift, 756
- random mating, 763
- Ranidae, 1018
- rapid plant movements, 100b
- ras* oncogene, 261–2
- rat kangaroos, 1023
- rates of chemical reactions, 52
 - and activation energy, 52
 - catalyst effects, 53
 - increasing, 53
- rates of enzyme reactions, 56
 - pH effects, 56–7
 - temperature effects, 57
- ratites, 985, 999, 1016
- Rattus*, 1024
- Rattus fuscipes*, genetic drift, 765b
- ray-finned fishes, 978
 - structure, 978f
- ray initials, 334f, 335
- rays, 977, 977f

- Rb* gene, 262
 reabsorption, 548, 551
 kidneys, 554
 reaction centres, reactivation, 15
 reading frames, 226–7, 227f
 mutations, 227
 open reading frames, 227
 realised distribution, 1031, 1032–3
 realised niche, 1062
 reassortants, 816b
 receptacles (flowering plants), 300
 receptacles (Neptune's necklace), 841, 842f
 receptor-mediated endocytosis, 101, 101f
 receptor tyrosine kinases, 152
 receptors, 144–9, 595, *see also* specific types, eg,
 chemoreceptors
 recessive, 181b
 recessive phenotype, 180b, 184, 185
 recessive traits, 179
 in genetic disorders, 184, 185t
 recognition species' concept, 770
 recombinant clones, selecting, 275
 recombinant DNA, 269
 cutting and joining DNA, 269
 designer genes, 269
 genetic transformation, 269, 274b, 290f,
 291, 320
 recombinant DNA molecules, purifying, 279
 recombinant DNA technology
 applications, 284–9
 DNA-modifying enzymes, 270–1
 forensic science applications, 284–5
 identifying and isolating individual genes,
 275–83
 introducing DNA into cells using plasmid
 and bacteriophage vectors, 272–4
 joining DNA molecules, 272
 restriction enzyme mapping, 271
 terminology, 274b
 recombination, 761
 and linkage, 190–1
 phenotypes through, 193–4
 red algae, 833, 834–5, 834f, 1007b
 red–green colour blindness, 189, 189f
 red kangaroo, reproduction, 410–11b
 red tides, 845–6, 845f
 redback spiders, 625b, 1058
 rediae, 934
 redox potential, 61, 62t
 reduction, 61, 61f
 reflexes, 632–4
 refractory period, 621
 regeneration, 401
 Regional Forest Agreements, 1101b
 regulated secretion, 79
 regulation of gene expression, 236–44
 constitutive and inducible genes, 237
 control points, 237
 in eukaryotes, 242–4
 in prokaryotes, 238–41
 RNA-mediated control, 244
 regulatory genes, 237
 relative fitness, 766
 relative time scale, 736
 renal capsule, 552
 renal cortex, 555
 renal medulla, 555
 renin, 556
 repetitive DNA sequences, 252–4
 replication, viruses, 812–14
 replication (DNA), 209b, 210–16
 in eukaryotes, 214–16
 in prokaryotes, 211–14
 replication fork, 210b, 212, 212b, 213, 216
 DNA synthesis, 214
 replicons, 215
 repressor, 221b
 repressor protein, 239
 reproduction, 308, *see also* specific organisms
 asexual, *see* asexual reproduction
 endocrinology of, 609b
 sexual, *see* sexual reproduction
 without fertilisation, 307–8
 reproductive cloning of animals, 291–2, 291f
 reproductive costs, 406–10
 reproductive effort, 406
 reproductive isolating mechanisms, 771
 reproductive isolation, and speciation, 771–3
 reproductive strategies (animals), 405–6
 reproductive success, 406–7
 reptiles, 982
 Australian, 1018–19
 circulatory system, 511f, 512f, 513–14, 515
 Gondwanan affinities, 1018–19
 Mesozoic era, 746–8
 Palaeozoic era, 746
 parathyroid and ultimobranchial glands
 function, 610
 salt glands, 557
 teeth, 468–9
 ventilation, 494
 Reptilia, 978
 resource partitioning, 1062
 respiration, 107f
 annelids, 944
 respiratory membrane, permeability, 484
 respiratory pigments, 502–3, 532, 944, 958
 oxygen affinity, 503–4
 resting membrane potential, 619
 Restionaceae, 344
 restoration ecology, 1118
 restriction endonucleases, 269, 270–1, 274b
 molecular structure, 270f
 restriction enzyme mapping, 271
 restriction enzymes, 269, 274b
 restriction fragment length polymorphism
 (RFLP), 274b, 284, 284f
 restriction mapping, 280, 280f
 reticulopodia, 851
 retinal, 146
 retinoblastoma, 262, 263b
 retrotransposons, 818
 retrovirus, life cycle, 813f
 reverse transcriptase, 274b, 276, 277b, 813f
 reversible binding, 503
 rhabdites, 932
 Rhesus (Rh) blood groups, 761
 rhinarium, 988
 Rhizobium, 343, 1014, 1092
 rhizoids, 860, 898
 rhizomes, 315–18, 336, 336b, 860, 871
 rhizomorphs, 897
 Rhizophora, roots, 342
 rhizopods, 832
 rhizosphere, 339, 344
 rhodamine, 75
 Rhododendron, 1012, 1016
 Rhodophyta, 834–5, 1007b
 rhodopsin, 146, 153b
 rhopalia, 927
 rhynchocoel, 936
 Rhynia, 868b, 870
 Rhyniophyta, 868
 ribonucleoside triphosphates, 222
 ribose, 43, 58
 ribose nucleic acids, *see* RNA
 ribosomal DNA (rDNA), 254
 ribosomal RNA (rRNA), 44, 72, 80, 223, 224,
 825
 phylogeny, 723–4
 primary transcripts, 226
 ribosomes, 76, 77f, 221b
 role in protein synthesis, 229–30, 232
 structure, 229, 229f
 ribozymes, 226
 ribulose biphosphate, 120
 ribulose biphosphate carboxylase–oxygenase
 (Rubisco), 120, 121f, 122, 123, 374
 Rickettsia, genome size, 249
 'Ring of Fire', 739, 739f
 ring-barking, 366–7, 367f
 ringworm, 899, 914, 914f
 rivers, environmental degradation, 1110
 RNA (ribose nucleic acids), 44, *see also* mRNA;
 rRNA; tRNA
 base complementarity with DNA, 221f, 222
 RNA blotting, 282
 RNA polymerase, 214, 221, 222–3, 222f
 in bacteria, 224
 in eukaryotic nucleus, 225
 RNA primers, 214
 RNA structure, 44, 221
 RNA synthesis, 221–2
 rock wallabies, 7–8b, 7f
 allopatric speciation, 774, 774f
 chromosomal rearrangement, 775
 rocks
 dating, 736
 magnetic reversals, 738b
 radiometric dating, 738b
 rocky shore community, Sydney, 1067–8, 1067f

- rod-shaped virions, 810, 810f
- Rodentia, 1023
- rodents, 1023–4
 - kidneys, 555b
- Romanovs (Tsar), family relationships, 286b
- root adaptations, and nutrient supply, 343–4
- root apical meristem, 315
- root cap, 315, 338–9, 339b
- Root effect, 504
- root hairs, 315, 339
- root nodules, 343, 797f, 1092
- root pressure, 362
- root structure, 337–8, 338f
 - primary growth, 338–41
 - secondary growth, 341–2
- root systems, types of, 337, 338f
- roots
 - aquatic plants, 342–3
 - lack of oxygen around, 374
 - and salinity, 343
 - storage roots, 343
- Ross River alphavirus, 817b
- rough endoplasmic reticulum, 76, 77f
- roundworms, 954–5
- rowing, 647
- ruminants, 461
 - foregut fermentation, 474–5, 474f
- running, 656
- rural dieback, factors, 1094–5b
- rust fungi, 906b
- rye grass pollen, hayfever and allergic asthma, 304b

- sac-like gut, 465–6
- Saccharomyces cerevisiae*
 - GAL regulation, 242–3, 256
 - genome size, 249
 - use in brewing and baking, 913
 - use in insulin production, 916
- sacred lotus, thermoregulation, 698f
- Sahelanthropus*, 990
- Saint-Hilaire, Étienne Geoffroy, 718
- salamanders, 980
 - kidneys, 552f
- salinity, 188, 1112–13
 - dryland, 1112, 1113
 - irrigation, 1112
 - and mineral stress, 373–4
 - and roots, 343
- saliva, 461
- Salix babylonica*, asexual reproduction, 315, 318b
- salt glands, 557
- salt lakes, ionoregulation and osmoregulation, 542
- saltatory conduction, 622
- saltbushes, 1010
- saltmarsh plants
 - osmotic adjustment, 361
 - stems, 337
- saltwater crocodile, 984

- Salvinia*, 872b
- samphires, 1010
- sand dollars, 969, 970, 973
- sandflies, 964
- saponines, 726f
- saprophytes, 895, 898, 903, 914
- sapwood, 335
- sarcomere, 663
- Sarcopterygii, 978
- satellite DNA, 254
- satellite nucleic acids, 818
- satellite viruses, 818
- satin bowerbirds, bower building behaviour, 672
- Sauropsida, 981
- savanna, 1070b
- scallops, jet propulsion, 646–7, 647f
- scanning electron microscopes (SEM), 75b
- Schistosoma*, 932, 934–5
 - life cycle, 934f
- schistosomulum, 935
- Schleiden, Matthias, 3
- Schwann, Theodor, 3
- science, practice of, 5–8
- scientific fraud, 8
- scientific method, 5, 8
- scientific publication, 6
- sclereids, 330
- sclerenchyma cells, 329–30
- sclerophylls, 350, 1009–10
 - characteristics, 1009
 - evolution, 1009
 - fire resistance, 1009
 - fire-stimulated germination, 1009–10
- sclerotia, 897
- scolex, 935, 936
- scorpions, 957–8
- scrotum, 986, 987
- scutellum, 312
- scyphistoma, 927
- Scyphozoa, 926–7
- sea anemones, 923, 928–30, 929f
 - mutualism, 1054
 - structure, 930f
- sea cucumbers, 969, 970, 970f, 973
 - basic structure, 972f
 - cleavage, 425f
 - simple gas-exchange structures, 488
- sea daisies, 969, 970f, 972
- sea fans, 928
- sea hares, nervous system, 626f
- sea level rises, 1115
- sea lilies, 969, 972
 - basic structure, 972f
- sea pens, 928
- sea spiders, 958f
- sea squirts, 974
 - cytoplasmic specifications, 438, 439f
- sea stars, 969, 970, 970f, 972
 - basic structure, 972f
 - predation, 1059, 1059f
 - structure, 971f

- sea urchins, 969, 970, 970f, 973, 973f
 - basic structure, 972f
 - fertilisation, 416–17, 417f
 - gastrulation, 427–8, 428f
- sea wasps, Australia, 924, 926b, 927
- sea water
 - ionic and osmotic concentration, 539
 - ionoregulation and osmoregulation, 540–2
- second law of thermodynamics, 50, 51
- second messengers, 150, 151f
- secondary antibody responses, 581f
- secondary cell walls, 327b, 328
- secondary consumers, 1076, 1080f
- secondary endosymbiosis, 837
- secondary growth (plants), 875
- secondary lymphoid organs, 578
- secondary phloem, 334f, 335, 875
- secondary response, 566
- secondary root growth, 341–2
- secondary sex organs, animals, 410–11
- secondary sexual characteristics, and sexual selection, 682–3b
- secondary stem growth, 334–7
 - cork cambium, 334, 335–6
 - vascular cambium, 334, 335
- secondary structure, proteins, 38, 39f
- secondary walls, 141
- secondary xylem, 334f, 335, 875
- secretin, 462–3, 593f, 597, 612
- secretion
 - kidneys, 554
 - solutes, 548, 551
- secretory gland cells, 347
- sedimentary sequences, 737
- seed, 301
- seed coat, 312
- seed cones, 880
- seed dispersal, by fruit eaters, 1056
- seed dormancy, 389
 - and abscisic acid decline, 390
 - breaking of, 384, 390
 - and germination, 312–13
 - stratification, 389
- seed formation
 - embryogenesis, 311–12, 311f
 - endosperm formation, 312
 - seed and fruit development, 312
- seed germination
 - and dormancy, 312–13, 384
 - gibberellins role, 384–5
 - mechanisms, 313–14
- seed maturation, 312
- seed plants, 874–89
 - Cycadophytes, 876–7
 - pollen transport of male gametes, 875
 - secondary growth, 875
 - seeds from ovules, 874–5
- seed protein, mobilisation, 385–6
- segment-polarity genes, 449

- segmentation genes
Drosophila, 444–8
 genetic regulation and intercellular signalling
 control development, 450
- segmentation regulatory hierarchy, 448
- segmented worms, 942–7
- segregation, 180, 190
- Selaginella*, 869
 life cycle, 869f
- selectable market, 274b
- selectively permeable membranes, 69
- 'self' molecules, 562b, 569, 582
- self-fertilisation, 308, 310
 prevention in hermaphrodites, 403–4
- self-incompatibility, genetics, 309–10, 309f
- self-pollination, 310
- self-thinning rule, 1038b
- semiconservative replication, DNA, 210, 211f
- semilunar valve, 516
- seminal fluid, 409b
- sensory axons, 635b, 637
- sensory neurons, 617–18
- sensory organs
 arachnids, 959
 cephalopods, 953
 insects, 961–2
- sensory receptors, 144–9, 617–18, 634–9, 953,
see also specific types, e.g. mechanoreceptors
- sepals, 300, 883
- septa, 897, 907, 930
 transverse, 944
- sequence homology, 274b
- sequencing amino acids, 720
- seres, 1063
- serine, 37f
- serotonin, 624b
- serum, 532
- seta, 865, 866
- sex, 308, 403
- sex change, 404
- sex chromosomes, 187, 188, *see also*
 X chromosomes; Y chromosome
 inheritance, 188f
- sex-linked genes, 181b, 186
 and chromosomes, 186–9
- sex organs, animals, 410–11
- sex pheromones, *see* pheromones
- sexual cannibalism, 684
- sexual reproduction, 167–8
 animals, 400, 402–12
 ciliates, 848f, 849
 costs of, 406–19
 ferns, 873–4
 human, 408–9b
 plants, 298, 300–10
 red kangaroo, 410–11b
- sexual selection
 and courtship displays, 683–4
 and secondary sexual characteristics, 682–3b
- sexual spores, 901
- sexually reproducing organisms, life cycle, 402f
- sharks, 977, 977f
 neutral buoyancy, 645
- she-oaks, 336, 343, 1004, 1008, 1008f, 1092
- sheep
 foregut fermentation, 472f, 474f
 population dynamics, 1037f
- sheep blowfly
 insecticide resistance, 767–8
 linked genes, 190, 191f
- β -sheet proteins, 38, 39f, 40f, 41
- shingles, 817b
- shoot apical meristem, 314–15
 differentiation into cell types, 316–17b
 features, 314f
- shoot growth, ethylene role, 391–2
- short-day plants, 393–4, 395b
- sickle cell anaemia, 220
 and heterozygote advantage, 186–7b
 and natural selection, 767
- side-necked tortoises, 1018
- sieve tube cells, 331f, 332
- sieve tubes, 368, 369
- signal processing, 149
 direct receptor-mediated responses, 149
 G-protein-linked receptors, 149–51
 receptor tyrosine kinases, 152
- signal response, managing, 153b
- signal sequences, 233
- signal transduction chain
 brassinosteroids, 392f
 ethylene, 390, 390f
- silencers, 243–4
- silicoflagellates, 838
- silk fibre, structure, 40f
- silks, 41–2
- Silurian period, 737f, 744, 745
- simple digestive cavities, 465–6, 467f
- simple eyes, 634
- simple fruits, 888–9
- simple leaves, 345
- simple lipids, 32–4
 structure, 32f
- simple pits (secondary cell wall), 328
- single gene inheritance, 178–82
 codominance and blood groups, 181–2
 Mendel's experiments, 178–80
 monohybrid cross, 178–80
 multiple effects of single genes, 181
- sinoatrial node, 518
- sinus venosus, 511
- siphon, 952
- siphuncle, 952
- sister chromatids, 160, 163, 168, 170, 171
- site-directed mutagenesis, 282, 283f
- size-structured populations, population
 dynamics, 1039–41
- skates, 977
- skeletal muscle, 138f
 contraction, 665–6, 665f
 energetics, 666–7
- fibre types, 667–8
 structure, 663–4, 663f, 664f
 twitch, 667
 type I fibres, 667, 668
 type IIA fibres, 667, 668
 type IIB fibres, 667, 668
 type IIX fibres, 667
- skeletons, 657
 endoskeletons, 658–9
 exoskeletons, 657–8
 hydrostatic, 657
 size effects, 662
- skin grafts, 582b
- skin pressure receptors, 147
- skin receptors, 635f
- slash-and-burn agriculture, 1105b
- sliding filament model (contraction), 665–6
- slime moulds, 143, 827, 830
- slow-twitch fibres, 667
- small intestine, absorption, 464
- small midbrain, 629
- smallpox, 807, 808b
- smooth endoplasmic reticulum, 76–7, 77f
- smooth muscle, 138, 138f, 664–5
- smuts, 906
- snails, 947, 951
 herbivorous, 1068f, 1069
 pedal waves, 654
- snakes, 982, 983f
 teeth, 468
- snapdragons, flower colours, 193f
- soaring, 650
- social behaviour, 686
- social groups, 686–7
- social organisation and co-operative behaviour,
 686–90
 co-operative breeding in birds and mammals,
 687–8
 evolution of co-operation, 689–90
 insect societies, 688–9
- sodium atom, 15f, 17
- sodium cation, 17
- sodium chloride, ionic bonding, 17f
- sodium monofluoroacetate, 7
- soft corals, 929f
- soil acidification, 1111
- soil acidity, 374
- soil and plant water deficits, and stomatal
 opening, 366
- soil erosion, 1111
- soil salinity, 1112–13
- soils, weathering, 1002
- Solanaceae, bush medicines, 726b
- solar radiation spectrum, 115f
- soldier crab, 960f
- soldiers, 688
- solute concentration, measurement, 538b
- solutes, 92, 537
 exchange with the environment, 538–9
 and water, 538–40

- solvent, 92
- soma, 616, 942
- somatic cells, 413
- somatic control systems, 632
- somatostatin, 605t, 610, 612
- somites, 436
- Sonic hedgehog* gene, 442
- sooty grunter fish, 57, 57f
- soredia, 910
- sori, 872
- sorocarps, 827
- sorroche, 706
- Southern blot, 274b, 281–2, 281f
- Southern Hemisphere distribution of animals, 999–1000
- soy sauce, 913
- space limited populations, growth, 1037–8
- Spallanzani, Lazzaro, 6b
- spatial variation, 1063
- Specht's structural classification of Australian vegetation, 1050t
- speciation, 759
 - allopatric, 773–4
 - benefits, 759
 - and chromosomal rearrangement, 775
 - hybridisation and asexual reproduction, 775–7
 - modes of, 773–5
 - paratric, 775
 - and reproductive isolation, 771–3
 - species' concepts, 770–1
 - sympatric, 774–5
 - theories of, 770–7
- species, 725, 727, 728
 - as basic taxonomic unit, 728–9
- species' concepts, 756, 770–1
- species diversity, 1048–9
- species richness, 1048
 - Australia, 716b
 - measurement, 1049f
- specific acquired immunity, 566–8
 - cells involved, 566–7
 - responses to foreign antigens, 568
- specific heat, water, 20b
- sperm, 403, 408b, 409b, 414b
 - multiflagellated, 877
- sperm cells, 171
 - human, structure, 415b
 - plants, 298, 302
- sperm competition, 684
- spermathecae, 946
- spermatids, 414b
- spermatocytes, 413, 415
 - maturation, 415–16
- spermatogenesis, 411, 414b
- spermatogonia, 413, 414b, 415
- spermatophores, 418, 945, 959
- spermatozoa, diversity, 403f
- Sphagnum*, 24
 - leaf cells, 864f, 865
- S phase (meiosis I), 168
- S phase (synthesis phase), 160
 - Cdk–cyclin complex regulation, 166–7
- S-phase-promoting factor (SPF), 167
- Sphenophyta, 868, 870
- sphenophytes, 870–1
- spicules, 923, 969
- spiders, 956, 957–8
 - catching and digesting prey, 625b, 958–9, 959f
 - excretion, 550, 551f
 - gas exchange, 502
 - structure, 959b
- spider's web silk, strength, 41–2
- spinal cord, 629–30, 639
 - cross-section, 629f
- spines, as plant defence mechanisms, 1057
- spinnerets, 959
- spiracles, 499–500
- spiral cleavage, 921
- splicing, 221b, 224b, 225
- sponge-like protists, 827
- sponges, 918, 921–3
 - excretion, 549
 - filter feeding, 923
 - structure, 922–3, 922f
- spongins, 923
- spongocoel, 923
- spongy mesophyll, 348
- spontaneous chemical reactions, and free energy, 51–2
- spontaneous generation of life, disproving, 6b
- spontaneous mutations, 259
- sporangia
 - ferns, 872–3
 - horsetails, 871
 - zygomycetes, 904
- sporangiophores, 897
- sporangiospores, 905
- spore capsule, 865, 866
- spore production
 - fungi, 895
 - land plants, 860–1
- spores, 300, 859, 901
- sporocysts, 934
- sporodesmin, 912b
- sporophylls, 883
- sporophytes, 300, 860, 865–6, 868
- sporopollenin, 859, 860f
- sporozoites, 847
- sporulation, 901
- springtails, 1078
- squalene, 35f
- squamates, 981, 982, 983f
- squamous epithelial cells, 136t
- squid, 947, 952–4, 952f
- stability (legged animals), 654
- stamens, 301, 883
- standard redox potential, 61, 62t
- standing upright, significance, 992
- starch, 30
 - components, 30–1
- starch granules, 30f
- starfish, 401, 569
- Starling principle, 524
- 'start' (in G1 phase), 160
- start codon, 227
- statocysts, 930
- statoliths, 927
- stearic acid, 32f
- stele, 332, 339
- stem cell division, 437
- stem cell therapy, 438b
- stem cells, 292–3, 436
- stem elongation, gibberellins role, 384
- stem rust, 907–8
 - life cycle, 908f
- stem structure, 332, 333b
 - primary growth, 332–4
 - secondary growth, 334–7
- stems, 332
 - desert plants, 336
 - marsh and aquatic plants, 337, 337f
 - underground, 315–18, 336
- sternum, 984
- steroid hormones, 35, 608
 - as chemical signals, 144, 145f
 - receptor-mediated response, 149
- stigma (euglenoids), 850
- stigma (flowering plants), 301, 302, 883
 - types of, 303f, 308
- stimuli
 - chemical, 144–5
 - physical, 145–9
- stipe (kelp), 841
- stochastic models, 1034
- stochasticity, and extinction, 1043
- stolons, 315
- stomach, protection against digestion, 466b
- stomata, 142, 336, 346, 347, 363, 364, 364f
 - control of opening and closing, 364–5
 - control under drought conditions, 373
 - diurnal stomatal rhythms, 365–6
 - environmental stimuli effects, 366
 - function, 859–60
 - invasion by fungal pathogens, 900f, 901
 - ionic changes, 364–5, 365f
- stomium, 301, 873
- stonewarts, 836
- storage parenchyma, 329
- storage polysaccharides
 - function and occurrence, 24t
 - structure, 30–1
- storage proteins, 36t
- storage roots, 343
- stratification, 389
- stratified epithelium, 136t
- strawberry, 889, 889f
- Strepsirhini, 988
- Streptococcus thermophilus*, 68f

- stress, plant adaptations to, 369–75
- striated muscle, 138
- strobila, 936
- strobilisation, 927, 935
- stroma, 117, 897
- stromatolites, 741, 742b
- structural diversity, plant communities, 1049–50
- structural polysaccharides
 function and occurrence, 24t
 structure, 27–9
- structural proteins, 36t
- strychnine, 625b
- Sturt's desert pea, variation, 757f, 759b
- Styela*, cytoplasmic specifications, 438, 439f
- style (flowering plants), 301, 302, 883
- subatomic particles, 14
- subduction, 739
- suboesophageal ganglion, 599
- substitutions (DNA sequence), 259
- substrate-binding amino acids, 54, 55f
- substrates, 53, 54
- succession, 1063–4
 opportunistic strategies, 1063–4
- succulents, 350, 1010
- suckering, 318, 318f
- sucrose, 26, 27
- sucrose transport, 368–9
- sulfur, 13
- Sumatran rhinoceros, 1043, 1043f
- super kingdoms, 730
- supercooling, 696
- superior ovary, 883f
- surface area-to-volume ratio, 486
- surface-bound chemical signals, 145
- surface hairs (leaves), 350
- surface tension
 alveoli, 495
 water, 18, 21b
- surfactants, 495, 496
- suspensor, 311
- Swainsona formosa*, variation, 757f, 759b
- swamp reed, 1016
- sweet pittosporum, 1109
- sweet potato, 343
- swim bladder, 645, 978
- swimming, using body undulations, 649
- symbiosis, 344, 1052–5
- symbiotic microorganisms, 473, 903
- symmetry
 animals, 923–31
 bilateral, 924b
 radial, 923, 924b
- sympathetic nervous system, 639f, 640
 blood flow control, 528
- sympatric speciation, 774–5
- sympatry, 1062–3
- symplast, 358
- symplastic pathway, 340, 358
- synapomorphies, 717
- synapses (neurons), 622, 624
- synapsis (chromosomes), 168
- synaptic potentials, 622–4
- synaptic vesicles, 622
- synaptonemal complex, 170, 171f
- Synemon* moths, distribution, 999f
- synergids, 306
- synonymous codons, 226
- synovial joint structure, 660f
- synthetic growth retardants, 386b
- systematics, 714
- systemic circuit, 511
- systemic circulation, blood pressure and
 volume, 520f
- ystole, 517
- T-cell receptors (TCR), 562b, 571, 573, 575–6
 binding sites, 576
 differences from antibodies, 576t
 generation of diversity and gene
 rearrangement, 570b
 interaction with MHC, 577f
 schematic diagram, 576f
- T cells (T lymphocytes), 565f, 566, 567, 568,
 608
 proliferation, 572
 stimulation, 574
 and the thymus, 571–2
- tadpoles, 405, 405f
 hormonal control of growth and
 development, 606f
- Taenia solium*, 936
- tagmata, 957
- tagmatisation, 957
- taipan, 625b
- tapetum, 301
- tapeworms, 466, 932, 935–6
 beef, 936
 pork, 936
 structure, 935, 935f
- taproot, 337
- target cells, 595
- tarsiers, 988
- Tasmanian devil, 1021f, 1023
- Tasmanian tiger, 1019–20
- taxa, 724
 binomial system, 727–8
 monophyletic, 725–6, 725f
 paraphyletic, 725f, 726, 726f
 polyphyletic, 725f, 726
 rank order, 724–5
- taxonomic species' concept, 770
- taxonomy, 714, 724
 binomial system, 727–8
 and naming the hierarchy of life, 724–6
- tea-trees, 1011
- teeth
 bicipsid, 987
 cartilaginous fishes, 977
 mammals, 469–70, 986
 vertebrates, 468–9, 977
- tegument, 933
- telemorphic form (fungi), 909
- teleost fishes, 469, 491, 543, 602, 978
 diversity, 979b
- telomerases, 215
 and cellular ageing, 216b
- telomeres
 during replication, 215–16
 sequences, 254
- Telopea*, 1012
- telophase, 161, 164
- temperature
 and carbon dioxide transport, 505
 enzyme activity effects, 57
 and oxygen stress, 708–9
- temperature coefficient (Q_{10}), 697
- temperature receptors, 148
- temperature regulation
 heat-producing flowers, 698b
 and metabolism in animals, 697–9
- temperature stress
 high temperatures, animals, 684–5
 low temperatures, animals, 696
 plants, 374–5
- templates (DNA replication), 210
- temporal isolation, 771
- temporal variation, 1063
- tendons, 661, 664
- tendrils, 350
- termination
 polypeptide synthesis, 232
 protein synthesis, 232
 transcription, 223
- terminus (DNA replication), 210b, 212
- termite nests, controlled microclimate, 695,
 695f
- termites
 arid zone adaptations, 695
 carbon cycling, 1090b
 castes, 688
 as consumers, 1078
 nutrient cyclers, 1090b
- terraces, 1000
- terrestrial animals
 excretion, 547
 osmo- and ionoregulation, 544–5
- terrestrial arthropods, water absorption, 545
- terrestrial chelicerates, 958–9
- terrestrial crabs, gill reduction, 491
- terrestrial ecosystems
 global/local nitrogen cycle, 1091f
 productivity, 1084
- terrestrial environments, Australia, 1006
- terrestrial locomotion, 653–7
 with legs, 654–7
 without legs, 653–4
- terrestrial orchids, 1016
- terrestrial plants
 adaptations to living on land, 859–61
 Cretaceous, 748

- major groups living today, 857t
- origins, and green algae, 858–9
- phylogeny, 861f
- Silurian, 744–5
- specialisation of vegetative features, 859–60
- Triassic and Jurassic, 748
- terrestrial vertebrates, biogeographic patterns, 1017
- territorial behaviour, 679
- tertiary consumers, 1076–7, 1080f
- Tertiary period, 737f, 748
- tertiary structure, proteins, 38–40, 39f
- testa, 312
- testcross, 184, 190
- testes, 410
 - hormone production, 608–9
 - temperature regulation, 408f
- testosterone, 149
 - structure, 35f
- tests (forams), 852
- tetany, 610
- tetraploidy, 774
- tetrapods, 978–89
 - classes, 978
- thalamus, 629
- β -thalassaemia, 184
 - and heterozygote advantage, 187b
- thallus, 834, 863
 - kelp, 840–1, 841f
- theories, 5
- Theria, 985
- thermal acclimation, 699–700
- thermals, 650
- thermophiles, 57, 792, 900
- thermoreceptors, 144, 148
- thermoregulation
 - animals, 697–9
 - and circulation, 522–3b
 - flowers, 698b
- thiol function, 23t
- thiol group, 23t
- thoracic cavity, mammals, 496f
- thorny devil, water uptake, 544b
- threatened species, 1043f
- threonine, 37f
- threshold potential, 619
- thrombin, 532, 533
- thrombocytes, 531
- thrombus, 532
- thrush, 914
- thylacine, 1019, 1019f
 - distribution, 1019–20, 1019f
- thylakoid membrane complexes, 117, 119f
- thylakoids, 82
- thymine, 43, 44, 208
- thymus, 562b, 567, 578
 - structure, 571f
 - and T cells, 571–2
- thyroglobulin, 605
- thyroid glands, 605–6
 - location, 609f
- thyroid hormones, 595, 605–6
 - as chemical signals, 144, 145f
- thyroidal C-cells, 609
- thyrotoxicosis, 606
- thyrotrophic hormone (TSH), 605t, 606
- thyrotrophin-releasing hormone (TRH), 605t
- thyroxine (T_4), 605, 606
- tidal energy, 1116
- tidal ventilation, 494, 502
- tight junctions, 131f, 132, 132f
- tinea, 899, 914
- tissue culture, 320
 - cytokinin use, 387
- tissue maintenance, 437
- tissue transplantation, 582b
- tissues, blood flow regulation, 529–31
- Timopterus*, 870, 870f
- toadstools, 897, 914
- tobacco mosaic virus, 807, 807f, 808
- tolerance, immunological, 562b, 578
- tongue receptors, 635f
- tonicity, 539
- tonoplast, 358
- torpor, 697, 700
 - in mammals and birds, 701–2
- tortoises, 1018
 - dormancy, 701
- tortoiseshell cats, 197
- tortoiseshell keratin, 41
- totipotency, 98, 318–19
- towards sustainability, 1116–19
- toxic dinoflagellates, 845–6
- Toxocara canis*, 955
- Toxoplasma*, 846
- trace bioelements, 13f
- trace element deficiency, 356f
- trace elements, 355, 356
- trace fossils, 735
- tracheae, 499–502, 958, 962
- tracheids, 331, 331f, 883
- tracheoles, 500, 962
- transcription, 220, 221–6, 221b
 - in cytoplasm of prokaryotes, 224
 - of DNA by RNA polymerase, 221–3, 222f
 - initiation, 222–3
 - regulation, 237
 - RNA forms generated, 223
 - termination, 223
- transcription factors, 221b, 242
- transcription unit, 223
- transduction (genetics), 800, 801f
- transduction of movement, 637
- transfer cells, 329, 329b
- transfer RNA (tRNA), 44, 80, 221b, 223, 225, 228–9
 - activation by aminoacylation, 229f
 - amino acids and anticodons, 228–9
 - structure, 228b
- transferases, 60b
- transformation, 269, 274b, 290f, 291, 320, 800, 801f
- transforming growth factor, 612
- transgenic mice, 283f
- transgenic organisms, 283
- transition state, 56
- transition state activation, 56
- transitions (mitochondrial DNA), 723
- translation, 220, 221b
 - and genetic code, 228–9
 - prokaryotes, 224
 - regulation, 237
- translocation of assimilates, 366–9
- translocation reaction, 232
- transmission electron microscopes (TEM), 75b
- transpiration, 361–2, 363f
- transplantation, and immunosuppression, 582b
- transport
 - of carbon dioxide, 504–5
 - of oxygen, 502–3
- transport ATPases, 97, 97f, 98
- transport mechanisms, 92–5, 98–100
 - in plants, 358–66
- transport proteins, 36t, 464
- transport vesicles, 79f, 101f, 102f
 - and membrane cycling, 79
- transporting gases, 502–5
- transposable elements, 254
- transposons, 818
- transverse flagellum, 844
- transverse septa, 944
- transversions (mitochondrial DNA), 723
- tree ferns, 871, 871f
- tree roots, water usage, 1088
- α , α' -trehalose, 26, 27
- Trematoda, 933–5
- trematodes, 933–5
 - structure, 933f
- triacylglycerols, 33–4
 - structure, 32f
- Triassic period, 737f, 746, 1001b
- 2,4,5-trichlorophenoxyacetic acid (2,4,5-T), 381f, 382
- trichomes, 142, 350
- Trichomonas*, 831
- Trichoptera, 963f
- Trichosurus vulpecula*, 41f
- Triconympha*, 831
- tricuspid valve, 517
- triglycerides, 24
- triiodothyronine (T_3), 605, 606
- trilobites, 743, 744b
- Triodia*, 1008, 1009f, 1070b
- triphosphate group, 58
- triple fusion nucleus, 307
- Triticum aestivum*, hexaploidy, 774, 775f
- trochophore, 945, 945f, 950
- trophic levels, 1077
 - numbers in nature, 1081
- trophic relationships, 1076, 1077–8, 1077f
- trophic scale
 - flow of energy up, 1077, 1077f
 - reduction of energy up, 1081

- trophozoites, 847
- tropical rainforests, 1069b
clearing and loss of biodiversity, 1104–5b
- tropocollagen, 42
- trp* operon regulation, 240–1
- truffles, 905, 913
- trypanosomes, 837, 851–2
genomes, 255b
- tryptophan, 37f
- tuatara, 982, 983f, 1018
- tube feet, 970f, 971, 973
- tube nucleus, 306, 307f
- tubers, 315, 318b, 336
- tubular excretory organs, 548–9, 548f, 549f
invertebrates, 550–1
- tubular florets, 1015
- tubular function, kidneys, 542–7
- tubulin, 85
- tumour suppressor genes, 261
and cell cycle regulation, 262
and DNA repair, 262–3
as guardians of the genome, 263–4
- tumours, *see* cancer
- tunic, 975
- tunica, 314
- tunicates, 27f, 974, 974f, 975
- Turbellaria, 932–3
- turbellarians, 932–3
- turgor, 99, 100, 360
- turgor pressure, 360
- β -turns, 38, 39f
- turtles, 982, 982f
heart structure, 513f
Mesozoic era, 747
underwater motion, 647
- tusk shells, 947, 950
- twitch, 667
- tyrosine, 37f
- tyrosine kinase activity, 152, 152f
- ultimate explanations of behaviour, 672
- ultimobranchial glands, 609, 610
location, 609f
- ultraviolet (UV) radiation
damaging effects of, 1113–14
and fungal spore production, 900
as mutagen, 259
- Uluru–Kata Tjuta National Park, 1118, 1118f
- underground orchids, 770
- underground stems, 315–18, 336
- underground storage organs of plants, 315
- underwater flying, 647
- undulatory swimming, 649
- unipotent stem cells, 436
- uniramous limbs, 961
- unpowered flight, 649–52
- upright apes, 990–1
- uracil, 43, 44, 221
- urea, 545, 546
concentration, 556
- urea-osmoconformers, 542b
- urediniospore, 908
- ureotely, 545
- ureter, 553
- uric acid, 545, 546
- uricotely, 545
- uridine triphosphate (UTP), 222
- urine
excretion, 554–6
osmoconcentration, 548, 551, 554–6
osmodilution, 551, 554–6
- Urochordata, 974, 975
- vaccines, 561, 583b
live versus killed, 583b
- vagina, 409b
- valine, 37f
- valves (diatoms), 840
- van der Waals forces, 17–18
- van Leeuwenhoek, Antonie, 3, 783
- variable numbers of random repeats (VNTRs), 284, 285
- variables, 5–6
- variation, *see* genetic variation
- varicella zoster herpesvirus (VZV), 817b
- vascular bundles, 332, 333b
- vascular cambium, 334, 335, 875
- vascular cylinder, 339
- vascular plants
early, 868b
evolution of conducting tissue, 868–74
lignin reinforcing, 860
stems, roots and leaves development, 860
- vascular tissue, 142–3, 330–2
- vasomotor centre, 527
- vasopressin, 529, 602
- vector DNA, 269
- vector–donor recombinant DNA construct, 269
- vectors, 272–3, 274b
viral infections, 814–15
- vegetal plate, 427
- vegetal pole, 425
- vegetative cell, 302
- vegetative features, specialisation of, 859–60
- vegetative reproduction, 315–18
- veins (leaves), 346, 347
- veins (vertebrates)
function, 520
structure, 520f, 521
- veliger, 950
- velvet worms, 956b
- ventilation, 486–7, 487f
chemoreceptors role, 506
control of, 505–6
in insects, 502
and perfusion, crustacea, 489
ram, 491
in reptiles, 494
tidal, 494, 502
- ventricles, 511, 516, 517, 518, 519
- venules, 521
- Venus fly trap, response to touch, 146
- vernalisation, and flowering, 395b, 396
- vertebrae, 976
embryonic development, 976f
- vertebral column, 629–30
- vertebrate animals, parthenogenesis, 402, 775, 776f
- vertebrate gills, 490f, 491
- vertebrate hormones, 600–12
neurohaemal organs, 600–4
non-neural endocrine glands, 604–12
- vertebrate neural tube, cell differentiation, 442
- vertebrates, *see also* mammals
autonomic nervous system, 639–40
brain, 630
cardiovascular regulation, 526–9
circulatory systems, 511–15
craniates that evolved a backbone and jaws, 976–7
excretion, 551–7
jaws and teeth, 468–9
nervous systems, 627–30
neural circuits, 631
rapid escape responses, 632–3b
- vesicle-mediated transport, 101
- vestigial organs, 717–18
- viability, 758
- villi, 464, 464f
- Viminaria*, 344
- vinegar fly, *see Drosophila melanogaster*
- viral antigens, 581
- viral genera, amino acid sequence comparisons, 815–16, 817t
- viral genomes, 809, 810–11
- viral hosts, 819
- viral infections
human, 816–17
immune mechanisms, 582
symptoms and spread, 815
- viral vectors, 814–15
- virions, 808
basic structure, 810f
nature of, 809
of T2 and T4 phages, 810, 811f
as transmission phase of viruses, 809, 810
- viroids, 818–19
- virus control, 819
- virus-like agents, 818–19
- viruses, 806–19
animals, 815
classification and relationships, 815–17
discovery, 807–8
distinguishing features, 809
ecology and spread, 814–15
life cycle, 813f
plants, 814, 814b
replication, 812–14
as subcellular organisms, 809–14
transmission phase, 810
- visceral control, 639

- visceral muscle, *see* smooth muscle
- visible spectrum, 115f, 116
- vision, 633–5
- vitamin deficiencies, 456t
- vitamins, 457
 - sources and actions, 456t
- vitelline membrane, 416, 417
- volcanoes, 739, 739f
- voltage differences across membranes, 98
- voltage-gated channels, 95, 149, 620, 621
- voltage-gated K⁺ channels, 621
- voltage-gated Na⁺ channels, 620, 621
- Vulpes vulpes*, 7–8b, 7f
- walking, 656
- wallabies, 7–8, 68f, 1021f, 1023, *see also* rock wallabies
- Wallace's Line, 750b
- waratahs, 1012
- warning colourations, 1058, 1058f
- wasps, 1058
- water, 18
 - in animal diet, 458
 - exchange with the environment, 538–9
 - free energy, 98
 - hydrophobic interactions, 19
 - movement in responses to differences in
 - water potential, 98–9
 - oxygen content, 484
 - properties, 18, 20–1b
 - and solutes, 538–40
 - as solvent, 19, 537
- water breathers, 487–8
 - cutaneous exchange, 488
 - invertebrate gills, 489
 - simple gas-exchange structures, 488
 - vertebrate gills, 490f, 491
- water cycle, 1086–8
 - trees as top water users, 1088
- water degradation, 1109, 1110
- water erosion, 1111
- water ferns, 872b
- water-holding frog, 1018f
- water loss, control in plants, 371
- water molecules, 16f
 - hydrogen bonding, 18f
 - ionisation, 22
- water moulds, 843–4
- water movement
 - from leaves, 363–6
 - to tops of tall trees, 363
 - in xylem, 362–3
- water potential, 98, 99, 359
 - factors affecting, 359–60
 - plant cells, 360
 - from soil to air, 362
- water-soluble chemical signals, 145
- water stress, plants, 370–3
- water striders, 21f
- water transport, 359–66
- water uptake, by plant cells, 360–1
- water-use efficiency (plants), 372
- water vascular system, 970–1
- waterlogged soils, 374
- Watson and Crick's double helix model of DNA, 208
- wattle family, 1013–14
- wattles, *see* *Acacia*
- waxes, 32–3
 - structure, 32f
- weathering, Australian surface, 1002
- weeds, impact of, 1108–9
- weeping willow, asexual reproduction, 315, 318b
- Welwitschia*, 880, 881f
- West Nile flavivirus (WNV), 817b
- Western blot, 274b
- wet-type stigma, 303f, 308
- wheat, hexaploidy, 774, 774f
- wheat seed colour, 198, 199f
- wild-type, 180b, 181b
- wilting, 361f
 - and abscisic acid (ABA), 388, 389t
- wind energy, 1116
- wind erosion, 1111
- wind pollination, 886
- windkessel vessels, 521
- wine-making, 913
- 'winterkill', 701
- Wollemi pine, 878b
- wombats, 1021f, 1023
- Wonambi*, 1022b
- wood, cellulose content, 28
- woodlands, 1069b
- workers, 688, 690
- worms, *see* specific types, e.g. annelid worms
- xanthophylls, 844
- Xanthorrhoea*, 1008, 1009, 1009f
- X chromosome inactivation, 196–7
- X chromosomes, 181b, 188–9
 - imprinting, 197–8
- Xenopus*
 - breathing, 493, 493b
 - cellular changes during involution, 431f
 - gastrulation, 428–30, 430f
 - organiser, 440
- xerophytes, 1010
- xerotolerance, 900
- Xiphophora chondrophylla*, 31f
- X-linked disorders, 185b, 189, 189f
- X-linked genes, 181b, 188–9
- xylem, 143, 330, 331–2, 860, 868, *see also*
 - secondary xylem
 - water movement, 362–3
 - xylem vessels, 331–2, 331f, 883
 - scalariform perforations, 883b
 - β-D-xylose, 29
- YACs (yeast artificial chromosomes), 273
- Y chromosome, 188–9, 289f
- yeast, 905, 913
 - GAL* regulation, 242–3
 - upstream activator sequences, 243
- Y-linked genes, and male sex determination, 189
- yoghurt, 798
- zeatin, 386
- zona pellucida, 416
- zoochlorellae, 925
- zoological biogeographic regions, 749f
- zooxanthellae, 844, 925, 1054
- zygomorphic flowers, 883, 883f
- zygomycetes, 894, 904–5
- Zygomycota, 894, 904–5, 911
 - characteristics, 902t
 - life cycle, 904f
- zygospores, 905
- zygote, 158, 402
- zygotocic segmentation genes, 447–8
 - gap genes, 448–9
 - pair-rule and segment-polarity genes, 449
 - segmentation regulatory hierarchy, 448
- zymogens, 462