

# Preface

As the new century unfolds, chemistry will play its usual, crucial role in dealing with complex environmental, medical, and industrial issues. And, as the complexities increase and more information is needed to understand them, many chemistry instructors want a more focused text to serve as the core of a powerful electronic teaching and learning package. This new, Third Edition of *Principles of General Chemistry* is the ideal choice, designed to cover key principles and skills with great readability, the most accurate molecular art available, a problem-solving approach that is universally praised, and a supporting suite of electronic products that sets a new standard in academic science.

## HOW PRINCIPLES AND CHEMISTRY ARE THE SAME

*Principles of General Chemistry* was created from its parent text, *Chemistry: The Molecular Nature of Matter and Change*, when four expert chemistry teachers—three consulting professors and the author—joined to distill the concepts and skills at the heart of general chemistry. *Principles* covers all the material a science major needs to continue in premedical studies, engineering, or related fields. It maintains the same high standards of accuracy, clarity, and rigor as its parent and adopts the same three distinguishing hallmarks:

1. *Visualizing chemical models.* In many places in the text, concepts are explained first at the macroscopic level and then from a molecular point of view. Placed near many of these discussions, the text's celebrated graphics depict the phenomenon or change at the observable level in the lab, at the atomic level with superbly accurate molecular art, and at the symbolic level with the balanced equation.
2. *Thinking logically to solve problems.* The problem-solving approach, based on a four-step method widely approved by chemical educators, is introduced in Chapter 1 and employed *consistently* throughout the text. It encourages students to first plan a logical approach, and only then proceed to the arithmetic solution. A check step, universally recommended by instructors, fosters the habit of considering the reasonableness and magnitude of the answer. For practice and reinforcement, each worked problem has a matched follow-up problem, for which an abbreviated, multistep solution—not merely a numerical answer—appears at the end of the chapter.
3. *Applying ideas to the real world.* For today's students, who may enter one of numerous chemistry-related fields, especially important applications—such as climate change,

enzyme catalysis, materials science, and others—are woven into the text discussion, and real-world scenarios are used in many worked in-chapter sample problems as well as end-of-chapter problems.

*Principles* and *Chemistry* also share a common topic sequence, which provides a thorough introduction to chemistry for science majors:

- Chapters 1 through 6 cover unit conversions and uncertainty, introduce atomic structure and bonding, discuss stoichiometry and reaction classes, show how gas behavior is modeled, and highlight the relation between heat and chemical change.
- Chapters 7 through 15 take an “atoms-first” approach, as they move from atomic structure and electron configuration to how atoms bond and what the resulting molecules look like and why. Intermolecular forces are covered by discussing the behavior of liquids and solids as compared with that of gases, and then leads the different behavior of solutions. These principles are then applied to the chemistry of the elements and to the compounds of carbon.
- Chapters 16 through 21 cover dynamic aspects of reaction chemistry, including kinetics, equilibrium, entropy and free energy, and electrochemistry.
- Chapters 22 and 23 cover transition elements and nuclear reactions.

## HOW PRINCIPLES AND CHEMISTRY ARE DIFFERENT

*Principles* presents the same authoritative coverage as *Chemistry* but in 240 fewer pages. It does so by removing most of the boxed application material, thus letting instructors choose applications tailored for *their* course. Moreover, several topics that are important areas of research but not central to general chemistry were left out, including colloids, polymers, liquid crystals, and so forth. And mainstream material from the chapter on isolating the elements was blended into the chapter on electrochemistry.

Despite its much shorter length, *Principles of General Chemistry* includes *all* the pedagogy so admired in *Chemistry*. It has all the worked sample problems and about two-thirds as many end-of-chapter problems, still more than enough problems for every topic, with a high level of relevance and many real-world applications. The learning aids that students find so useful have also been retained—Concepts and Skills to Review, Section Summaries, Key Terms, Key Equations, and Brief Solutions to Follow-up Problems.

In addition, three aids not found in the parent *Chemistry* help students focus their efforts:

- *Key Principles.* At the beginning of each chapter, short bulleted paragraphs state the main concepts concisely, using many of the same phrases and terms (in *italics*) that appear in the pages to follow. A student can preview these principles before reading the chapter and then review them afterward.
- “*Think of It This Way . . .*” with *Analogies, Mnemonics, and Insights.* This recurring feature provides analogies for difficult concepts (e.g., the “radial probability distribution” of apples around a tree) and amazing quantities (e.g., a stadium and a marble for the relative sizes of atom and nucleus), memory shortcuts (e.g., which reaction occurs at which electrode), and useful insights (e.g., similarities between a saturated solution and a liquid-vapor system).
- *Problem-Based Learning Objectives.* The list of learning objectives at the end of each chapter includes the end-of-chapter problems that relate to each objective. Thus, a student, or instructor, can select problems that review a given topic.

## WHAT'S NEW IN THE THIRD EDITION

To address dynamic changes in how courses are structured and how students learn—variable math and reading preparation, less time for traditional studying, electronic media as part of lectures and homework, new challenges and options in career choices—the author and publisher consulted extensively with students and faculty. Based on their input, we developed the following ways to improve the text as a whole as well as the content of individual chapters.

### Global Changes to the Entire Text

*Writing style and content presentation.* Every line of every discussion has been revised to optimize clarity, readability, and a more direct presentation. The use of additional subheads, numbered (and titled) paragraphs, and bulleted (and titled) lists has eliminated long unbroken paragraphs. Main ideas are delineated and highlighted, making for more efficient study and lectures. As a result, the text is over 20 pages shorter than the *Second Edition*.

*More worked problems.* The much admired—and imitated—four-part (plan, solution, check, practice) *Sample Problems* occur in both data-based and molecular-scene format. To deepen understanding, *Follow-up Problems* have worked-out solutions at the back of each chapter, with a road map when appropriate, effectively doubling the number of worked problems. This edition has 15 more sample problems, many in the earlier chapters, where students need the most practice in order to develop confidence.

*Art and figure legends.* Figures have been made more realistic and modern. Figure legends have been greatly shortened, and the explanations from them have either been added to the text or included within the figures.

*Page design and layout.* A more open look invites the reader while maintaining the same attention to keeping text and related figures and tables near each other for easier studying.

*Section summaries.* This universally approved feature is even easier to use in a new bulleted format.

*Chapter review.* The unique *Chapter Review Guide* aids study with problem-based learning objectives, key terms, key equations, and the multistep Brief Solutions to Follow-up Problems (rather than just numerical answers).

*End-of-chapter problem sets.* With an enhanced design to improve readability and traditional and molecular-scene problems updated and revised, these problem sets are far more extensive than in other brief texts.

### Content Changes to Individual Chapters

- Chapter 2 presents a new figure and table on molecular modeling, and it addresses the new IUPAC recommendations for atomic masses.
- Discussion of empirical formulas has been moved from Chapter 2 to Chapter 3 so that it appears just before molecular formulas.
- Chapter 3 has some sample problems from the *Second Edition* that have been divided to focus on distinct concepts, and it contains seven new sample problems.
- Chapters 3 and 4 include more extensive and consistent use of stoichiometry reaction tables in limiting-reactant problems.
- Chapter 4 presents a new molecular-scene sample problem on depicting an ionic compound in aqueous solution.
- Chapter 5 includes a new discussion on how gas laws apply to breathing.
- Chapter 5 groups stoichiometry of gaseous reactions with other rearrangements of the ideal gas law.
- Chapter 17 makes consistent use of quantitative benchmarks for determining when it is valid to assume that the amount reacting can be neglected.

## ACKNOWLEDGMENTS

For the third edition of *Principles of General Chemistry*, I am once again very fortunate that Patricia Amateis of Virginia Tech prepared the *Instructors' Solutions Manual* and *Student Solutions Manual* and Libby Weberg the *Student Study Guide*.

The following individuals helped write and review goal-oriented content for LearnSmart for general chemistry: Erin Whitteck; Margaret Ruth Leslie, Kent State University; and Adam I. Keller, Columbus State Community College.

And, I greatly appreciate the efforts of all the professors who reviewed portions of the new edition or who participated in our developmental survey to assess the content needs for the text:

DeeDee A. Allen, *Wake Technical Community College*  
 John D. Anderson, *Midland College*  
 Jeanne C. Arquette, *Phoenix College*  
 Yiyan Bai, *Houston Community College*  
 Stanley A. Bajue, *Medgar Evers College, CUNY*  
 Jason P. Barbour, *Anne Arundel Community College*  
 Peter T. Bell, *Tarleton State University*  
 Vladimir Benin, *University of Dayton*  
 Paul J. Birckbichler, *Slippery Rock University*  
 Simon Bott, *University of Houston*  
 Kevin A. Boudreaux, *Angelo State University*  
 R. D. Braun, *University of Louisiana, Lafayette*  
 Stacey Buchanan, *Henry Ford Community College*  
 Michael E. Clay, *College of San Mateo*  
 Michael Columbia, *Indiana University Purdue University Fort Wayne*  
 Charles R. Cornett, *University of Wisconsin, Platteville*  
 Kevin Crawford, *The Citadel*  
 Mapi M. Cuevas, *Santa Fe Community College*  
 Kate Deline, *College of San Mateo*  
 Amy M. Deveau, *University of New England, Biddeford*  
 Jozsef Devenyi, *The University of Tennessee, Martin*  
 Paul A. DiMilla, *Northeastern University*  
 John P. DiVincenzo, *Middle Tennessee State University*  
 Ajit Dixit, *Wake Technical Community College*  
 Son Q. Do, *University of Louisiana, Lafayette*  
 Rosemary I. Effiong, *University of Tennessee, Martin*  
 Bryan Enderle, *University of California, Davis*  
 David K. Erwin, *Rose-Hulman Institute of Technology*  
 Emmanuel Ewane, *Houston Community College*  
 Kenneth A. French, *Blinn College*  
 Donna G. Friedman, *St. Louis Community College, Florissant Valley*

Herb Fyneweaver, *Western Michigan University*  
 Judy George, *Grossmont College*  
 Dixie J. Goss, *Hunter College City University of New York*  
 Ryan H. Groeneman, *Jefferson College*  
 Kimberly Hamilton-Wims, *Northwest Mississippi Community College*  
 David Hanson, *Stony Brook University*  
 Eric Hardegree, *Abilene Christian University*  
 Michael A. Hauser, *St. Louis Community College, Meramec*  
 Eric J. Hawrelak, *Bloomsburg University of Pennsylvania*  
 Monte L. Helm, *Fort Lewis College*  
 Sherell Hickman, *Brevard Community College*  
 Jeffrey Hugdahl, *Mercer University*  
 Michael A. Janusa, *Stephen F. Austin State University*  
 Richard Jarman, *College of DuPage*  
 Carolyn Sweeney Judd, *Houston Community College*  
 Bryan King, *Wytheville Community College*  
 Peter J. Krieger, *Palm Beach Community College*  
 John T. Landrum, *Florida International University, Miami*  
 Richard H. Langley, *Stephen F. Austin State University*  
 Richard Lavallee, *Santa Monica College*  
 Debbie Leedy, *Glendale Community College*  
 Alan Levine, *University of Louisiana, Lafayette*  
 Chunmei Li, *Stephen F. Austin State University*  
 Alan F. Lindmark, *Indiana University Northwest*  
 Donald Linn, *Indiana University Purdue University Fort Wayne*  
 Arthur Low, *Tarleton State University*  
 David Lygre, *Central Washington University*  
 Toni G. McCall, *Angelina College*  
 Debbie McClinton, *Brevard Community College*  
 William McHarris, *Michigan State University*  
 Curtis McLendon, *Saddleback College*  
 Lauren McMills, *Ohio University*  
 Jennifer E. Mihalick, *University of Wisconsin, Oshkosh*  
 John T. Moore, *Stephen F. Austin State University*  
 Brian Moulton, *Brown University*  
 Michael R. Mueller, *Rose-Hulman Institute of Technology*

Kathy Nabona, *Austin Community College*  
 Chip Nataro, *Lafayette College*  
 David S. Newman, *Bowling Green State University*  
 William J. Nixon, *St. Petersburg College*  
 Eileen Pérez, *Hillsborough Community College*  
 Richard Perkins, *University of Louisiana, Lafayette*  
 Eric O. Potma, *University of California, Irvine*  
 Nichole L. Powell, *Tuskegee University*  
 Parris F. Powers, *Volunteer State Community College*  
 Mary C. Roslonowski, *Brevard Community College*  
 E. Alan Sadurski, *Ohio Northern University*  
 G. Alan Schick, *Eastern Kentucky University*  
 Linda D. Schultz, *Tarleton State University*  
 Mary Sisak, *Slippery Rock University*  
 Joseph Sneddon, *McNeese State University*  
 Michael S. Sommer, *University of Wyoming*  
 Ana Maria Soto, *The College of New Jersey*  
 John E. Straub, *Boston University*  
 Richard E. Sykora, *University of South Alabama*  
 Robin S. Tanke, *University of Wisconsin, Stevens Point*  
 Maria E. Tarafa, *Miami Dade College*  
 Kurt Teets, *Okaloosa Walton College*  
 Jeffrey S. Temple, *Southeastern Louisiana University*  
 Lydia T. Tien, *Monroe Community College*  
 Thomas D. Tullius, *Boston University*  
 Mike Van Stipdonk, *Wichita State University*  
 Ramaiyer Venkatraman, *Jackson State University*  
 Marie Villarba, *Glendale Community College*  
 Kirk W. Voska, *Rogers State University*  
 Edward A. Walters, *University of New Mexico*  
 Kristine Wammer, *University of St. Thomas*  
 Shuhsien Wang-Batamo, *Houston Community College*  
 Thomas Webb, *Auburn University*  
 Kurt Winkelmann, *Florida Institute of Technology*  
 Steven G. Wood, *Brigham Young University*  
 Louise V. Wrensford, *Albany State University*  
 James A. Zimmerman, *Missouri State University*  
 Susan Moyer Zirpoli, *Slippery Rock University*  
 Tatiana M. Zuvich, *Brevard Community College*

My friends that make up the superb publishing team at McGraw-Hill Higher Education have again done an excellent job developing and producing this text. My warmest thanks for their hard work, thoughtful advice, and support go to Publisher Ryan Blankenship and Executive Editor Jeff Huettman. I lost one wonderful Senior Developmental Editor, Donna Nemmers, early in the project and found another wonderful one, Lora Neyens. Once again, Lead Project Manager Peggy Selle created a superb product, this time based on the clean, modern look of Senior Designer David Hash. Marketing Manager Tami Hodge ably presented the final text to the sales staff and academic community.

Expert freelancers made indispensable contributions as well. My superb copyeditor, Jane Hoover, continued to improve the accuracy and clarity of my writing, and proofreaders Janelle Pregler and Angie Ruden gave their consistent polish to the final manuscript. And Jerry Marshall helped me find the best photos, and Gary Hunt helped me create an exciting cover.

As always, my wife Ruth was involved every step of the way, from helping with early style decisions to checking and correcting content and layout in page proofs. And my son Daniel consulted on the choice of photos and the cover.

# A Guide to Student Success: How to Get the Most Out of Your Textbook

## ORGANIZING AND FOCUSING

### Chapter Outline

The chapter begins with an outline that shows the sequence of topics and subtopics.

### Key Principles

The main principles from the chapter are given in concise, separate paragraphs so you can keep them in mind as you study. You may also want to review them when you are finished.

**W**hy do substances behave as they do? That is, why is table salt (or any other ionic substance) a hard, brittle, high-melting solid that conducts a current only when molten or dissolved in water? Why is candle wax (along with most covalent substances) low melting, soft, and nonconducting, even though diamond (as well as a few other exceptions) is high melting and extremely hard? And why is copper (and most other metals) shiny, malleable, and able to conduct a current whether molten or solid? The answers lie in the *type of bonding within the substance*. In Chapter 8, we examined the properties of individual atoms and ions. But the behavior of matter really depends on how those atoms and ions bond.

#### 9.1 • ATOMIC PROPERTIES AND CHEMICAL BONDS

Before we examine the types of chemical bonding, we should start with the most fundamental question: why do atoms bond at all? In general, *bonding lowers the*

#### CONCEPTS & SKILLS TO REVIEW before studying this chapter

- characteristics of ionic and covalent compounds; Coulomb's law (Section 2.7)
- polar covalent bonds and the polarity of water (Section 4.1) (Sections 6.5 and 6.6)
- Hess's law,  $\Delta H_{\text{rxn}}$ , and  $\Delta H_f^\circ$  (Sections 6.5 and 6.6)
- atomic and ionic electron configurations (Sections 8.2 and 8.4)
- trends in atomic properties and metallic behavior (Sections 8.3 and 8.4)

## 7 Quantum Theory and Atomic Structure

### Key Principles to focus on while studying this chapter

- In a vacuum, electromagnetic radiation travels at the speed of light ( $c$ ) in waves. The properties of a wave are its wavelength ( $\lambda$ , distance between corresponding points on adjacent waves), frequency ( $\nu$ , number of cycles the wave undergoes per second), and amplitude (the height of the wave), which is related to the intensity (brightness) of the radiation. Any region of the electromagnetic spectrum includes a range of wavelengths. (Section 7.1)
- In everyday experience, energy is diffuse and matter is chunky, but certain phenomena—blackbody radiation (the light emitted by hot objects), the photoelectric effect (the flow of current when light strikes a metal), and atomic spectra (the specific colors emitted from a substance that is excited)—can only be explained if energy consists of “packets” (quanta) that occur in, and thus change by, fixed amounts. The energy of a quantum is related to its frequency. (Section 7.1)
- According to the Bohr model, an atomic spectrum consists of separate lines because an atom has certain energy levels (states) that correspond to electrons in orbits around the nucleus. The energy of the atom changes when the electron moves from one orbit to another as the atom absorbs (or emits) light of a specific frequency. (Section 7.2)
- Wave-particle duality means that matter has wavelike properties (as shown by the de Broglie wavelength and electron diffraction) and energy has particle-like properties (as shown by photons of light having momentum). These properties are observable only on the atomic scale, and because of them, we can never simultaneously know the position and speed of an electron in an atom (uncertainty principle). (Section 7.3)
- According to the quantum-mechanical model of the H atom, each energy level of the atom is associated with an atomic orbital (wave function), a mathematical description of the electron's position in three dimensions. We can know the probability that the electron is within a particular tiny volume of space, but not its exact location. The probability is highest for the electron being near the nucleus, and it decreases with distance. (Section 7.4)



**Light from Excited Atoms** In a fireworks display and many other everyday phenomena, we see the result of atoms absorbing energy and then emitting it as light. In this chapter, we explore the basis of these phenomena and learn some surprising things about the makeup of the universe.

### Outline

- 7.1 **The Nature of Light**  
Wave Nature of Light  
Particle Nature of Light
- 7.2 **Atomic Spectra**  
Line Spectra and the Rydberg Equation  
Bohr Model of the Hydrogen Atom  
Energy Levels of the Hydrogen Atom  
Spectral Analysis
- 7.3 **The Wave-Particle Duality of Matter and Energy**  
Wave Nature of Electrons and Particle Nature of Photons  
Heisenberg's Uncertainty Principle

## Concepts and Skills to Review

This unique feature helps you prepare for the upcoming chapter by referring to key material from earlier chapters that you should understand *before* you start reading the current one.

### Summary of Section 13.3

- A solution that contains the maximum amount of dissolved solute in the presence of excess undissolved solute is saturated. A saturated solution is in equilibrium with excess solute, because solute particles are entering and leaving the solution at the same rate.
- Most solids are more soluble at higher temperatures.
- All gases have a negative  $\Delta H_{\text{soln}}$  in water, so heating lowers gas solubility in water.
- Henry's law says that the solubility of a gas is directly proportional to its partial pressure above the solution.

## Section Summaries

A bulleted list of statements conclude each section, immediately reiterating the major ideas just covered.

## STEP-BY-STEP PROBLEM SOLVING

Using this clear and thorough problem-solving approach, you'll learn to think through chemistry problems logically and systematically.

## Sample Problems

A worked-out problem appears whenever an important new concept or skill is introduced. The step-by-step approach is shown consistently for every sample problem in the text.


- **Plan** analyzes the problem so that you can use what is known to find what is unknown. This approach develops the habit of thinking through the solution *before* performing calculations.
- In many cases, a **Road Map** specific to the problem is shown alongside the plan to lead you visually through the needed calculation steps.
- **Solution** shows the calculation steps *in the same order* as they are discussed in the plan and shown in the road map.
- **Check** fosters the habit of going over your work quickly to make sure that the answer is reasonable, chemically and mathematically—a great way to avoid careless errors.
- **Comment**, shown in many problems, provides an additional insight, and alternative approach, or a common mistake to avoid.
- **Follow-up Problem** gives you immediate practice by presenting a similar problem that requires the same approach.

### Sample Problem 3.25 Calculating Quantities of Reactants and Products for a Reaction in Solution

**Problem** Specialized cells in the stomach release HCl to aid digestion. If they release too much, the excess can be neutralized with an antacid. A common antacid contains magnesium hydroxide, which reacts with the acid to form water and magnesium chloride solution. As a government chemist testing commercial antacids, you use 0.10 M HCl to simulate the acid concentration in the stomach. How many liters of “stomach acid” react with a tablet containing 0.10 g of magnesium hydroxide?

**Plan** We are given the mass (0.10 g) of magnesium hydroxide,  $\text{Mg}(\text{OH})_2$ , that reacts with the acid. We also know the acid concentration (0.10 M) and must find the acid volume. After writing the balanced equation, we convert the mass (g) of  $\text{Mg}(\text{OH})_2$  to amount (mol) and use the molar ratio to find the amount (mol) of HCl that reacts with it. Then, we use the molarity of HCl to find the volume (L) that contains this amount (see the road map).

**Solution** Writing the balanced equation:



Converting from mass (g) of  $\text{Mg}(\text{OH})_2$  to amount (mol):

$$\text{Amount (mol) of Mg}(\text{OH})_2 = 0.10 \text{ g Mg}(\text{OH})_2 \times \frac{1 \text{ mol Mg}(\text{OH})_2}{58.33 \text{ g Mg}(\text{OH})_2} = 1.7 \times 10^{-3} \text{ mol Mg}(\text{OH})_2$$

Converting from amount (mol) of  $\text{Mg}(\text{OH})_2$  to amount (mol) of HCl:

$$\text{Amount (mol) of HCl} = 1.7 \times 10^{-3} \text{ mol Mg}(\text{OH})_2 \times \frac{2 \text{ mol HCl}}{1 \text{ mol Mg}(\text{OH})_2} = 3.4 \times 10^{-3} \text{ mol HCl}$$

Converting from amount (mol) of HCl to volume (L):


$$\text{Volume (L) of HCl} = 3.4 \times 10^{-3} \text{ mol HCl} \times \frac{1 \text{ L}}{0.10 \text{ mol HCl}} = 3.4 \times 10^{-2} \text{ L}$$

**Check** The size of the answer seems reasonable: a small volume of dilute acid (0.034 L of 0.10 M) reacts with a small amount of antacid (0.0017 mol).

**Comment** In Chapter 4, you'll see that this equation is an oversimplification, because HCl and  $\text{MgCl}_2$  exist in solution as separated ions.


**FOLLOW-UP PROBLEM 3.25** Another active ingredient in some antacids is aluminum hydroxide. Which is more effective at neutralizing stomach acid, magnesium hydroxide or aluminum hydroxide? [Hint: “Effectiveness” refers to the amount of acid that reacts with a given mass of antacid. You already know the effectiveness of 0.10 g of  $\text{Mg}(\text{OH})_2$ .]

#### Road Map



**Sample Problem 18.9 Using Molecular Scenes to Determine the Extent of HA Dissociation**

**Problem** A 0.15 M solution of HA (blue and green) is 33% dissociated. Which scene represents a sample of that solution after it is diluted with water?



**Plan** We are given the percent dissociation of the original HA solution (33%), and we know that the percent dissociation increases as the acid is diluted. Thus, we calculate the percent dissociation of each diluted sample and see which is greater than 33%. To determine percent dissociation, we apply Equation 18.5, with  $HA_{\text{dissoc}}$  equal to the number of  $H_3O^+$  (or  $A^-$ ) and  $HA_{\text{init}}$  equal to the number of HA plus the number of  $H_3O^+$  (or  $A^-$ ).

**Solution** Calculating the percent dissociation of each diluted solution with Equation 18.5:

Solution 1. Percent dissociated =  $4/(5 + 4) \times 100 = 44\%$

Solution 2. Percent dissociated =  $2/(7 + 2) \times 100 = 22\%$

Solution 3. Percent dissociated =  $3/(6 + 3) \times 100 = 33\%$


Therefore, **scene 1** represents the diluted solution.

**Check** Let's confirm our choice by examining the other scenes: in scene 2, HA is less dissociated than originally, so that scene must represent a more concentrated HA solution; scene 3 represents another solution with the same percent dissociation as the original.

**FOLLOW-UP PROBLEM 18.9** The scene in the margin represents a sample of a weak acid HB (blue and purple) dissolved in water. Draw a scene that represents the same volume after the solution has been diluted with water.


## Unique to Principles of General Chemistry: Molecular-Scene Sample Problems

These problems apply the same stepwise strategy to help you interpret molecular scenes and solve problems based on them.

**BRIEF SOLUTIONS TO FOLLOW-UP PROBLEMS** Compare your own solutions to these calculation steps and answers.


$$\text{rate} = -\frac{\Delta[O_2]}{\Delta t} = -\frac{1}{4} \frac{\Delta[NO]}{\Delta t} = \frac{1}{2} \frac{\Delta[N_2O_4]}{\Delta t}$$


(b)  $-\frac{\Delta[O_2]}{\Delta t} = -\frac{1}{4} \frac{\Delta[NO]}{\Delta t} = -\frac{1}{4} (-1.60 \times 10 \text{ mol/L}\cdot\text{s})$   
 $= 4.00 \times 10^{-3} \text{ mol/L}\cdot\text{s}$



16.5  $1/[HI]_t - 1/[HI]_0 = kt$

$111 \text{ L/mol} - 100. \text{ L/mol} = (2.4 \times 10^{-21} \text{ L/mol}\cdot\text{s})(t)$   
 $t = 4.6 \times 10^{21} \text{ s (or } 1.5 \times 10^{14} \text{ yr)}$

16.6 (a)



16.2 First order in  $Br^-$ , first order in  $BrO_3^-$ , second order in  $H^+$ , fourth order overall.

16.3 Rate =  $k[H_2]^m[I_2]^n$ . From Expts 1 and 3,  $m = 1$ . From Expts 2 and 4,  $n = 1$ . Therefore, rate =  $k[H_2][I_2]$ ; second order overall.

16.4 (a) The rate law shows the reaction is zero order in Y, so the rate is not affected by doubling Y; rate of Expt 2 =  $0.25 \times 10^{-5} \text{ mol/L}\cdot\text{s}$ .

(b) The rate of Expt 3 is four times that of Expt 1, so  $[X]$  doubles.


## Brief Solutions to Follow-up Problems

These provide multistep solutions at the end of the chapter, not just a one-number answer at the back of the book. This fuller treatment provides an excellent way for you to reinforce problem-solving skills.

## VISUALIZING CHEMISTRY


### Three-Level Illustrations

A Silberberg hallmark, these illustrations provide macroscopic and molecular views of a process to help you connect these two levels of reality with each other and with the chemical equation that describes the process in symbols.



## Cutting-Edge Molecular Models

Author and artist worked side by side and employed the most advanced computer-graphic software to provide accurate molecular-scale models and vivid scenes.



# REINFORCING THE LEARNING PROCESS

## Chapter Review Guide

A rich catalog of study aids ends each chapter to help you review its content:

- **Learning Objectives** are listed, with section, sample problem, and end-of-chapter problem numbers, to help you focus on key concepts and skills.
- **Key Terms** are boldfaced within the chapter and listed here by section (with page numbers); they are defined again in the Glossary.
- **Key Equations and Relationships** are highlighted and numbered within the chapter and listed here with page numbers.

**13.79** What is the minimum mass of glycerol ( $C_3H_8O_3$ ) that must be dissolved in 11.0 mg of water to prevent the solution from freezing at  $-15^\circ\text{C}$ ? (Assume ideal behavior.)

**13.80** Calculate the molality and van't Hoff factor ( $i$ ) for the following aqueous solutions:

- (a) 1.00 mass % NaCl, freezing point =  $-0.593^\circ\text{C}$   
 (b) 0.500 mass %  $\text{CH}_3\text{COOH}$ , freezing point =  $-0.159^\circ\text{C}$

**13.81** Calculate the molality and van't Hoff factor ( $i$ ) for the following aqueous solutions:


- (a) 0.500 mass % KCl, freezing point =  $-0.234^\circ\text{C}$   
 (b) 1.00 mass %  $\text{H}_2\text{SO}_4$ , freezing point =  $-0.423^\circ\text{C}$

**13.82** In a study designed to prepare new gasoline-resistant coatings, a polymer chemist dissolves 6.053 g of poly(vinyl alcohol) in enough water to make 100.0 mL of solution. At  $25^\circ\text{C}$ , the osmotic pressure of this solution is 0.272 atm. What is the molar mass of the polymer sample?

**13.83** The U.S. Food and Drug Administration lists dichloromethane ( $\text{CH}_2\text{Cl}_2$ ) and carbon tetrachloride ( $\text{CCl}_4$ ) among the many cancer-causing chlorinated organic compounds. What are the partial pressures of these substances in the vapor above a solution of 1.60 mol of  $\text{CH}_2\text{Cl}_2$  and 1.10 mol of  $\text{CCl}_4$  at  $23.5^\circ\text{C}$ ? The vapor pressures of pure  $\text{CH}_2\text{Cl}_2$  and  $\text{CCl}_4$  at  $23.5^\circ\text{C}$  are 352 torr and 118 torr, respectively. (Assume ideal behavior.)

### Comprehensive Problems


**13.84** The three aqueous ionic solutions represented below have total volumes of 25. mL for A, 50. mL for B, and 100. mL for C. If each sphere represents 0.010 mol of ions, calculate: (a) the total molarity of ions for each solution; (b) the highest molarity of solute; (c) the lowest molality of solute (assuming the solution densities are equal); (d) the highest osmotic pressure (assuming ideal behavior).



**13.85** Gold occurs in seawater at an average concentration of  $1.1 \times 10^{-2}$  ppb. How many liters of seawater must be processed to recover 1 Troy ounce of gold, assuming 81.5% efficiency ( $d$  of seawater = 1.025 g/mL; 1 Troy ounce = 31.1 g)?


**13.86** Use atomic properties to explain why xenon is 11 times as soluble as helium in water at  $0^\circ\text{C}$  on a mole basis.

**13.87** Which of the following best represents a molecular-scale view of an ionic compound in aqueous solution? Explain.



**13.88** Four 0.50 M aqueous solutions are depicted. Assume the solutions behave ideally: (a) Which has the highest boiling point?

(b) Which has the lowest freezing point? (c) Can you determine which one has the highest osmotic pressure? Explain.



**13.89** "De-icing salt" is used to melt snow and ice on streets. highway department of a small town is deciding whether to use NaCl or  $\text{CaCl}_2$ , which are equally effective, to use for this purpose. The town can obtain NaCl for \$0.22/kg. What is the maximum town should pay for  $\text{CaCl}_2$  to be cost effective?


**13.90** Thermal pollution from industrial wastewater causes the temperature of river or lake water to increase, which can affect survival as the concentration of dissolved  $\text{O}_2$  decreases. Use the following data to find the molality of  $\text{O}_2$  at each temperature (ass the solution density is the same as water):

Temperature ( $^\circ\text{C}$ )	Solubility of $\text{O}_2$ (mg/kg $\text{H}_2\text{O}$ )	Density of $\text{H}_2\text{O}$ (g/mL)
0.0	14.5	0.99987
20.0	9.07	0.99823
40.0	6.44	0.99224

**13.91** A chemist is studying small organic compounds for potential use as an antifreeze. When 0.243 g of a compound dissolved in 25.0 mL of water, the freezing point of the solution is  $-0.201^\circ\text{C}$ . (a) Calculate the molar mass of the compound ( $d$  of water = 1.00 g/mL). (b) Analysis shows that the compound is 53.31 mass % C and 11.18 mass % H, the remainder being O. Calculate the empirical and molecular formulas of the compound. (c) Draw a Lewis structure for a compound with this formula that forms H bonds and another for one that does not.

**13.92** Is 50% by mass of methanol dissolved in ethanol different from 50% by mass of ethanol dissolved in methanol? Explain.

**13.93** Three gaseous mixtures of  $\text{N}_2$  (blue),  $\text{Cl}_2$  (green), and Ne (purple) are depicted below. (a) Which has the smallest mole fraction of  $\text{N}_2$ ? (b) Which have the same mole fraction of Ne? (c) Rank all three in order of increasing mole fraction of  $\text{Cl}_2$ .



**13.94** Four U tubes each have distilled water in the right arm, a solution in the left arm, and a semipermeable membrane between arms. (a) If the solute is KCl, which solution is most concentrated?

## CHAPTER REVIEW GUIDE

The following sections provide many aids to help you study this chapter. (Numbers in parentheses refer to pages, unless noted otherwise.)

**Learning Objectives** These are concepts and skills to review after studying this chapter.

Related section (S), sample problem (SP), and upcoming end-of-chapter problem (EP) numbers are listed in parentheses.

1. Explain how solubility depends on the types of intermolecular forces (like-dissolves-like rule) and understand the characteristics of solutions consisting of gases, liquids, or solids (S13.1) (SP 13.1) (EPs 13.1–13.12)
2. Understand the enthalpy components of  $\Delta H_{\text{soln}}$ , the dependence of  $\Delta H_{\text{hydr}}$  on charge density, and why a solution process is exothermic or endothermic (S13.2) (EPs 13.13–13.15, 13.18–13.25, 13.28)
3. Comprehend the meaning of entropy and how the balance between  $\Delta H$  and  $\Delta S$  governs the solution process (S13.2) (EPs 13.16, 13.17, 13.26, 13.27)
4. Distinguish among saturated, unsaturated, and supersaturated solutions and explain the equilibrium nature of a saturated solution (S13.3) (EPs 13.29, 13.35)
5. Describe the effect of temperature on the solubility of solids and gases in water and the effect of pressure on the solubility of gases (Henry's law) (S13.3) (SP 13.2) (EPs 13.30–13.34, 13.36)
6. Express concentration in terms of molarity, molality, mole fraction, and parts by mass or by volume and be able to interconvert these terms (S13.4) (SPs 13.3–13.5) (EPs 13.37–13.58)
7. Describe electrolyte behavior and the four colligative properties, explain the difference between phase diagrams for a solution and a pure solvent, explain vapor-pressure lowering for non-volatile and volatile nonelectrolytes, and discuss the van't Hoff factor for colligative properties of electrolyte solutions (S13.5) (SPs 13.6–13.9) (EPs 13.59–13.83)

**Key Terms** These important terms appear in boldface in the chapter and are defined again in the Glossary.

<b>Section 13.1</b>	solvation (397)	volume percent	boiling point elevation
solute (392)	hydration (398)	[% (v/v)] (405)	( $\Delta T_b$ ) (410)
solvent (392)	heat of hydration	mole fraction ( $X$ ) (405)	freezing point depression
miscible (392)	( $\Delta H_{\text{hyd}}$ ) (398)	<b>Section 13.5</b>	( $\Delta T_f$ ) (411)
solubility (S) (392)	charge density (398)	colligative property (408)	semipermeable membrane
like-dissolves-like rule (393)	entropy (S) (399)	electrolyte (408)	(412)
hydration shell (393)	ion-induced dipole	nonelectrolyte (408)	osmosis (412)
force (393)	saturated solution (401)	vapor pressure lowering	osmotic pressure
dipole-induced dipole	unsaturated solution (401)	( $\Delta P$ ) (408)	(II) (413)
force (393)	supersaturated solution (401)	Raoult's law (409)	ionic atmosphere (415)
alloy (396)	Henry's law (403)	ideal solution (409)	
<b>Section 13.2</b>	<b>Section 13.4</b>		
heat of solution	molality ( $m$ ) (404)		
( $\Delta H_{\text{soln}}$ ) (397)	mass percent [% (w/w)]		
	(405)		

**Key Equations and Relationships** Numbered and screened concepts are listed for you to refer to or memorize.

**13.1** Dividing the general heat of solution into component enthalpies (397):

$$\Delta H_{\text{soln}} = \Delta H_{\text{solute}} + \Delta H_{\text{solvent}} + \Delta H_{\text{mix}}$$

**13.2** Dividing the heat of solution of an ionic compound in water into component enthalpies (398):

$$\Delta H_{\text{soln}} = \Delta H_{\text{lattice}} + \Delta H_{\text{hydr of the ions}}$$

**13.3** Relating gas solubility to its partial pressure (Henry's law) (403):

$$S_{\text{gas}} = k_{\text{H}} \times P_{\text{gas}}$$

**13.4** Defining concentration in terms of molarity (404):

$$\text{Molarity (M)} = \frac{\text{amount (mol) of solute}}{\text{volume (L) of solution}}$$

**13.5** Defining concentration in terms of molality (404):

$$\text{Molality (m)} = \frac{\text{amount (mol) of solute}}{\text{mass (kg) of solvent}}$$

**13.6** Defining concentration in terms of mass percent (405):

$$\text{Mass percent [\% (w/w)]} = \frac{\text{mass of solute}}{\text{mass of solution}} \times 100$$

**13.7** Defining concentration in terms of volume percent (405):

$$\text{Volume percent [\% (v/v)]} = \frac{\text{volume of solute}}{\text{volume of solution}} \times 100$$

## End-of-Chapter Problems

An exceptionally large number of problems ends each chapter. These are sorted by section, and many are grouped in similar pairs, with one of each pair answered in Appendix E (along with other problems having a colored number). Following these section-based problems is a large group of Comprehensive Problems, which are based on concepts and skills from any section and/or earlier chapter and are filled with applications from related sciences.

## Think of It This Way

Analogies, memory shortcuts, and new insights into key ideas are provided in "Think of It This Way" features.

Here are some memory aids to help you connect the half-reaction with its electrode:

1. The words *anode* and *oxidation* start with vowels; the words *cathode* and *reduction* start with consonants.
2. Alphabetically, the *A* in anode comes before the *C* in cathode, and the *O* in oxidation comes before the *R* in reduction.
3. Look at the first syllables and use your imagination:

ANode, OXidation; REDuction, CAThode  $\Rightarrow$  AN OX and a RED CAT

**THINK OF IT THIS WAY**  
Which Half-Reaction Occurs at Which Electrode?



### Summary of Section 21.1

- An oxidation-reduction (redox) reaction involves the transfer of electrons from a reducing agent to an oxidizing agent.
- The half-reaction method of balancing divides the overall reaction into half-reactions that are balanced separately and then recombined.
- There are two types of electrochemical cells. In a voltaic cell, a spontaneous reaction generates electricity and does work on the surroundings. In an electrolytic cell, the